SSI SCHÄFER

Extract of the general catalogue,

CHAPTER H

INDIVIDUAL SOLUTIONS FROM A SINGLE SOURCE

A large variety of products and systems for warehouses, factories and workshops

GENERAL CATALOGUE

SSI SCHAEFER systems bring order and organisation to your workshops, factories, offices and stores

Efficient processes, organisation and flexibility form the basis of an efficient workshop, where quality and quantity are critical. SSI SCHAEFER has spent years developing a wealth of options in the workplace to support professional people in their daily work.

From materials cabinets to tool and machine cabinets, from small parts magazines to complete shelving systems, from workbenches to transport equipment and ladders, from equipping canteens to equipping social facilities, we have the solution that fits.



Workstation systems **H2**

Modular workbenches H4
"Hexa" team workstations H30
Compact workbenches H32
Lift table system H34
Accessories H25, H37-H41

Drawer systems **H42**

Electronically protected drawer systems H44
Drawer cabinets, depth 27T (572 mm) H46
Drawer cabinets, depth 36T (725 mm) H56
WSR drawer shelving H70
NC storage H80

Cabinet systems **H84**

MSI series folding door cabinets H84
Functional cabinets H86
Special cabinets H96
Tool cabinets H97
Fix-shelf cabinets, semi-open front storage containers H98
Sliding door cabinets H100



Counter and cabinet combinations **H102**

Bolt-free shelving system R 2000 H104
Counter cabinets 5000 series H108
Counter cabinets 1100 series H110

Equipment for changing rooms **H118**

Clothes lockers H120
Z Wardrobe and space-saving cabinets H128
Laundry collection and mailbox/distributor cabinets H129
Compartment cabinets H130
Fire cabinets H131
Lockers and wardrobes H134
Multi-purpose wardrobes H136

Tailor-made modular workbenches and workstations

Increasingly flexible production processes demand a maximum degree of organisational variety in workstation design.

SSI SCHAEFER offers systems which enable you to react quickly and efficiently to changing requirements.

All workstation systems can be combined with one another to facilitate the variable equipping of the workbenches in line with the motto “For solutions that fit”.



Modular workbenches **H4**

Ordering examples H4
Work surfaces, shelves H6
Pedestal H8
Workbench drawer cabinets H10
Workbench drawer units H13
Workbench roller cabinets H14
Individual workbench cabinet components H16
Dividers H18
PC protective cabinets and cases H20
Power supply for workbenches H22
Workbench back panels H26

Pegboard systems **H28**

“Hexa” team workstations **H30**

Ordering examples H30
Power supply, accessories H31

Compact workbenches **H32**

Ordering examples H32

Lift table systems **H34**

Lift table systems, height adjustable H34
Workbench back panels H36

Accessories **H25, H37-H41**

Table lamps, vices H25
Rotating office chairs H37
Shelf and workshop trolleys, mobile charging stations, transport trolley H38
Collection systems for recyclable materials H41

RAL 7035
LIGHT GREY
Housing

GENTIAN BLUE
RAL 5010
Fronts

Ordering examples for modular workbenches



Drawer units and base units can be assembled to the right or left.
All workbenches supplied without back boards and shelves.

- **High-grade sheet steel**
  powder-coated
- **Pedestal**
  heavy duty
- **Drawers**
  fully extendable
- **Work surface**
  Beech Multiplex, linseed oil finish, 40/50 mm thick
- **Easy assembly**
  supplied for self-assembly



WB-S/-M series modular workbenches

No drawer unit

Item	Length (mm)	Surface thickness (mm)	Drawer block W x D x H (mm)	Order no.
WB1570G	1500	40	–	13811
WB1570A	Add-on unit		–	21311
WB-S1580GM	1500	50	–	108144
WB-S1580AM	Add-on unit		–	108145
WB2070G	2000	40	–	13821
WB2070A	Add-on unit		–	21361
WB-S2080GM	2000	50	–	108154
WB-S2080AM	Add-on unit		–	108155

With 1 drawer unit and 2 drawers

Item	Length (mm)	Surface thickness (mm)	Drawer block W x D x H (mm)	Order no.
WB1572G	1500	40	527 x 630 x 382	13851
WB1572A	Add-on unit		527 x 630 x 382	21331
WB-S1581GM	1500	50	527 x 630 x 382	108164
WB-S1581AM	Add-on unit		527 x 630 x 382	108165
WB2072G	2000	40	527 x 630 x 382	13861
WB2072A	Add-on unit		527 x 630 x 382	21201
WB-S2081GM	2000	50	527 x 630 x 382	108174
WB-S2081AM	Add-on unit		527 x 630 x 382	108175

With 1 drawer unit and 3 drawers

Item	Length (mm)	Surface thickness (mm)	Drawer block W x D x H (mm)	Order no.
WB1571G	1500	40	527 x 630 x 382	13831
WB1571A	Add-on unit		527 x 630 x 382	21321
WB-S1582GM	1500	50	527 x 630 x 382	108184
WB-S1582AM	Add-on unit		527 x 630 x 382	108185
WB2071G	2000	40	527 x 630 x 382	13841
WB2071A	Add-on unit		527 x 630 x 382	21371
WB-S2082GM	2000	50	527 x 630 x 382	108194
WB-S2082AM	Add-on unit		527 x 630 x 382	108195

With 1 drawer unit and 4 drawers

Item	Length (mm)	Surface thickness (mm)	Drawer block W x D x H (mm)	Order no.
WB15711G	1500	40	527 x 630 x 382	13911
WB15711A	Add-on unit		527 x 630 x 382	13931
WB15712G	1500	50	527 x 630 x 382	13951
WB15712A	Add-on unit		527 x 630 x 382	13971
WB20711G	2000	40	527 x 630 x 382	13921
WB20711A	Add-on unit		527 x 630 x 382	13941
WB20712G	2000	50	527 x 630 x 382	13961
WB20712A	Add-on unit		527 x 630 x 382	13981

Additional colour combinations on request

Ordering examples for modular workbenches

WB-S/-M series modular workbenches

With 1 drawer cabinet and 4 drawers

Item	Length (mm)	Surface thickness (mm)	Drawer block W x D x H (mm)	Order no.
WB1575G	1500	40	527 x 630 x 800	108501
WB1575A	Add-on unit		527 x 630 x 800	108511
WB-S1587GM	1500	50	527 x 630 x 800	108284
WB-S1587AM	Add-on unit		527 x 630 x 800	108285
WB2075G	2000	40	527 x 630 x 800	108521
WB2075A	Add-on unit		527 x 630 x 800	108531
WB-S2087GM	2000	50	527 x 630 x 800	108294
WB-S2087AM	Add-on unit		527 x 630 x 800	108295

With 1 drawer cabinet and 6 drawers

Item	Length (mm)	Surface thickness (mm)	Drawer block W x D x H (mm)	Order no.
WB1577G	1500	40	527 x 630 x 800	108541
WB1577A	Add-on unit		527 x 630 x 800	108551
WB-S1588GM	1500	50	527 x 630 x 800	108304
WB-S1588AM	Add-on unit		527 x 630 x 800	108305
WB2077G	2000	40	527 x 630 x 800	108561
WB2077A	Add-on unit		527 x 630 x 800	108571
WB-S2088GM	2000	50	527 x 630 x 800	108314
WB-S2088AM	Add-on unit		527 x 630 x 800	108315

With 1 drawer cabinet and 4 drawers, and 1 drawer cabinet and 6 drawers

Item	Length (mm)	Surface thickness (mm)	Drawer block W x D x H (mm)	Order no.
WB1579	1500	40	527 x 630 x 800	108641
WB-S15813M	1500	50	527 x 630 x 800	108402
WB2079	2000	40	527 x 630 x 800	108651
WB-S20813M	2000	50	527 x 630 x 800	108412

With 1 drawer cabinet and 5 drawers

Item	Length (mm)	Surface thickness (mm)	Drawer block W x D x H (mm)	Order no.
WB1576G	1500	40	527 x 630 x 800	108581
WB1576A	Add-on unit		527 x 630 x 800	108591
WB-S1589GM	1500	50	527 x 630 x 800	108324
WB-S1589AM	Add-on unit		527 x 630 x 800	108325
WB2076G	2000	40	527 x 630 x 800	108601
WB2076A	Add-on unit		527 x 630 x 800	108611
WB-S2089GM	2000	50	527 x 630 x 800	108334
WB-S2089AM	Add-on unit		527 x 630 x 800	108335

With 1 drawer cabinet and 4 drawers, and 1 drawer cabinet and 2 drawers, 1 adjustable shelf and door

Item	Length (mm)	Surface thickness (mm)	Drawer block W x D x H (mm)	Order no.
WB1578	1500	40	527 x 630 x 800	108621
–	–	–	–	–
WB-S15812M	1500	50	527 x 630 x 800	108382
–	–	–	–	–
WB2078	2000	40	527 x 630 x 800	108631
–	–	–	–	–
WB-S20812M	2000	50	527 x 630 x 800	108392
–	–	–	–	–



With height adjustable pedestals, adjustment range 641 – 959 mm

Item	Length (mm)	Surface thickness (mm)	Drawer block W x D x H (mm)	Order no.
–	–	–	–	–
WB-S1584M	1500	50	–	108222
–	–	–	–	–
WB-S2084M	2000	50	–	108232

Work surfaces Page **H6-H7**

Drawer cabinets/blocks, Roller cabinets Page **H10-H15**

Dividers for drawers Page **H18-H19**

Work surfaces for modular workbenches



Multiplex work surface

Quality grade I/II beech veneer, multi-layered, bonded and waterproof with polished edges. Absolutely rigid, craze-resistant, resistant to high temperatures and mechanical stresses. Largely insensitive to oil, grease, organic solvents, weak acids and alkalis. Boiled linseed oil surface.

Item	L x D x H (mm)	Order no.
M1564	1500 x 600 x 40	21488
M1574	1500 x 700 x 40	21480
M1585	1500 x 800 x 50	21481
M1785	1750 x 800 x 50	21483
M2074	2000 x 700 x 40	21484
M2085	2000 x 800 x 50	21485
M2585	2500 x 800 x 50	21487

Multiplex work surface with steel edge

Finish the same as multiplex work surface, but with front edge protected by steel U-profile. Boiled linseed oil surface.

Item	L x D x H (mm)	Order no.
MPS1564	1500 x 600 x 40	108000
MPS1574	1500 x 700 x 40	108001
MPS1585	1500 x 800 x 50	108002
MPS1785	1750 x 800 x 50	108004
MPS2074	2000 x 700 x 40	108005
MPS2085	2000 x 800 x 50	108006
MPS2585	2500 x 800 x 50	108008



Work surface with steel cover

Double-glued wood core/chipboard composite with glued steel cover, edged on all 4 sides, galvanised. Edges open. Stainless steel plate on request.

Item	L x D x H (mm)	Order no.
SPZ1564	1500 x 600 x 40	108010
SPZ1574	1500 x 700 x 40	108011
SPZ1585	1500 x 800 x 50	108012
SPZ1774	1750 x 700 x 40	108013
SPZ1785	1750 x 800 x 50	108014
SPZ2074	2000 x 700 x 40	108015
SPZ2085	2000 x 800 x 50	108016
SPZ2574	2500 x 700 x 40	108017
SPZ2585	2500 x 800 x 50	108018

Matching panel connectors

Page **H17**



Block-glued beech board

Extremely robust high quality work surface, with continuously glued longitudinal dovetail joints. Surface painted.

Item	L x D x H (mm)	Order no.
RBR1574	1500 x 700 x 40	107863
RBR1584	1500 x 800 x 40	107860
RBR2074	2000 x 700 x 40	107864
RBR2084	2000 x 800 x 40	107861
RBR2574	2500 x 700 x 40	107865
RBR2584	2500 x 800 x 40	107862



Plastic-coated work surface

Hard wearing finish, particularly resistant to oil and grease. 6 mm plastic coating. Chipboard core. Underside hardened pressboard. The edge of the work surfaces has beech trim on all sides.

Item	L x D x H (mm)	Order no.
UPC1575	1500 x 700 x 45	21669
UPC1585	1500 x 800 x 45	21666
UPC2075	2000 x 700 x 45	21670
UPC2085	2000 x 800 x 45	21667
UPC2575	2500 x 700 x 45	21671
UPC2585	2500 x 800 x 45	21668



Plastic-coated worksurface with steel edge

Same as plastic-coated work surface, but with front edge protected by steel U-profile.

Item	L x D x H (mm)	Order no.
UPA1575	1500 x 700 x 45	21663
UPA1585	1500 x 800 x 45	21660
UPA2075	2000 x 700 x 45	21664
UPA2085	2000 x 800 x 45	21661
UPA2575	2500 x 700 x 45	21665
UPA2585	2500 x 800 x 45	21662

Work surfaces for modular workbenches



Linostat work surface

Double glued wood core plyboard with special 2.5 mm linoleum coating. Light grey marble effect. Permanently antistatic and high resistance to abrasion, medium-hard. With wooden edging.

Item	L x D x H (mm)	Order no.
LPL1574	1500 x 700 x 40	194520
LPL1584	1500 x 800 x 40	194530
LPL1774	1750 x 700 x 40	194540
LPL1784	1750 x 800 x 40	194550
LPL2074	2000 x 700 x 40	194560
LPL2084	2000 x 800 x 40	194570



Synthetic resin-coated board

With 0.8 mm HPL coating, 2 mm edging strip. Easy to clean, good chemical resistance. Table top reinforcement is required for use with pedestals.

Item	L x D x H (mm)	Order no.
KHB1574	1500 x 700 x 40	107873
KHB1584	1500 x 800 x 40	107870
KHB2074	2000 x 700 x 40	107874
KHB2084	2000 x 800 x 40	107871
KHB2574	2500 x 700 x 40	107875
KHB2584	2500 x 800 x 40	107872



Surface suitable for ESD

Conductive surface. Special laminate surface for safety dissipating electrostatic charges, 2 mm edging strip. Resistant to alkalis and weak acids. Table top reinforcement is required for use with pedestals.

Item	L x D x H (mm)	Order no.
ESD1574	1500 x 700 x 40	107883
ESD1584	1500 x 800 x 40	107880
ESD2074	2000 x 700 x 40	107884
ESD2084	2000 x 800 x 40	107881
ESD2574	2500 x 700 x 40	107885
ESD2584	2500 x 800 x 40	107882

Multiplex shelves

Beech multi-layer board, 20 mm thick. Milled edges, untreated surface.

Item	L x D (mm)	Order no.
ABM154	1500 x 460	107890
ABM155	1500 x 560	107891
ABM174	1750 x 460	107892
ABM175	1750 x 560	107893
ABM205	2000 x 560	107894

Fir board shelves

Untreated glued board, 19 mm thick.

Item	L x D (mm)	Order no.
ZT15	1500 x 560	21690
ZT17	1750 x 560	21691
ZT20	2000 x 560	21692
ZT25	2500 x 560	21693

Chipboard shelves

Bare chipboard, 19 mm thick, with PVC trim.

Item	L x D (mm)	Order no.
AB154	1500 x 460	21600
AB155	1500 x 560	21601
AB174	1750 x 460	21620
AB204	2000 x 460	21610
AB205	2000 x 560	21611

Brush support

Consisting of 20 plates
L 500 x W 100 mm, with 6 holes, for self-assembly onto work surfaces.

Item	H (mm)	Ø (mm)	Order no.
BA-15-2	15	0,2	167360
BA-15-4	15	0,4	167361
BA-35-4	35	0,4	167362
BA-35-7	35	0,7	167363

Back board for single usage

Beech multi-layer board, 12 mm thick. Curved edges on both sides.

Item	L x H (mm)	Order no.
WRW15	1500 x 150	21490
WRW17	1750 x 150	21491
WRW20	2000 x 150	21492
WRW25	2500 x 150	21493

Back board for usage in row

MDF board, painted. Curved edge on one-side.

Item	L x H (mm)	Order no.
SBG15	1500 x 150	194580
SBG17	1750 x 150	194590
SBG20	2000 x 150	194600
SBG25	2500 x 150	194610

Back board for usage in row

MDF board, painted. No curved edges.

Item	L x H (mm)	Order no.
SBA15	1500 x 150	194581
SBA17	1750 x 150	194591
SBA20	2000 x 150	194601
SBA25	2500 x 150	194611

Technical data sheets

on request

Pedestals for modular workbenches

LIGHT GREY SILVER

RAL 7035





Heavy duty pedestals

Pre-drilled for mounting work surfaces and shelves.
Welded-on footplates, pre-drilled for bolting to the floor.
Can bear an evenly distributed, static 500 kg load.

Item	Type	D x H (mm)	Order no.	
WF807	A1	665 x 800	107901	107902
WF857	A1	665 x 850	107911	107912
WF806	A2	565 x 800	107921	107922
WF856	A2	565 x 850	107931	107932



Height adjustable pedestals

Pre-drilled for mounting work surfaces and shelves.
Welded-on footplates, pre-drilled for bolting to the floor.
Adjustable height from 641 – 959 mm, pitch 26.5 : 26.5 mm.
Can bear an evenly distributed, static 400 kg load.

Item	Type	D x H (mm)	Order no.	
WFH707	B1	665 x 641 – 959	107941	107942
WFH706	B2	565 x 641 – 959	107951	107952



Light-weight pedestals

Pre-drilled for mounting work surfaces and shelves.
Welded-on footplates, pre-drilled for bolting to the floor.
Can bear an evenly distributed, static 300 kg load.

Item	Type	D x H (mm)	Order no.	
WFL807	C1	665 x 800	107961	107962
WFL857	C1	665 x 850	107971	107972
WFL806	C2	565 x 800	107981	107982
WFL856	C2	565 x 850	107991	107992

Mobile pedestals and reinforcement beams for modular workbenches

Mobile pedestals with swivel or fixed castors

Pre-drilled for mounting work surfaces and shelves. Supplied with 2 swivel or fixed castors, Ø = 160 mm. Can bear an evenly distributed, static 200 kg load.

Item	Type	D x H (mm)	Order no.	
With fixed castors				
WFF807B	A1	665 x 800	***194621***	***194622***
WFF857B	A1	665 x 850	***194641***	***194642***
WFF806B	A2	565 x 800	***194661***	***194662***
WFF856B	A2	565 x 850	***194681***	***194682***
With swivel castors				
WFF807L	A1	665 x 800	***194631***	***194632***
WFF857L	A1	665 x 850	***194651***	***194652***
WFF806L	A2	565 x 800	***194671***	***194672***
WFF856L	A2	565 x 850	***194691***	***194692***

Mobile, adjustable-height pedestals

Pre-drilled for mounting work surfaces and shelves. Adjustable height from 641 – 853 mm, pitch 26.5 : 26.5 mm. Supplied with 2 swivel or fixed castors, Ø = 160 mm. Can bear an evenly distributed, static 200 load.

Item	Type	D x H (mm)	Order no.	
With fixed castors				
WFH707B	B1	665 x 641 – 853	***194701***	***194702***
WFH706B	B2	565 x 641 – 853	***194721***	***194722***
With swivel castors				
WFH707L	B1	665 x 641 – 853	***194711***	***194712***
WFH706L	B2	565 x 641 – 853	***194731***	***194732***

Reinforcement beam

For a pedestal. Primarily for configurations with mobile workbenches. Used as a strengthening crossbeam for increased safety. Bolted to the pedestal. Also suitable for heavy loads on stationary workbenches. Screwed on underneath the work surface, it is used as a table top reinforcement (only in combination with 2 pedestals).

Item	Bench length (mm)	Order no.	
VT15-20	1500 – 2000	***194741***	***194742***



Levelling adapter

For SB drawer units (page H13). When using a reinforcement beam.

Item	Order no.
AGA SB	***168190***

Workbench drawer cabinets, 26T
Ordering examples

SB 58 series:
fully extendable drawers

RAL 7035 LIGHT GREY — Housing
RAL 7035 LIGHT GREY — Fronts
GENTIAN BLUE RAL 5010
SILVER



- **High-grade sheet steel**
  powder-coated
- **Cabinet housing**
  central locking for drawers, doors with separate cylinder lock, height adjustable shelves in increments of 25 mm
- **Double drawer lock**
  prevents several drawers being opened at once
- **Drawers**
  with slots at 17 x 17 mm pitch
  (17 mm = 1 partition = 1 T),
  max. load 60 kg
  Types SB 58, SB 53 and R 55, fully extendable
  W 442 x D 459 mm
  = 26 x 27 T
  Type SB 52, semi-extendable
  W 442 x D 408 mm
  = 26 x 24 T



SB 58 workbench drawer cabinets, width 527 mm, fully extendable drawers, partitions: 26 x 27 T

Item	Order no.		Drawer height (mm)
SB 5805 With 4 drawers	38396	38397	100 200 200 200
SB 5801 With 5 drawers	38356	38357	100 100 150 150 200
SB 5803 With 5 drawers	38376	38377	100 100 100 200 200
SB 5804 With 6 drawers	38386	38387	75 75 100 100 150 200
SB 5802 With 7 drawers	38366	38367	75 75 100 100 100 100 150

Dividers
Page **H18-H19**

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY

RUBY RED RAL 3003 | RESEDA GREEN RAL 6011 | LIGHT GREY RAL 7035

Additional colour combinations on request

Workbench drawer cabinets, 26T
Ordering examples

SB 58 workbench drawer cabinets, width 527 mm, fully extendable drawers, partitions: 26 x 27 T

Item	Order no.		Drawer height (mm)
			100 200 400
With 2 drawers, 1 shelf and 1 door Door 400 mm high.			
SB 5842T	*38406*	*38407*	

Item	Order no.		Drawer height (mm)
			75 75 150 400
With 3 drawers, 1 shelf and 1 door Door 400 mm high.			
SB 5843T	*38416*	*38417*	

Item	Order no.		Drawer height (mm)
			75 75 550
With 2 drawers, 1 shelf and 1 door Door 550 mm high.			
SB 5850T	*38426*	*38427*	

			Drawer height (mm)
			150 550
With 1 drawer, 1 shelf and 1 door Door 550 mm high.			
SB 5851T	*38436*	*38437*	

			Drawer height (mm)
			50 100 550
With 2 drawers, 1 shelf and 1 door Door 550 mm high.			
SB 5852T	*38446*	*38447*	



Workbench drawer cabinets, 18T
Ordering examples

SB 38 workbench drawer cabinets, width 391 mm, fully extendable drawers, partitions: 18 x 27 T

Item	Order no.		Drawer height (mm)
With 4 drawers			
SB 3805	*74045*	*74046*	100 200 200 200
With 5 drawers			
SB 3801	*74003*	*74006*	100 100 150 150 200
With 5 drawers			
SB 3803	*74023*	*74026*	100 100 100 200 200
With 6 drawers			
SB 3804	*74033*	*74036*	75 75 100 100 150 200
With 7 drawers			
SB 3802	*74013*	*74016*	75 75 100 100 100 100 150
With 2 drawers, 1 shelf and 1 door Door 400 mm high.			
SB 3842T	*74053*	*74056*	100 200 400
With 3 drawers, 1 shelf and 1 door Door 400 mm high.			
SB 3843T	*74063*	*74066*	75 75 150 400
With 2 drawers, 1 shelf and 1 door Door 550 mm high.			
SB 3850T	*74073*	*74076*	75 75 550
With 1 drawer, 1 shelf and 1 door Door 550 mm high.			
SB 3851T	*74083*	*74086*	150 550
With 2 drawers, 1 shelf and 1 door Door 550 mm high.			
SB 3852T	*74093*	*74096*	50 100 550

Dividers
Page **H18-H19**

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY — Housing

GENTIAN BLUE RAL 5010 | SILVER — Fronts

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY

RUBY RED RAL 3003 | RESEDA GREEN RAL 6011 | LIGHT GREY RAL 7035

Additional colour combinations on request

- **High-grade sheet steel** powder-coated
- **Central locking** with keys
- **Drawers** with slots at 17 x 17 mm pitch **(17 mm = 1 partition = 1T)**, max. load 50 kg, ergonomic aluminium grip strip



Type	W x H x D (mm)	Us. W x us. D (mm)	Clear H
SB 52	527 x 382 x 500	442 x 408	300 mm
SB 53	527 x 382 x 630	442 x 459	300 mm
SB 33	391 x 382 x 630	442 x 459	300 mm

Workbench drawer units
Ordering examples

SB 33 series, D 630 mm: fully extendable drawers

SB 52 drawer units, depth 500 mm, semi-extendable drawers, partition: 26 x 24 T

Item		Order no.		Drawer height (mm)
				150 150
With 2 drawers				
SB 5205	26T	*108046*	*108047*	
				50 100 150
With 3 drawers				
SB 5201	26T	*108056*	*108057*	
				100 100 100
With 3 drawers				
SB 5202	26T	*108066*	*108067*	
				75 75 150
With 3 drawers				
SB 5206	26T	*108076*	*108077*	
				75 75 75 75
With 4 drawers				
SB 5203	26T	*108086*	*108087*	
				50 75 75 100
With 4 drawers				
SB 5204	26T	*108096*	*108097*	

SB 53/SB 33 drawer units, depth 630 mm, fully extendable drawers, partitions: 26 x 27 T/18 x 27 T

				150 150
With 2 drawers				
SB 5305	26T	*38486*	*38487*	
SB 3305	18T	*74133*	*74136*	
				50 100 150
With 3 drawers				
SB 5301	26T	*38456*	*38457*	
SB 3301	18T	*74103*	*74106*	
				100 100 100
With 3 drawers				
SB 5302	26T	*38466*	*38467*	
SB 3302	18T	*74113*	*74116*	
				75 75 150
With 3 drawers				
SB 5306	26T	*38496*	*38497*	
SB 3306	18T	*74143*	*74146*	
				75 75 75 75
With 4 drawers				
SB 5303	26T	*38476*	*38477*	
SB 3303	18T	*74123*	*74126*	
				50 75 75 100
With 4 drawers				
SB 5304	26T	*38506*	*38507*	
SB 3304	18T	*74153*	*74156*	

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY — Housing

GENTIAN BLUE RAL 5010 | SILVER — Fronts

Workbench roller cabinets, 26T/18T
Ordering examples

R 55 series: fully extendable drawers



- **High-grade sheet steel**
  powder-coated
- **Cabinet housing**
  top plate with edge on 4 sides incl. ribbed mat, black, 2 swivel castors with locking brake, 2 fixed castors, max. load capacity 300 kg, castors made from polypropylene, black, Ø 100 mm, 2 guide handles
- **Individual drawer interlocks**
  which prevent automatic opening of the drawers when knocked, supplied as standard with all roller cabinets
- **Double drawer lock**
  prevents several drawers being opened at once

R 55/R 35 workbench roller cabinets, in widths 527 and 391 mm, fully extendable drawers

With 3 drawers
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

Item		Order no.		Drawer height (mm)
R 5502	26T	12116	12117	100, 150, 250
R 3502	18T	74173	74172	

With 4 drawers
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

Item		Order no.		Drawer height (mm)
R 5501	26T	12106	12107	50, 100, 150, 200
R 3501	18T	74163	74162	

With 5 drawers
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

Item		Order no.		Drawer height (mm)
R 5503	26T	12126	12127	50, 100, 100, 100, 150
R 3503	18T	74183	74182	

With 6 drawers
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

Item		Order no.		Drawer height (mm)
R 5504	26T	12136	12137	50, 75, 75, 100, 100, 100
R 3504	18T	74193	74192	

With 2 drawers
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

Item		Order no.		Drawer height (mm)
R 5505	26T	12146	12147	150, 150
R 3505	18T	101823	101822	

With 3 drawers
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

Item		Order no.		Drawer height (mm)
R 5506	26T	12156	12157	75, 75, 150
R 3506	18T	101833	101832	

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY

RUBY RED RAL 3003 | RESEDA GREEN RAL 6011 | LIGHT GREY RAL 7035

Additional colour combinations on request





Drawers

all drawers fully extendable and with individual drawer interlock, central locking. With slots at 17 x 17 mm pitch **(17 mm = 1 partition = 1 T)**, max. load 60 kg.
Dimensions: W 442 x D 459 mm = 26 x 27 T

Workbench roller cabinets, 26T
Ordering examples

R 58 workbench roller cabinets, width 527 mm, fully extendable drawers

Item	Order no.		Drawer height (mm)
With 4 drawers Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			
R 5801	*101843*	*101842*	100 200 200 200
With 5 drawers Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			
R 5802	*101853*	*101852*	100 100 150 150 200
With 5 drawers Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			
R 5803	*101863*	*101862*	100 100 100 200 200
With 2 drawers, 1 shelf and 1 door Door 400 mm high. Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			
R 5842T	*101873*	*101872*	100 200 400
With 3 drawers, 1 shelf and 1 door Door 400 mm high. Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			
R 5843T	*101883*	*101882*	75 75 150 400
With 1 drawer, 1 shelf and 1 door Door 550 mm high. Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.			
R 5851T	*101893*	*101892*	150 550

Workbench drawer cabinets – Empty housing and drawers

▶ **Empty housing with central locking**
incl. double drawer lock and cylinder lock

▶ **Drawers**
the **useable dimensions** are given by the cabinet code,
e.g. WS 26-27: Width = (26 x 17 mm) = 442 mm
Depth = (27 x 17 mm) = 459 mm
Standard **dividing spacing** of **17 mm (= 1 T)**.
Cabinet depth 500 mm with semi-extendable drawers, load capacity **up to 50 kg.** Cabinet depth 630 mm with fully extendable drawers, load capacity **up to 60 kg**



Empty housing, SB 18-27 T series

Item	Height/ Clear height (mm)	Order no.
SBG 3002	225 / 150	19441*
SBG 3003	382 / 300	7393*
SBG 3006	600 / 500	7394*
SBG 3007	723 / 625	7395*
SBG 3008	800 / 700	7396*
—	—	—



Empty housing, SB 26-27 T series

Item	Height/ Clear height (mm)	Order no.
SBG 5002	225 / 150	19442*
SBG 5003	382 / 300	10391*
SBG 5006	600 / 500	10392*
SBG 5007	723 / 625	10393*
SBG 5008	800 / 700	10394*
SBG 5011	1105 / 1025	10395*



Empty housing, SB 26-24 T series

Item	Height/ Clear height (mm)	Order no.
SBLG 5002	225 / 150	7465*
SBLG 5003	382 / 300	10386*
SBLG 5006	600 / 500	10387*
SBLG 5007	723 / 625	10388*
SBLG 5008	800 / 700	10389*
SBLG 5011	1105 / 1025	10390*



Drawers for housing WS 18-27 T

Item	Fascia/useable height (mm)	Order no.
SB 3050	50 / 36	7385**
SB 3075	75 / 61	7386**
SB 3010	100 / 86	7387**
SB 3012	125 / 111	7388**
SB 3015	150 / 136	7389**
SB 3020	200 / 186	7390**
SB 3025	250 / 229	7391**
SB 3030	300 / 279	7392**



Drawers for housing WS 26-27 T

Item	Fascia/useable height (mm)	Order no.
SB 5050	50 / 36	10480**
SB 5075	75 / 61	10481**
SB 5010	100 / 86	10482**
SB 5012	125 / 111	10483**
SB 5015	150 / 136	10484**
SB 5020	200 / 186	10485**
SB 5025	250 / 229	10486**
SB 5030	300 / 279	10487**



Drawers for housing WS 26-24 T

Item	Fascia/useable height (mm)	Order no.
SBL 5050	50 / 36	10488**
SBL 5075	75 / 61	10489**
SBL 5010	100 / 86	10490**
SBL 5012	125 / 111	10491**
SBL 5015	150 / 136	10492**
SBL 5020	200 / 186	10493**
SBL 5025	250 / 229	10494**
SBL 5030	300 / 279	10495**

*** When ordering, please include the relevant order number with the relevant housing colour code:**

0 = SILVER


1 = RESEDA GREEN, RAL 6011

2 = LIGHT GREY, RAL 7035

Replacement lock

Item		Order no.
LOCK	for SB housing	91210

**** When ordering, please include the relevant order number with the relevant drawer/door colour code:**

0 = SILVER

1 = RESEDA GREEN, RAL 6011

2 = LIGHT GREY, RAL 7035

3 = GENTIAN BLUE, RAL 5010

5 = RUBY RED, RAL 3003

The total of the drawer fascia height must equal the clear height of the housing

Accessories for workbench drawer cabinets

Pair guide handles for roller cabinets

Item	Order no.
STG-SB	107621

Wing doors

Sheet steel panel with cylinder lock. Doors can be hung on the left or right.

Item	H x W (mm)	Order no. Right	Left
SBFT31	400 x 18 T	7472**	7475**
SBFT32	550 x 18 T	7473**	7476**
SBFT33	700 x 18 T	7474**	7477**
SBFT51	400 x 26 T	7466**	7469**
SBFT52	550 x 26 T	7467**	7470**
SBFT53	700 x 26 T	7468**	7471**

**Please quote the order no. with the relevant door colour code. The colours can be found at the bottom of page H16.



Adjustable shelves

For wing door bay. Adjustable height.

Item	For	Order no.
SBVT30	18 x 27 T	74820
SBVT50	26 x 27 T	74821



Extendable shelves

As an extension behind the wing door. Max. load 50 kg.

Item	For	Order no.
SBAT30	18 x 27 T	74780
SBAT50	26 x 24 T	74782
SBAT52	26 x 27 T	74781

Board connector

Insert clamping elements for the safe joining of two workboards. Including board cutouts.

Item	Order no.
PV-H	169870

Butt joint

Workboards are clamped together using 2 steel brackets.

Item	Order no.
PSV-E	169871

Tongue and groove joint

For the seamless connection of 2 workboards with steel tongue and groove.

Item	Order no.
NF-VS	169872

Individual drawer interlocks

For roller cabinets.

Item	Order no.
EVR	100340

Ribbed mats

Colour: black.

Item	For	Order no.
SBRM30	18 x 27 T	74801
SBRM50	26 x 24 T	74800
SBRM52	26 x 27 T	74802



Top plate

With upturned edges on four sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
SBKT30	18 x 27 T	74790
SBKT50	26 x 27 T	74791
SBKT52	26 x 24 T	74792



Assembly console

With slots. The support board can be hung at a height pitch of 42 mm.

Item	Height (mm)	Order no.
HWK30	380	169880

Support board for assembly console

MDF board with three-sided beech edges. No brackets.

Item	Length (mm)	Required brackets	Order no.
MDF-15	1500	2	169890
MDF-17	1750	3	169891
MDF-20	2000	3	169892

Plinth

For levelling the height from 38 - 150 mm.

Item	W x D x H (mm)	Order no.
S037	527 x 630 x 38	38718
S0338	391 x 630 x 38	74810
S0350	391 x 630 x 50	74811
S058	527 x 630 x 50	38716
S03100	391 x 630 x 100	74812
S05810	527 x 630 x 100	38717
S03150	391 x 630 x 150	74813
S05815	527 x 630 x 150	38719

Castor set for roller cabinets

Ø 100 mm. 2 fixed castors, 2 swivel castors with locking brake. Max. load capacity 300 kg.

Item	Castor colour	Order no.
RS-SB	Black	107609

Dividers

for workbench drawer cabinets, 527 mm wide (26T)

Cabinet depth 500 mm

For workbench drawer cabinets 26T.



Complete set
2 cross bars 24 T, 4 dividers 9 T, 2 dividers 8 T.

Item	Width	For fascia height (mm)	Order no.
ZWK2451	26T	50	108120
ZWK2471	26T	75	108121
ZWK24101	26T	100	108122



Complete set
1 cross bar 24 T, 1 divider 18 T, 2 dividers 8 T.

Item	Width	For fascia height (mm)	Order no.
ZWK2452	26T	50	108123
ZWK2472	26T	75	108124
ZWK24102	26T	100	108125



Complete set
1 cross bar 24 T, 2 dividers 7 T, 4 insert boxes L 150 x W 75 mm,
12 insert boxes L 75 x W 75 mm.

Item	Width	For fascia height (mm)	Order no.
ZWK2453	26T	50	108130
ZWK2473	26T	75	108131

Complete set
1 cross bar 24 T, 2 dividers 7 T, 4 insert boxes L 150 x W 150 mm,
2 insert boxes L 150 x W 75 mm.

Item	Width	For fascia height (mm)	Order no.
ZWK24103	26T	100	108132

Cabinet depth 630 mm

For workbench drawer cabinets and workbench roller cabinets 26T.



Complete set
2 cross bars 27 T, 4 dividers 9 T, 2 dividers 8 T.

Item	Width	For fascia height (mm)	Order no.
ZWK2751	26T	50	108100
ZWK2771	26T	75	108101
ZWK27101	26T	100	108102



Complete set
1 cross bar 27 T, 1 divider 18 T, 2 dividers 8 T.

Item	Width	For fascia height (mm)	Order no.
ZWK2752	26T	50	108103
ZWK2772	26T	75	108104
ZWK27102	26T	100	108105



Complete set
1 cross bar 27 T, 2 dividers 7 T, 2 insert boxes
L 150 x W 150 mm, 4 insert boxes L 150 x W 75 mm,
8 insert boxes L 75 x W 75 mm.

Item	Width	For fascia height (mm)	Order no.
ZWK2753	26T	50	108110
ZWK2773	26T	75	108111



Complete set
1 cross bar 27 T, 2 dividers 7 T,
3 insert boxes L 150 x W 150 mm,
6 insert boxes L 150 x W 75 mm.

Item	Width	For fascia height (mm)	Order no.
ZWK27103	26T	100	108112

Dividers
for workbench drawer cabinets, 391 mm wide (18T)

Customised drawer divisions

on request

Cabinet depth 630 mm

For workbench drawer cabinets and workbench roller cabinets 18T.



Complete set
1 cross bar 27 T, 4 dividers 9 T.

Item	Width	For fascia height (mm)	Order no.
ZWK 27151	18T	50	108883
ZWK 27171	18T	75	108884
ZWK 271101	18T	100	108885



Complete set
1 divider 18 T.

Item	Width	For fascia height (mm)	Order no.
ZWK 27152	18T	50	108886
ZWK 27172	18T	75	108887
ZWK 271102	18T	100	108888



Complete set
4 insert boxes L 150 x W 75 mm, 8 insert boxes L 75 x W 75 mm,
2 insert boxes L 150 x W 150 mm.

Item	Width	For fascia height (mm)	Order no.
EKS 27151	18T	50	108889
EKS 27171	18T	75	108890



Complete set
2 insert boxes L 150 x W 150 mm,
8 insert boxes L 150 x W 75 mm.

Item	Width	For fascia height (mm)	Order no.
EKS 271101	18T	100	108891

RAL 7035
LIGHT GREY
Housing

GENTIAN BLUE
RAL 5010
Fronts

IP21 IP54

PC protective cabinets

IP protection ratings
classify the degree of protection of the units against contact in the event of dangerous electrical voltage as well as against dirt and humidity

PC protective cabinet

PC protective cabinets

For housing and protecting sensitive computer hardware such as PC, printer, monitor, keyboard and mouse.

Available in two different protection ratings against dust and humidity. Fitted with 2 galvanised shelves. Monitor window made from ESG glass W 390 x H 400 mm for monitors up 21" in size. Front door and folding keyboard flap, can be locked separately. Keyboard flap with mouse pad which can be stored on a hook, for left-handed or right-handed persons.

Optional extension workstation with multiplex bench top, 28 mm thick, 21 glued layers, width 1200 mm, base frame with 1 drawer and 1 door. The extension workstation is fitted right and left onto the protective PC cabinet. Supplied in a package ready for self-assembly.

Item	W x D x H (mm)	Protection rating	Order no.
PC protective cabinet			
PCC-B	640 x 600 x 1800	IP21	***167410***
PCC-C	640 x 600 x 1800	IP54	***167420***
PC protective cabinet with extension workstation			
PCC-BA	1840 x 600 x 1800	IP21	***167430***
PCC-CA	1840 x 600 x 1800	IP54	***167440***

PC protective cabinet with extension workstation

Bottom tray with swivel castors

Accessories

Item		W x D (mm)	Order no.
PCC-RS	Bottom tray, galvanised, with swivel castors	640 x 600	***167450***
PCC-NV	Bottom tray, galvanised, with levelling feet	640 x 600	***167451***
PCC-FB	Shelf, galvanised	635 x 500	***167452***
PCC-AL	Active fan set (1 fan) with connection cable	250 x 200	***167453***

IP21: Finger protection (Ø 12 mm) against direct contact; protection against medium-sized foreign bodies (Ø from 12.5 mm, length up to 80 mm) and protection against water drops falling vertically

IP54: Protection against direct contact from tools and wires (Ø over 1 mm) and dust deposits; spray-water protection on all sides

PC protective cases

PC protective cases

To protect against unauthorised access as well as dirt and humidity conforming to protection rating IP54.

Protective cases made from sheet steel, fully powder-coated. Front door with continuous seal and ESG glass insert, sash lock with three-edged wedge. Rear wall cable inlet for 5 cables. Integrated inlet filter and axial fan, air quantity 15 m³/hour, free-ventilation, for protecting the PC against overheating. Includes connection cable.

Useable internal dimensions:
PCS-K W 204 x D 380 x H 450 mm,
PCS-M W 204 x D 500 x H 550 mm.

Item	W x D x H (mm)	Type	Order no.
PCS-K	250 x 500 x 500	Mini	167380
PCS-M	250 x 620 x 600	Midi	167390

Accessories

Item		Order no.
PCS-FM	Filter mat for inlet filter	167401
PCS-PA	Preparation for suspended assembly	167400

Further information

on request

Power supply for workbenches

- **Modular power supply system**
  the concept allows the system to be customised to individual needs
- **Even more flexible workstation design**
- **Different cabinet widths**
  cabinet width 527 mm (2 modules)
  cabinet width 717 mm (3 modules)
- **All fitting options**
- **Power socket**
  can be custom-fitted front and back with 6 modules each

Fitting options with modules
Page **H24**



Module insert for SB cabinets

Complete plug-in unit for SB series drawer cabinets. Division 26 x 27 T. Fits 2 modules. Insert can be locked using special key. For front height 150 mm.

Item	For cabinet dim. W x D (mm)	Order no.
EM-MK2	527 x 630	169850



Module insert for WS drawer cabinets

Complete plug-in unit for WS series drawer cabinets. Division 36 x 36 T. Fits 3 modules. Insert can be locked using special key. For front height 150 mm.

Item	For cabinet dim. W x D (mm)	Order no.
EM-MK3	717 x 725	169860

Supply socket

Modular services supply unit. Dimensions W 200 x D 700 x H 800 mm. Solid sheet steel construction, powder-coated, painted light grey RAL 7035, will accommodate 6 modules at the front and 6 at the back. Expandable at any time with M200 modules. Can be positioned anywhere underneath the workbench.

4 x 230 V earthed sockets

Item	Order no.
ES-V01	108930

2 x compressed air pipes DN 7.2
4 x 230 V earthed socket

Item	Order no.
ES-V02	108931

2 x compressed air pipes DN 7.2
2 x 230 V earthed socket
1 x CEE 16A 3-phase 400 V

Item	Order no.
ES-V03	108932

- **Modular power supply system**
  the concept allows the system to be customised to individual needs
- **The system grows to meet your demands**
- **Flexible modular assembly**
  all modules are interchangeable and extendable
- **Service ducts in 1500, 2000 and 2500 mm lengths**
  other lengths available on request

Power supply for workbenches

Service ducts, empty

Mounted on the work surface.
Can be fitted with modules on page H24.

Item	Length (mm)	Order no.
EKW15	1500 (7 modules)	167601
EKW20	2000 (9 modules)	167611
EKW25	2500 (12 modules)	167621



Service ducts

Mounted to the work surface. Fully wired to a connection terminal with cable joints for connection on site.
Sheet steel, powder-coated, light grey RAL 7035. Extremely solid construction. Expandable at any time with M200 modules.

4 x 220 V earthed sockets

Item	Length (mm)	Order no.
IKM 15-22	1500	167520
IKM 20-22	2000	167530

6 x 220 V earthed sockets

Item	Length (mm)	Order no.
IKM 15-622	1500	108928
IKM 20-622	2000	108929

4 x 220 V earthed socket
1 x CEE 16A 3-phase 400 V

Item	Length (mm)	Order no.
IKM 15-38	1500	167540
IKM 20-38	2000	167550

Modules
for individual or additional fitting of service ducts, power sockets and services supply units

M200 modules

M200 modules for power supply units

2 x 230 V earthed sockets 16A

Item	Order no.
EM20-04	167681

3 x 230 V earthed sockets 16A

Item	Order no.
EM20-13	167771

2 x compressed air pipes DN 7.2
2 x 230 V earthed socket

Item	Order no.
EM20-03	167671

FI-safety switch (2-pol. 25A/0.03A)

Item	Order no.
EM20-12	167761

2 x 230 V earthed sockets 16A
1 x FI safety switch (2-pole 25A/0.03A)

Item	Order no.
EM20-15	167511

2 x compressed air pipes DN 7.2

Item	Order no.
EM20-05	167691

1 x CEE 3-phase 400 V

Item	Amperes	Order no.
EM20-06	16	167701
EM20-07	32	167711

1 x CEE 63A 3-phase 400 V

Item	Order no.
EM20-08	167721

FI-safety switch (4-pol. 40A/0.03A)
Fuse (3-pole 35A), fuse (1-pole 16A)

Item	Order no.
EM20-11	167751

Emergency stop button

Item	Order no.
EM20-10	167741

Emergency stop main switch

Item	Order no.
EM20-09	167731

I/O switch for external units

Item	Order no.
EM20-14	167781

Accessories – Lamps, workbench units, foot rests, vices

Universal lamp

Bright, even lighting. High output, low energy consumption thanks to 11 Watt compact fluorescent tube.

Item		Order no.
UVL 111	Universal lamp	168430
TK1/70	Bench clamp	168461

Magnifying lamp, 3 diopter

Bright, flat light. Excellent, distortion-free magnification (3 diopters). High output, low energy consumption thanks to 11 Watt compact fluorescent tube. Lightweight and precise setting.

Item		Order no.
TLL 111	Magnifying lamp	168440
TK1/70	Bench clamp	168461

Magnifying lamp, 4 diopter

Powerful, shadow-free light from ring-shaped 22 Watt fluourescent lamp. Distortion-free 4-diopter glass magnifier (Ø 120 mm). Very easy to adjust without annoying oscillation. Spring-balanced joint.

Item		Order no.
LL122T	Magnifying lamp	168450
TK1/65	Bench clamp	168460



Similar to illustration

Foot rest

Stable steel construction, adjustable height and incline. Colour: light grey, RAL 7035 powder-coated. With non-slip surface.

Item	W x D (mm)	Order no.
FSF50	500 x 350	21699



Parallel vice system “HEUER”

Item	Weight (kg)	Clamping width (mm)	Order no.
PS-100	4,5	125	108920
PS-120	9,0	150	108921
PS-140	16,0	200	108922
PS-160	27,0	225	108933

WFV
(no vice)

Workbench unit for retractable vice

Cabinet housing with lockable door (without vice and positioning unit). Can be positioned anywhere underneath the workbench. Colour: light grey, RAL 7035.

Item	W x D x H (mm)	Order no.
WFV	310 x 800 x 650	21694
VSW	Bolts	21698



Turntable for “HEUER” vice system

Item	For jaw thickness (mm)	Order no.
DT-PS100	100	108934
DT-PS120	120	108923

“HEUER-KLAPP” folding device

For fixing to the work surface.

Item	For jaw thickness (mm)	Order no.
KG-PS120	120	108924
KG-PS140	140	108925

“HEUER-KLAPP-LIFT” folding and lifting device

For vice cabinet.

Item	For jaw thickness (mm)	Order no.
KL-PS120	120	108926
KL-PS140	140	108927

Workbench back panels

- Modular system
- Three system widths
- Extendable at any time
- Can be retro-fitted to existing workbenches
- Can be combined with many SSI SCHAEFER components
- Extensive accessories
- High quality powder-coated or galvanised



Back panel upright

Enclosed special profile 60 x 31 mm with 53:53 mm lug pitch. Painted silver.

Item	Length (mm)	Order no.
AS3-84	845	169661
AS3-12	1216	169681

Bracket

Galvanised sheet steel. For attaching to the back panel uprights. To fit shelves, lamps or running rails. Load bearing capacity 50 kg.

Item	Length (mm)	Order no.
KK 34050	340	145740
KK 35050	440	145760



Shelves

Sheet steel, painted silver. 30 mm high. In the shelves are rows of slots, with a distance of 41 mm, for free-standing longitudinal dividers (see page B18).

Item	For bracket	Order no.
ZB 4413 L	KK 34050	27010
ZB 4513 L	KK 35050	27030

Workstation lamps

2 x 36 W TC-L with light grille, silver and white reflector with assembled fixing set. Low-loss preselector unit, inductive.

Item	Assembly width (mm)	Order no.
AL3-99	994	169961
AL3-128	1282	169971
ALW30	Connecting cable	169980

Running rails/tool trucks

For fixing to the cantilever arm. C profile 32 x 32 mm, galvanised.

Item	L x W (mm)	Order no.
LS-TB12	1250 x 32	108862
LS-TB15	1500 x 32	108863
WZW		108861



Perforated back panels

Height 371 mm. For bolt-free attachment to the back panel uprights. With square holes. Painted silver. For matching accessories, see page H28-H29.

Item	Assembly width (mm)	Order no.
TA-LR75-7	750	169601
TA-LR10-7	994	169611
TA-LR13-7	1282	169621

Workbench back panels



Container slide rails

Edged sheet steel rails with cams. Slot into multi-rails or perforated back panel, for all containers with overhanging lip.

Item	Assembly width (mm)	Order no.
TA-BH75	750	169631
TA-BH10	994	169641
TA-BH13	1282	169651



Semi-open front storage containers made from plastic – LF series

Polypropylene, for attaching to the container rails.

Item	Interior dim. when stacked L x W x useable H (mm)	Capacity (litre)	Unit	Order no.			
LF 210 ZW PP	134 x 88 x 44	0,5	50	6991	6992	6993	6994
LF 211 ZW PP	133 x 88 x 67	0,9	50	92191	92192	92193	92194
LF 221 PP	190 x 125 x 110	2,7	50	92151	92152	92153	92154



Multi-rails

Height 105 mm. For attaching to the back panel uprights. With 3 rows of square holes. For attaching to the container rails or hooks. Painted silver.

Item	Assembly width (mm)	Order no.
TA-MS75	750	169571
TA-MS10	994	169581
TA-MS13	1282	169591

More information on workbench back panels

on request

Shelves, width 750 mm

Item	W x D (mm)	Order no.
AB7T1	780 x 105	169701
AB7T2	780 x 215	169711
AB7T3	780 x 320	169721
AB7T4	780 x 430	169731
AB7T5	780 x 535	169741

Shelves, width 994 mm

Item	W x D (mm)	Order no.
AB10T1	1024 x 105	169751
AB10T2	1024 x 215	169761
AB10T3	1024 x 320	169771
AB10T4	1024 x 430	169781
AB10T5	1024 x 535	169791

Shelves, width 1282 mm

Item	W x D (mm)	Order no.
AB13T1	1312 x 105	169801
AB13T2	1312 x 215	169811
AB13T3	1312 x 320	169821
AB13T4	1312 x 430	169831
AB13T5	1312 x 535	169841

Laminar shelves, can be fitted at 0°, 10°, -5° and -16°

Stop rails

Item	Length (mm)	Order no.
ASL 6	625	167170
ASL 10	1000	167180
ASL 12	1250	167190

Dividers

Item	Length (mm)	Order no.
TRST2	215	167200
TRST3	320	167210

Rotating shelves

Base tray with 4-sided edging and grip. Mounted onto a pivot arm element.
Colour: Light grey, RAL 7035.
Dimensions: W 400 x D 300 mm.

Item		Order no.
ATG-SA	Pivot arm	108992
SAB 43	Shelf	333600
SAA	Adapter	168400

Pegboards: GENTIAN BLUE RAL 5010 | LIGHT GREY RAL 7035 | RED RAL 3020 | YELLOW RAL 1023
Divider system: ALU COLOURS

Pegboard and divider systems



Slotted panel system

on request

Pegboard systems

For wall fixing or can be expanded to the divider system. Can be universally combined. Square holes. Surface thickness 1.25 mm.

Pegboards

Item	W x H (mm)	Order no.			
RP5-45	450 x 500	167814	167834	167826	167830
RP10-45	450 x 1000	167815	167835	167827	167831
RP15-45	450 x 1500	167816	167836	167828	167832
RP20-45*	450 x 2000	167817	167837	167829	167833

* Suitable pegboards for divider system 450 x 2000 mm

Supports for divider system

Angle and corner combinations possible. Can be fitted either one or both sides. Overall height 2050 mm.

Item	Support	Order no.
TWES20	End support	194820
TWMS20	Centre support	194821
TWECS20	Corner support	194822

Cross beam connection for divider system

Two cross beam connections are always required for each bay.

Item	Length (mm)	Order no.
QVTW10	1000	194823
QVTW15	1500	194824
QVTW20	2000	194825



Hooks and holders

Tool holder

The hooks and holders are fixed in the perforations and fixed using a clamping screw.

Straight tool holder

Item	Length (mm)	Order no.
WZHD 50	50	167862
WZHD 100	100	167863
WZHD 150	150	167864



Double tool holder

Item	Length (mm)	Order no.
DWZHD 50	50	167865
DWZHD 100	100	167866
DWZHD 150	150	167867

Inclined hook

Item	Length (mm)	Order no.
SH 14/40	14/40	167861

Inclined hook end

Item	L x Ø (mm)	Order no.
WZH 50	50 x 6	167850
WZH 100	100 x 6	167851
WZH 150	150 x 6	167852
WZH 200	200 x 6	167853



Hooks and holders

Vertical hook end

Item	L x Ø (mm)	Order no.
WZH 35	35 x 6	167854
WZH 75	75 x 6	167855
WZH 125	125 x 6	167856

Double tool holder

Item	L x W (mm)	Order no.
DWZH 35	35 x 35	167857
DWZH 50	50 x 35	167858
DWZH 75	75 x 35	167859
DWZH 150	150 x 35	167860

Single tool clip

Item	Ø (mm)	Order no.
WZK 06	6	167871
WZK 10	10	167872
WZK 13	13	167873
WZK 16	16	167874
WZK 19	19	167875

Double tool clip

Item	Ø (mm)	Order no.
DWK 06	6	167876
DWK 10	10	167877
DWK 13	13	167878
DWK 16	16	167879
DWK 19	19	167880



Round holder

Item	L x Ø (mm)	Order no.
RH 65/25	65 x 25	167882

Cable holder

Item	L (mm)	Order no.
KAB 150	150	167891
KAB 200	200	167892

Machine tool holder

Item	Interior Ø (mm)	Order no.
MASH 40	40	167888
MASH 60	60	167889
MASH 80	80	167890

Pliers holder

Item	W x D (mm)	Order no.
ZH 35	35 x 20	167883
ZH 55	55 x 20	167884
ZH 75	75 x 20	167885



Drill holder

Item	For	Order no.
BIKH 14	14 parts	167901
BIKH 28	28 parts	167902



Bit holder

Item	For	Order no.
BHA	7 parts	167896

Screw driver holder

Item	For	Order no.
SDH 6	6 parts	167898
SDH 12	12 parts	167899



Hexagon socket holder

Item	For Ø (mm)	Order no.
ISKH 200	1 - 11	167897



Saw holder

Item	For	Order no.
SAGH	4 saws	167893

Spanner holder

Item	For no. of spanners	Order no.
SSH 8	8	167905
SSH 10	10	167906
RSH 10	10 rings	167907

Pipe holder

Item	Interior Ø (mm)	Order no.
RHT 60	60	167894
RHT 100	100	167895

Round can holder Ø 70 mm

Item	For no. of cans	Order no.
WZHR 1	1	167910
WZHR 3	3	167909

Magnet holder

Item	Ø (mm)	Order no.
MAGH 40	40	167881

Form holder

Item	Format	Order no.
FOH	DIN A4	167911



Tool holder range

Item	Number of parts	Order no.
WHS 12	12	194510
WHS 18	18	194511

Item	Number of parts	Order no.
WHS 28	28	194512
WHS 40	40	194513

“Hexa” team workstations

- For optimum group work
- Ideal for commercial training
- Modular construction
- Other designs available on request

Team workstations and services supply units

on request

Example “Hexa” workstation set-up

Comprising:
work surface H 40 mm,
W 2500 x D 2164 = edge length 1250 mm,
6 drawer cabinets 391 mm wide,
630 mm deep, with 4 drawers each,
1 x 100 mm; 3 x 200 mm fascia height,
fully extendable drawer, max. load capacity
60 kg evenly loaded.

Item	Work surface	Order no.
Hexa-01M	Multiplex	168270
Hexa-01U	Plastic-coated	168271
Hexa-01MD	MDF	168272

Example “Hexa” workstation set-up

Comprising:
work surface H 40 mm,
W 2500 x D 2164 = edge length 1250 mm,
6 drawer cabinets 527 mm wide,
630 mm deep, with 5 drawers each,
2 x 100 mm; 2 x 150 mm; 1 x 200 mm
fascia height, fully extendable drawer, max.
load capacity 60 kg evenly loaded.

Item	Work surface	Order no.
Hexa-02M	Multiplex	168280
Hexa-02U	Plastic-coated	168281
Hexa-02MD	MDF	168282

Example “Hexa” workstation set-up

Comprising:
work surface H 40 mm,
W 2500 x D 2164 = edge length 1250 mm,
6 drawer cabinets 527 mm wide,
630 mm deep, with 1 drawer each, 150 mm
fascia height, fully extendable drawer,
max. load capacity 60 kg evenly loaded
and 1550 mm wing door with shelf.

Item	Work surface	Order no.
Hexa-03M	Multiplex	168290
Hexa-03U	Plastic-coated	168291
Hexa-03MD	MDF	168292

“Hexa” team workstations – Accessories



Hexagonal services supply unit

Mounted on the work surface. Fully wired to a connection terminal with cable joints for connection on site.

6 x 2 230 V earthed sockets,
6 x 2 compressed air pipes DN 7.2.

Each side can accommodate an additional module at a later date.

Item	Finish	Order no.
EA6-1M	With multiplex surface	108941
EA6-1L	With laminate surface	108942
EA6-1MD	With MDF surface	108943



Hexagonal services supply unit

Mounted on the work surface. Fully wired to a connection terminal with cable joints for connection on site.

6 x 2 230 V earthed sockets,
2 x 2 compressed air pipes DN 7.2,
2 x 1 CEE socket 400 V, 16 A.

The unit can be retrofitted with 3 further modules.

Item	Finish	Order no.
EA6-2M	With multiplex surface	108944
EA6-2L	With laminate surface	108945
EA6-2MD	With MDF surface	108946

Additional modules for services supply unit

2 x 230 V earthed sockets 16A

Item	Order no.
EM20-04	167681

Emergency stop main switch

Item	Order no.
EM20-09	167731

1 x CEE 16A 3-phase 400 V

Item	Order no.
EM20-06	167701

FI safety switch (2-pol. 25A/0.03A)

Item	Order no.
EM20-12	167761



End panel

Clean end panel between two plinth cabinets. For bolt attachment. Sheet steel, powder-coated, light grey RAL 7035.

Item	For cabinet width (mm)	Order no.
ASB-H3	391	108947
ASB-H5	527	108948



Pistol holder

Compressed air pistols housed cleanly on the workstation. Stable wire construction, bolted to the cover plate.

Item	Surface	Order no.
PHZ-L	Light grey, RAL 7035	108949



Tool units

6-sided pegboard top unit for organizing the workstation. Can be fixed to the services-supply unit or directly to the work surface. Edge length 6 x 450 mm.

Item	Surface	Order no.
WZA-HL	Light grey, RAL 7035	108950
WZA-HB	Gentian blue, RAL 5010	108951

Compact workbenches PW series

- **Pedestal frame**
  made from stable 50 x 50 mm angle profile with foot plates
- **Steel body**
  stove enamel finish
- **Beech multiplex work surface**
  40 mm thick with back board, clear impregnation on all sides



PW compact workbenches, length 1500 mm

Item	Length (mm)	Order no.		

Compact workbench PW 150
2 drawers, height 180 mm. 2 cabinet sections, height 360 mm.
2 shelves.

PW 150	1500	***24404***	***24402***	***24403***

Compact workbench PW 151
1 cabinet section, height 540 mm. 2 open storage areas.
2 shelves.

PW 151	1500	***24414***	***24412***	***24413***

Compact workbench PW 152
1 drawer, height 180 mm. 1 cabinet section, height 360 mm.
1 shelf.

PW 152	1500	***24424***	***24422***	***24423***

Compact workbench PW 153
1 drawer, height 180 mm. 2 cabinet sections, heights 360/540 mm.
2 shelves.

PW 153	1500	***24434***	***24432***	***24433***

Compact workbench PW 154
3 drawers, height 180 mm, with central locking.
1 cabinet section, height 540 mm. 1 shelf.

PW 154	1500	***24444***	***24442***	***24443***

Compact workbench PW 156
6 drawers, height 180 mm, with central locking.

PW 156	1500	***24454***	***24452***	***24453***

Additional colour combinations on request

- **Drawers**
  max. load capacity 80 kg/drawer
  * central locking
- **Grip strips with label strips**
- **Shelves**
  galvanised, height adjustable in 30 mm pitches
- **Workbench lengths**
  1500 and 2000 mm

Compact workbenches PW series

PW compact workbenches, length 2000 mm

Compact workbench PW 200
2 drawers, height 180 mm. 2 cabinet sections, height 360 mm.
2 open storage areas. 3 shelves.

Item	Length (mm)	Order no.		
PW 200	2000	24464	24462	24463



Compact workbench PW 201
4 drawers, height 90/120/150/180 mm, with central locking.
1 cabinet section, height 540 mm. 2 open storage areas. 2 shelves.

Item	Length (mm)	Order no.		
PW 201	2000	24474	24472	24473

Compact workbench PW 202
6 drawers, height 180 mm, with central locking for each unit.
2 open storage areas. 1 shelf.

Item	Length (mm)	Order no.		
PW 202	2000	24484	24482	24483

Compact workbench PW 203
3 cabinet sections, height 540 mm.
3 shelves.

Item	Length (mm)	Order no.		
PW 203	2000	24494	24492	24493



Compact workbench PW 204
3 drawers, height 180 mm, with central locking.
2 cabinet sections, height 540 mm. 2 shelves.

Item	Length (mm)	Order no.		
PW 204	2000	24504	24502	24503

Compact workbench PW 205
3 drawers, height 180 mm. 3 cabinet sections, height 360 mm.
3 shelves.

Item	Length (mm)	Order no.		
PW 205	2000	24514	24512	24513

Lift table system 100
Height adjustable

- **Motorised height adjustment**
- **Delivered pre-assembled**
- **Comprehensive range of accessories**
- **Powder coating RAL 9006, white aluminium**
- **For medium-weight loads**
  dynamic: **100 kg**, static: **150 kg**
- **Variable work heights**
  Lift 100-1: height adjustable from **720 mm** to **1220 mm** (incl. work surface thickness)
- **2 table widths: 1200 and 1600 mm**



Table pedestal type “Lift 100-1”

Motorised height adjustment. Simple operation at the touch of a button, runs absolutely parallel. Adjustment range 500 mm.

Item	Dimensions W x D (mm)	Order no.
LI 100-12	1200 x 800	196010
LI 100-13	1600 x 800	196020

Multiplex work surface

High quality beech veneer, quality I/II, multi-layer, varnished, waterproof and ground. Absolutely rigid, craze-resistant, resistant to high temperatures and mechanical stresses. Largely insensitive to oil, grease, organic solvents, weak acids and alkalis. Painted finish.

Item	L x D x H (mm)	Order no.
MP 1283	1200 x 800 x 30	195590
MP 1683	1600 x 800 x 30	195600



Synthetic resin-coated board

With 0.8 mm HPL coating, 2 mm edging strip. Easy to clean, good chemical resistance. Resistant to organic solvents.

Item	L x D x H (mm)	Order no.
KH 1283	1200 x 800 x 30	195620
KH 1683	1600 x 800 x 30	195630



Surface suitable for ESD

Volume-conductive. Special laminate surface for safely dissipating electrostatic charges, 2 mm edging strip. Resistant to alkalis and weak acids.

Item	L x D x H (mm)	Order no.
ESD 1283	1200 x 800 x 30	195650
ESD 1683	1600 x 800 x 30	195660

- **Modular system**
- **Extendable at any time**
- **Comprehensive range of accessories**
- **Powder coating RAL 9006, white aluminium**
- **Heavy duty**
  dynamic: **300 kg**, static: **400 kg**
- **Variable work heights**
  Lift 300-1: height adjustable from **720 mm** to **1220 mm** (incl. work surface)
- **2 table widths: 1600 and 2000 mm**



Lift table system 300
Height adjustable

Table pedestal type “Lift 300-1”

Motorised height adjustment. Simple operation at the touch of a button, runs absolutely parallel. Adjustment range 500 mm.

Item	Dimensions W x D (mm)	Order no.
LI 300-11	1600 x 750	196060
LI 300-12	2000 x 750	196070

Request our "Ergonomic workstations" brochure

Multiplex work surface

Quality grade I/II beech veneer, multi-layered, bonded and waterproof with polished edges. Absolutely rigid, craze-resistant, resistant to high temperatures and mechanical stresses. Largely insensitive to oil, grease, organic solvents, weak acids and alkalis. Painted finish.

Item	L x D x H (mm)	Order no.
MP 1673	1600 x 750 x 30	108936
MP 2073	2000 x 750 x 30	196100



Synthetic resin-coated board

With 0.8 mm HPL coating, 2 mm edging strip. Easy to clean, good chemical resistance. Resistant to organic solvents.

Item	L x D x H (mm)	Order no.
KH 1673	1600 x 750 x 30	108937
KH 2073	2000 x 750 x 30	196101



Surface suitable for ESD

Volume-conductive. Special laminate surface for safely dissipating electrostatic charges, 2 mm edging strip. Resistant to alkalis and weak acids.

Item	L x D x H (mm)	Order no.
ESD 1673	1600 x 750 x 30	108938
ESD 2073	2000 x 750 x 30	196102

Back panels
for modular workbench systems

Other workbench back panels
Page **H26-H27**

Workstation lamps

2 x 36 W TC-L with light grille, silver and white reflector with assembled fixing set. Low-loss preselector unit, inductive.

Item	Assembly width (mm)	Order no.
AL3-99	994	169961
AL3-128	1282	169971
ALW30	Connecting cable	169980

Rotating shelves

Base tray with 4-sided edging and grip. Mounted onto a pivot arm element. Colour: Light grey, RAL 7035.

Item	Length (mm)	Order no.
ATG-SA	2 x 325	108992
ATG-SAB	Shelf	333600
	400 x 300	

Pivot arm adapter sleeve for table tops

For fastening the pivot arm elements directly onto the table top. Can be screwed in individually in any position.

Item	Height (mm)	Order no.
SAA	116	168400

Universal frame with shelf

Stable frame construction made from system tubes. With shelves, 105 and 205 mm deep, can be tilted. For attachment to pivot arm elements.

Item		Order no.
UV-2AB	Universal frame	333590



Back panel upright

Enclosed special profile 60 x 31 mm with 53:53 mm lug pitch. Painted silver.

Item	Length (mm)	Order no.
AS3-84	845	169661
AS3-12	1216	169681

Bracket

Galvanised sheet steel. For attaching to the back panel uprights. To fit shelves, lamps or running rails. Load bearing capacity 50 kg.

Item	Length (mm)	Order no.
KK 34050	340	145740
KK 35050	440	145760

Shelves, width 750 mm

Item	W x D (mm)	Order no.
AB7T1	780 x 105	169701
AB7T2	780 x 215	169711
AB7T3	780 x 320	169721
AB7T4	780 x 430	169731
AB7T5	780 x 535	169741

Shelves, width 994 mm

Item	W x D (mm)	Order no.
AB10T1	1024 x 105	169751
AB10T2	1024 x 215	169761
AB10T3	1024 x 320	169771
AB10T4	1024 x 430	169781
AB10T5	1024 x 535	169791

Shelves, width 1282 mm

Item	W x D (mm)	Order no.
AB13T1	1312 x 105	169801
AB13T2	1312 x 215	169811
AB13T3	1312 x 320	169821
AB13T4	1312 x 430	169831
AB13T5	1312 x 535	169841



Laminar shelves can be fixed at 0°, 10°, -5° and -16°

Accessories – Rotating office chairs

▶ **Permanent contact back rest**
adjusts permanently to the relevant seat position. This ensures the natural, balanced tensing and relaxation of different muscle groups

▶ **Permanent contact back rest and seat incline adjustment**
adapts the incline to the relevant seat position supported by springs or can be fixed in any position. Seat incline adjustment for a mainly forward-leaning working position, as this ensures support for the lumber vertebrae and an optimum body angle

▶ **Synchro technology**
automatically adjust the seat and back rest positions to the seat position. The dynamic/active seating reduces the one-sided loading of muscles and discs and is especially recommended for a frequently changing working position. The counter pressure from the back rest can be set individually for the body weight using the weight regulation system

Chair with sliders

Seat height adjustment range 430 - 580 mm. With non-abrasive plastic floor sliders.

Item	Finish	Order no.
STEC1-P	PK back rest	193800
STEC1-PS	PK + seat incline	193801
STEC1-SY	Synchro technology	193802

Chair with rollers

Seat height adjustment range 430 - 580 mm. With load-dependent braked safety double track rollers.

Item	Finish	Order no.
STEC2-P	PK back rest	193806
STEC2-PS	PK + seat incline	193807
STEC2-SY	Synchro technology	193808

Chair with access aid and sliders

Seat height adjustment range 580 - 850 mm. Access aid automatically adjusted with seat height adjustment and seat rotation. Height can be infinitely adjusted. Step can be folded upwards 90°.

Item	Finish	Order no.
STEC3-P	PK back rest	193812
STEC3-PS	PK + seat incline	193813
STEC3-SY	Synchro technology	193814

Integrated foam cushion

Can be retrofitted for all STEC chairs. Easy to clean and wipe down.

Item	Colour	Order no.
IPS-B	Blue	193818
IPS-S	Black	193819

Textile cushion

Can be retrofitted for all STEC chairs.

Item	Colour	Order no.
IPS-TS	Black	193820
IPS-TG	Grey	193821

Wooden chair with sliders

Seat height adjustment range 430 - 580 mm. Seat and back rest beech veneer, 7-layer varnish. Cross foot rest made from steel.

Item	Finish	Order no.
SOLI1-P	PK back rest	193830
SOLI1-PS	PK + seat incline	193831

Easy-stand

Comfortable luxury with multi-layer cushioning. Stable square steel construction. Seat and back rest height can be infinitely adjusted from 600 - 900 mm.

Item	Cover	Order no.
ERGO-SK	Skai (black)	193836
ERGO-TE	Techno (anthracite)	193837

SILVER Housing

SILVER Fronts

Shelf and workshop trolleys

- **High-grade sheet steel**
  stove enamel finish
- **Stable solid steel design**
- **For commercial use**
  as mobile assembly unit or for handling and storage

Shelf trolley with four-section door

With 3 height adjustable shelves, slotted for shelf dividers, galvanised. 1 open compartment underneath. Four-section door with recessed rotary handle with integrated security lock and 2 keys.

With 2 swivel and 2 fixed castors. Handrail on both front sides. Max. load capacity 400 kg.

Item	Dimensions W x D x H (mm)	Order no.
RW2000-1	1055 x 630 x 1565	170180

Workshop trolley with vice

With 2 height adjustable shelves, galvanised, 1 full-depth drawer, 100 mm high. Sectional door with recessed rotary handle with integrated security lock and 2 keys.

2 swivel and 2 fixed castors. With handrail on one front side. Load capacity up to max. 400 kg. Including vice, Heuer model, jaw width 120 mm on decorative 19 mm slate.

Item	Dimensions W x D x H (mm)	Order no.
WW2000-1	1055 x 500 x 800	170190

RAL 7016
ANTHRACITE GREY
Housing

ANTHRACITE GREY
RAL 7016
Fronts

Mobile charging stations

- **Ideal for use as decentral charging station for small electrical devices such as batteries, laptops etc.**
- **Perforated bases and doors**
  for improved heat dissipation
- **Can be accessed from the front and back**

Mobile charging station, width 750 mm

With 8 height adjustable, perforated shelves, galvanised.
Wing doors front (perforated) and rear (no perforations) with recessed rotary handle with integrated security lock and 2 keys.
Full-width opening in the side panel for customer-fitted power supply.
With 2 fixed and 2 swivel castors as well as sliding grips on one front panel. No power track.

Item	Dimensions W x D x H (mm)	Order no.
MLS76	760 x 500 x 1175	170480

Mobile charging station, width 1090 mm

With 8 height adjustable, perforated shelves, galvanised.
Wing doors front (perforated) and rear (no perforations) with recessed rotary handle with integrated security lock and 2 keys.
Full-width opening in the side panel for customer-fitted power supply.
With 2 fixed and 2 swivel castors as well as sliding grips on one front panel. No power track.

Item	Dimensions W x D x H (mm)	Order no.
MLS109	1090 x 500 x 1175	170490

LIGHT BLUE
RAL 5012

Transport trolleys

- **Load capacity 500 kg**
- **Stable angle-frame design**
  with trimmed plywood plate
- **Tyres**
  2 swivel and 2 fixed castors, Ø 200 mm, solid rubber

Platform trolley

With sliding grip or front panel inserted.

Item	W x D (mm)	Order no.
With sliding grip		
PFW 107	1000 x 700	***168470***
PFW 128	1200 x 800	***168480***
With front		
PFWS 107	1000 x 700	***168490***
PFWS 128	1200 x 800	***168500***

Platform trolley

Design with double front.

Item	W x D (mm)	Order no.
PFWDS 107	1000 x 700	***168510***
PFWDS 128	1200 x 800	***168520***

Platform trolley

Design with 2 dividing rods.

Item	W x D (mm)	Order no.
PWDRB 107	1000 x 700	***168530***
PWDRB 128	1200 x 800	***168540***
Additional dividing rods		
RBR 107	1000 x 700	***168550***
RBR 128	1200 x 800	***168560***

Two-wall trolley

With 2 longitudinal walls. Grip handles can be removed. Walls and loading area made from stable plywood plate.

Item	W x D (mm)	Order no.
2WW107	1000 x 700	***169900***
2WW128	1200 x 800	***169910***

Three-wall trolley

With 3 walls. Grip handles can be removed. Walls and loading area made from stable plywood plate.

Item	W x D (mm)	Order no.
3WW107	1000 x 700	***169920***
3WW128	1200 x 800	***169930***

Four-wall trolley

With 4 walls. Grip handles can be removed. Walls and loading area made from stable plywood plate.

Item	W x D (mm)	Order no.
4WW107	1000 x 700	***169940***
4WW128	1200 x 800	***169950***

Mesh trolley

Base made from MDF plate. 1 longitudinal wall can be folded in half.

Item	W x D (mm)	Order no.
GTW 107	1000 x 700	***168570***
GTW 128	1200 x 800	***168580***

Service trolley

With 3 plywood shelves and space for another 3 shelves. Height: 1800 mm.

Item	W x D (mm)	Order no.
ETWS 107	1000 x 700	***168590***
ETWS 128	1200 x 800	***168600***
Additional shelving		
ZZB107	1000 x 700	***168630***
ZZB128	1200 x 800	***168640***



Mesh service trolley

With 3-sided, stable mesh and 3 plywood shelves. Space for 3 further shelves. Height: 1800 mm.

Item	W x D (mm)	Order no.
ETWG 107	1000 x 700	***168610***
ETWG 128	1200 x 800	***168620***
Additional shelving		
ZZB107	1000 x 700	***168630***
ZZB128	1200 x 800	***168640***



Recyclable materials systems and cleaning waste containers

Recyclable materials system

Manufactured from dip galvanised quality sheet steel. Then powder-coated for long-lasting surface protection. With inner insert made from galvanised sheet steel. To empty, the upper part is simply removed. Body light grey, RAL 7035, the flaps are colour powder-coated for separating recyclable materials. A 7-part set of identification labels is included with each collecting container.

Item	External dim. W x D x H (mm)	Capacity (litre)	Order no.					
WS45	323 x 323 x 780	45	11610	11611	11612	11613	11614	11615
WS76	382 x 382 x 880	76	11620	11621	11622	11623	11624	11625

Refuse container

No insert box. Upper part can be removed with automatically closing rotary lock.
Dimensions: W 450 x D 450 x H 870 mm.

Item	Order no.		
ABF 648	10380	10383	10381

Insert boxes

Can be removed upwards, galvanised.

Item	For	Order no.
ABE 648	ABF 648	10390

Refuse container

With galvanised insert box, can be removed frontwards. Not suitable for liquids or outside erection. Upper part can be removed with automatically closing rotary lock.
Dimensions: W 450 x D 450 x H 870 mm.

Item	Order no.		
ABF 1648	14100	14103	14101

Cleaning waste container

Self-closing lid with swing rocker to avoid damage from explosions. With 2 side load grips. Weight approx. 10 kg.
Dimensions: W 400 x D 400 x H 640 mm.

Item	Order no.
PWK 644	11430

Insert for cleaning waste containers

Galvanised design.

Item	For	Order no.
PWE 644	PWK 644	11660

Drawer systems overview

With 5 housing models and 11 drawer sizes available in 3 different widths, the impressive selection of tool and machine cabinets in the WS range from SSI SCHAEFER can be configured in countless variations. Apart from the complete cabinets on offer (and you can choose from an extensive range of fittings), you can also fit out empty cabinets and tailor them precisely to your needs. With the comprehensive range of drawer partitioning accessories for tools, NC-tools, files and small parts, the possibilities for individual cabinet set-ups are virtually limitless.

The cabinets, manufactured from high-grade sheet steel, can be combined in three different widths and two different depths (725 mm and 572 mm) to suit the material stored and make the best use of space.

Useable dimensions of the drawers:

the useable dimensions of the drawers are given in the cabinet model number
e.g. WS 78-36:
width = (78 x 17 mm) = 1326 mm
depth = (36 x 17 mm) = 612 mm



Division

the dividers can be individually configured at a standard **spacing** of **17 mm (1 partition = 1 T)** for all drawers

Tip

for **drawers with 78 divisions**, fitted primarily with plastic channels, insert boxes and ribbed inserts, it is advisable to combine them with cross bars and dividers to make optimum use of the space



WS 36-27 range

WS 54-27 range

WS 36-36 range

Applications	Mechanical engineering, tool maintenance, jewellery manufacturing, tool manufacturing, quality assurance, stations, motor vehicle workshops, drafting rooms – wherever small parts need to be stored in a compact		
External dimensions			
Width (mm)	717	1023	717
Depth (mm)	572	572	725
Height (mm)	800/1000	800/1000	800/1000/1325/1450/1625
Useable size			
Width (mm)	612 (36 T)	918 (54 T)	612 (36 T)
Depth (mm)	459 (27 T)	459 (27 T)	612 (36 T)
Central locking	✔	✔	✔
Double drawer lock	✔	✔	✔
Paint finish			
Housing	3 standard colours	3 standard colours	3 standard colours
Fronts	5 standard colours	5 standard colours	5 standard colours
Fully extendable (V)	✔	✔	✔
Semi-extendable (E)	✔	✔	✔

Electronically protected drawer systems **H44**

Drawer cabinets, 572 mm deep **H46**

Ordering examples for WS 36-27 H46
Ordering examples for WS 54-27 H48
Empty housings and drawers H50
Accessories H51
Dividers H52

Drawer cabinets, 725 mm deep **H56**

Ordering examples for WS 36-36 H56
Ordering examples for WS 54-36 H60
Ordering examples for WS 78-36 H62
Ordering examples for machine cabinets H63
Empty housings and drawers H64
Accessories H65
Dividers H66

WSR drawer shelving **H70**

Frame, accessories H71
Drawer closing system H76
Drawers H77
Drawer shelving with vertical drawers H78

NC storage **H80**



WS 54-36 range	**WS 78-36 range**
computer storage cabinets, tool dispensing, two-wheel work and visible way	
1023	1431
725	725
800/1000/1450	1000/1450
918 (54 T)	1326 (78 T)
612 (36 T)	612 (36 T)
✔	✔
✔	✔
3 standard colours	3 standard colours
5 standard colours	5 standard colours
✔	✔
✔	

Electronically protected drawer systems – user-dependent opening of individual drawers

Drawer cabinets with individual electronically locked drawers in different sizes and configurations that can be opened and closed using individually designed identity profiles. The simplest way to store articles of all kinds and to protect them against unauthorised access.

Controlled and simple access to high-value articles is becoming increasingly important in many sectors of industrial production. To respond to market requirements, SSI SCHAEFER has designed electronically protected drawer systems in collaboration with CONSYGMA which can meet these needs simply using the latest technology.

The closing and opening process is carried out in accordance with an identity profile that is based on no-contact identity cards. The employee holds the identity card in front of the sensor on the drawer cabinet. The drawer authorised for that employee will be opened.

- **Availability**
  of tools, equipment, spare parts and replacement parts around the clock, 365 days a year
- **Optimum protection**
  of high quality goods against unauthorised access
- **Support for existing staff members**
  in the tool dispensing area during peak working times
- **Short routes**
  the stores can be created on-site on the production island. This removes the need for movements to the central tool dispensing area or the route is shortened considerably
- **All materials**
  are available to the staff in the second and third shifts as well
- **Simple installation**
  no additional software required for programming. Changes in access and control of the opening/closing cycles for individual drawers can be carried out simply via an internet browser
- **Staffed tool dispensing area can be reduced considerably**
  primarily during shoulder hours or late working shifts

If all these factors are implemented correctly, our systems pay for themselves in a short time. In firms running multi-shift operation and / or wide-ranging production halls, our systems are indispensable.

Basic software module

Simple creation of the identity profiles for access to drawers, lifts or lockable drawers in combination with database-dependent evaluation functions.

The identity profile is created using the latest technology via user-friendly software that can be started from an internet browser on any workstation without the software having to be installed on the workstation.

In addition to the simple creation of the identity profiles, the accesses can also be evaluated via searching and sorting functions.

Other features, such as multilingual software, no-power emergency release and simple terminal expansion with other modules also form part of the electronically protected drawer systems from SSI SCHAEFER.



Further information

on request

Identity technologies

The SSI SCHAEFER locking systems can be equipped with a variety of identity technologies: e.g. Mifare, Legic, Hitag 1 + 2, EM4102, etc.



RAL 7035 LIGHT GREY | SILVER | RAL 7035 LIGHT GREY — Housing

GENTIAN BLUE RAL 5010 | SILVER | RESEDA GREEN RAL 6011 — Fronts

WS 36-27 range – heights 800/1020 mm

Ordering examples

- **Individually configurable**
  using a variety of fittings
- **Central locking**
  incl. double drawer lock and cylinder lock
- **High-grade sheet steel**
  powder-coated
- **Drawers**
  Useable depth 459 mm,
  with recessed aluminium grip strips



Drawer cabinets – width 717 mm, height 800 mm

Item	Order no.	Fully extend.	Drawer height (mm)	Semi-extend.
With 4 drawers				
WSK36208-4V	101263 101260 101265	V	100	E
		V	100	E
		V	200	E
		V	300	V
WSK36208-4E	101273 101270 101275			
With 5 drawers				
WSK36208-5V	101283 101280 101285	V	75	E
		V	75	E
		V	150	E
		V	150	E
		V	250	V
WSK36208-5E	101293 101290 101295			
With 6 drawers				
WSK36208-6V	101303 101300 101305	V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	150	E
		V	200	E
WSK36208-6E	101313 101310 101315			
With 7 drawers				
WSK36208-7V	102383 102380 102385	E	50	E
		V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	150	E
		V	150	E
WSK36208-7E	102393 102390 102395			
With 8 drawers				
WSK36208-8V	101323 101320 101325	E	50	E
		E	50	E
		V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	100	E
		V	150	E
WSK36208-8E	101333 101330 101335			

Accessories/drawer dividers

on pages **H51-H55**

Drawer cabinets with castors – width 717 mm, height 1020 mm

Item	Order no.	Fully extend.	Drawer height (mm)	Semi-extend.
With 4 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR36208-4V	101343 101340 101345	V	100	E
		V	100	E
		V	200	E
		V	300	V
WSR36208-4E	101353 101350 101355			
With 5 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR36208-5V	101363 101360 101365	V	75	E
		V	75	E
		V	150	E
		V	150	E
		V	250	V
WSR36208-5E	101373 101370 101375			
With 6 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR36208-6V	101383 101380 101385	V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	150	E
		V	200	E
WSR36208-6E	101393 101390 101395			

Additional colour combinations on request

WS 36-27 range – heights 1000/1220 mm
Ordering examples

▶ **Cabinets with castors**
with guide handle, top plate with ribbed mat, 2 fixed and 2 swivel castors and individual drawer interlocks

▶ **Technical information**
V = Fully extendable drawer with load capacity **up to 200 kg**
E = Semi-extendable drawer with load capacity **up to 100 kg**



Drawer cabinets – width 717 mm, height 1000 mm

Item	Order no.			Fully extend.	Drawer height (mm)	Semi-extend.
With 6 drawers						
WSK36210-6V	101403	101400	101405	V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	200	E
				V	300	V
WSK36210-6E	101413	101410	101415			
With 7 drawers						
WSK36210-7V	101423	101420	101425	V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	150	E
				V	150	E
				V	250	V
WSK36210-7E	101433	101430	101435			
With 8 drawers						
WSK36210-8V	101443	101440	101445	E	50	E
				E	50	E
				V	75	E
				V	75	E
				V	100	E
				V	150	E
				V	150	E
				V	250	V
WSK36210-8E	101453	101450	101455			
With 9 drawers						
WSK36210-9V	101463	101460	101465	E	50	E
				E	50	E
				V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	100	E
				V	150	E
				V	200	E
WSK36210-9E	101473	101470	101475			
With 9 drawers						
WSK36210-9V1	102363	102360	102365	V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
WSK36210-9E1	102373	102370	102375			
With 10 drawers						
WSK36210-10V	101483	101480	101485	E	50	E
				E	50	E
				V	75	E
				V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	100	E
				V	200	E
WSK36210-10E	101493	101490	101495			

Drawer cabinets with castors – width 717 mm, height 1220 mm

Item	Order no.			Fully extend.	Drawer height (mm)	Semi-extend.
With 6 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.						
WSR36210-6V	101503	101500	101505	V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	200	E
				V	300	V
WSR36210-6E	101513	101510	101515			
With 7 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.						
WSR36210-7V	101523	101520	101525	V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	150	E
				V	150	E
				V	250	V
WSR36210-7E	101533	101530	101535			
With 8 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.						
WSR36210-8V	101543	101540	101545	E	50	E
				E	50	E
				V	75	E
				V	75	E
				V	100	E
				V	150	E
				V	150	E
				V	250	V
WSR36210-8E	101553	101550	101555			

RAL 7035 LIGHT GREY | SILVER | RAL 7035 LIGHT GREY — Housing

GENTIAN BLUE RAL 5010 | SILVER | RESEDA GREEN RAL 6011 — Fronts

WS 54-27 range – heights 800/1020 mm

Ordering examples

- **Individually configurable**
  using a variety of fittings
- **Central locking**
  incl. double drawer lock and cylinder lock
- **High-grade sheet steel**
  powder-coated
- **Cabinets with castors**
  with guide handle, top plate with ribbed mat, 2 fixed and 2 swivel castors and individual drawer interlocks
- **Drawers**
  Useable depth 459 mm, with recessed aluminium grip strips



Drawer cabinets – width 1023 mm, height 800 mm

Item	Order no.	Fully extend.	Drawer height (mm)	Semi-extend.
With 4 drawers				
WSK54208-4V	101563 101560 101565	V	100	E
		V	100	E
		V	200	V
		V	300	V
WSK54208-4E	101573 101570 101575			
With 6 drawers				
WSK54208-6V	101583 101580 101585	V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	150	V
		V	200	V
WSK54208-6E	101593 101590 101595			
With 8 drawers				
WSK54208-8V	101603 101600 101605	E	50	E
		E	50	E
		V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	100	E
		V	150	V
WSK54208-8E	101613 101610 101615			

Drawer cabinets with castors – width 1023 mm, height 1020 mm

Item	Order no.	Fully extend.	Drawer height (mm)	Semi-extend.
With 4 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR54208-4V	101623 101620 101625	V	100	E
		V	100	E
		V	200	V
		V	300	V
WSR54208-4E	101633 101630 101635			
With 5 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR54208-5V	101643 101640 101645	V	100	E
		V	100	E
		V	150	V
		V	150	V
		V	200	V
WSR54208-5E	101653 101650 101655			
With 6 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR54208-6V	101663 101660 101665	V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	150	V
		V	200	V
WSR54208-6E	101673 101670 101675			

Additional colour combinations on request

▶ Technical information

V = Fully extendable drawer with load capacity **up to 200 kg**

E = Semi-extendable drawer with load capacity **up to 100 kg**

WS 54-27 range – heights 1000/1220 mm
Ordering examples

Drawer cabinets – width 1023 mm, height 1000 mm

Item	Order no.		

Fully extend.	Drawer height (mm)	Semi-extend.
V	100	E
V	100	E
V	100	E
V	100	E
V	200	V
V	300	V

With 6 drawers

WSK54210-6V	*101683*	*101680*	*101685*
WSK54210-6E	*101693*	*101690*	*101695*

Fully extend.	Drawer height (mm)	Semi-extend.
E	50	E
E	50	E
V	75	E
V	75	E
V	100	E
V	150	V
V	150	V
V	250	V

With 8 drawers

WSK54210-8V	*101703*	*101700*	*101705*
WSK54210-8E	*101713*	*101710*	*101715*

Fully extend.	Drawer height (mm)	Semi-extend.
E	50	E
E	50	E
V	75	E
V	75	E
V	75	E
V	75	E
V	100	E
V	100	E
V	100	E
V	200	V

With 10 drawers

WSK54210-10V	*101723*	*101720*	*101725*
WSK54210-10E	*101733*	*101730*	*101735*

Drawer cabinets with castors – width 1023 mm, height 1220 mm



Fully extend.	Drawer height (mm)	Semi-extend.
V	100	E
V	100	E
V	100	E
V	100	E
V	200	V
V	300	V

With 6 drawers and castors

Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

WSR54210-6V	*101743*	*101740*	*101745*
WSR54210-6E	*101753*	*101750*	*101755*

Fully extend.	Drawer height (mm)	Semi-extend.
E	50	E
E	50	E
V	75	E
V	75	E
V	100	E
V	150	V
V	150	V
V	250	V

With 8 drawers and castors

Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

WSR54210-8V	*101763*	*101760*	*101765*
WSR54210-8E	*101773*	*101770*	*101775*

Accessories and drawer dividers
on pages **H51-H55**

WS 36-27/54-27 range – Empty housing and drawers

Empty housing with central locking
incl. double drawer lock and cylinder lock

Drawers
the **useable dimensions** are given by the cabinet model number,
e.g. WS 36-27: width = (36 x 17 mm) = 612 mm
depth = (27 x 17 mm) = 459 mm
Standard **dividing spacing** of **17 mm (= 1 T)**
V = 100% Fully extendable drawer with load capacity **up to 200 kg**
E = 85% Semi-extendable drawer with load capacity **up to 100 kg**
(with fascia height 50 mm up to 60 kg,
with fascia height 75 mm up to 75 kg load capacity)





Empty housing, WS 36-27 range

Item	Height/ Clear height (mm)	Order no.
WSG 36208	800 / 700	7421*
WSG 36210	1000 / 900	7422*
WSG 36214	1450 / 1350	7423*

Empty housing, WS 54-27 range

Item	Height/ Clear height (mm)	Order no.
WSG 54208	800 / 700	7427*
WSG 54210	1000 / 900	7428*
WSG 54214	1450 / 1350	7429*

***When ordering, please include the relevant order number with the relevant housing colour code:**

0 = SILVER
1 = RESEDA GREEN, RAL 6011
2 = LIGHT GREY, RAL 7035





Drawers for housing WS 36-27

Item	Fascia/useable height (mm)	Order no.
WS 36205E	50E / 36	7435**
WS 36207E	75E / 61	7436**
WS 36207V	75V / 54	7437**
WS 36210E	100E / 86	7438**
WS 36210V	100V / 79	7439**
–	–	–
WS 36215E	150E / 136	7440**
WS 36215V	150V / 129	7441**
–	–	–
WS 36220E	200E / 186	7442**
WS 36220V	200V / 179	7443**
–	–	–
WS 36225V	250V / 229	7444**
WS 36230V	300V / 279	7445**
WS 36235V	350V / 336	7446**
WS 36240V	400V / 379	7447**

Drawers for housing WS 54-27

Item	Fascia/useable height (mm)	Order no.
WS 54205E	50E / 36	7449**
WS 54207E	75E / 61	7450**
WS 54207V	75V / 54	7451**
WS 54210E	100E / 86	7452**
WS 54210V	100V / 79	7453**
WS 54212V	125V / 104	7454**
–	–	–
WS 54215V	150V / 129	7455**
WS 54217V	175V / 154	7456**
–	–	–
WS 54220E	200V / 179	7457**
–	–	–
WS 54225V	250V / 229	7458**
WS 54230V	300V / 279	7459**
–	–	–
–	–	–

****When ordering, please include the relevant order number with the relevant drawer colour code:**

0 = SILVER
1 = RESEDA GREEN, RAL 6011
2 = LIGHT GREY, RAL 7035
3 = GENTIAN BLUE, RAL 5010
5 = RUBY RED, RAL 3003

The total of the drawer fascia height must equal the clear height of the housing

Accessories for WS cabinets 36-27/54-27

Top plates

With upturned edges on three sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
K3T3627	WS 36-27	74240
K3T5427	WS 54-27	74300

Ribbed mats

Colour: black.

Item	For	Order no.
RM3627	WS 36-27	74250
RM5427	WS 54-27	74310



Lifting base

Enables a lifting trolley to be pushed underneath the cabinet. Height 100 mm.

Item	For	Order no.
HS3627	WS 36-27	74260
HSA36	Fascia for HS 36	100330
HS5427	WS 54-27	74330
HSA54	Fascia for HS 54	102330

Top plates for roller cabinets

With upturned edges on four sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
K4T3627	WSR 36	74245
K4T5427	WSR 54	74320

Pair guide handles for roller cabinets

For bolting to the cabinet housing.

Item	Order no.
STG	100360

Castor set for roller cabinets

Ø 160 mm. 2 fixed castors, 2 swivel castors with locking brake. Max. load capacity 400 kg.

Item	Order no.
RS160	100350

Individual drawer interlocks for roller cabinets

For individual assembly of the roller cabinets, the individual drawer interlocks must be ordered separately.

Item	Order no.
EVR	100340



Swing doors

1055 mm wide. Two-section swing doors as counter passage. The profile strips included with the door hinges are bolted to the side panels of the cabinets. Finish: aluminium checker plate with plastic edge, blue.

Item	Order no.
PT-A27	101221



Hinged counter flap

Used in combination with swing doors. Finish: aluminium checker plate with plastic edge, blue.

Item	W x D (mm)	Order no.
TA6-27	1023 x 572	101222

Counter worktops

Finish: aluminium checker plate, 19 mm thick with plastic edge, blue. Secured with Velcro fasteners.

Item	For	Order no.
AAP3627	WS 36-27	101220
AAP5427	WS 54-27	101230

Drawer dividers
for WS cabinets 36-27/54-27

Division
the dividers can be individually configured at a standard **spacing** of **17 mm (= 1 T)** for all drawers





Dividers



Fascia height 50 mm

Item	Division/ Width (mm)	Order no.
TRW205	2/230	106900
TRW305	3/247	106901
TRW405	4/264	106902
TRW605	6/298	106903
TRW905	9/149	106904
TRW1205	12/200	106905
TRW1805	18/302	106906

Fascia height 75 mm

Item	Division/ Width (mm)	Order no.
TRW307	3/247	106910
TRW407	4/264	106911
TRW607	6/298	106912
TRW907	9/149	106913
TRW1207	12/200	106914
TRW1807	18/302	106915

Fascia height 100/125 mm

Item	Division/ Width (mm)	Order no.
TRW310	3/247	106920
TRW410	4/264	106921
TRW610	6/298	106922
TRW910	9/149	106923
TRW1210	12/200	106924
TRW1810	18/302	106925

Fascia height 150 mm

Item	Division/ Width (mm)	Order no.
TRW615	6/298	106930
TRW915	9/149	106931
TRW1215	12/200	106932
TRW1815	18/302	106933

Fascia height 200/225 mm

Item	Division/ Width (mm)	Order no.
TRW920	9/149	106940
TRW1220	12/200	106941
TRW1820	18/302	106942

Fascia height 250 mm

Item	Division/ Width (mm)	Order no.
TRW925	9/149	106950
TRW1225	12/200	106951
TRW1825	18/302	106952

Fascia height 300 - 400 mm

Item	Division/ Width (mm)	Order no.
TRW930	9/149	106960
TRW1230	12/200	106961
TRW1830	18/302	106962



Label holder

Including card and transparent cover.

Item	Width (mm)	Order no.
BR 3014	30	106970
BR 5014	50	106971



Cross bars

Item	Cross bars for fascia H (mm)	Drawer type with divisions	Order no.
ZWS2705	50	WS 36/54 T	107550
ZWS2707	75	WS 36/54 T	106801
ZWS2710	100/125	WS 36/54 T	107551
ZWS2715	150	WS 36/54 T	107552
ZWS2720	200/225	WS 36/54 T	107553
ZWS2725	250	WS 36/54 T	107554
ZWS2730	300 - 400	WS 36/54 T	107555

Useable dimensions of the drawers:
36 x 27 divisions = W 612 x D 459 mm
54 x 27 divisions = W 918 x D 459 mm

Drawer dividers for WS cabinets 36-27/54-27

36 x 27 partitions suitable for cabinet range: WS 36, WSR 36



Cross bars and dividers
Complete set, consisting of:
2 cross bars = 27 T,
6 dividers = 12 T.

Item	For fascia H (mm)	Order no.
ZWK36251	50	108870
ZWK36271	75	108871
ZWK36201	100	108872



Cross bars and dividers
Complete set, consisting of:
4 cross bars = 27 T,
9 dividers = 6 T, 6 dividers = 9 T.

Item	For fascia H (mm)	Order no.
ZWK36252	50	108873
ZWK36272	75	108874
ZWK36202	100	108875

54 x 27 partitions suitable for cabinet range: WS 54, WSR 54



Cross bars and dividers
Complete set, consisting of:
4 cross bars = 27 T,
2 dividers = 9 T,
3 dividers = 12 T.

Item	For fascia H (mm)	Order no.
ZWK54251	50	108876
ZWK54271	75	108877
ZWK54201	100/125	108878
ZWK54251	150	108879



Cross bars and dividers
Complete set, consisting of:
6 cross bars = 27 T,
6 dividers = 6 T,
3 dividers = 9 T, 1 divider = 12 T.

Item	For fascia H (mm)	Order no.
ZWK54252	50	108880
ZWK54272	75	108881
ZWK54202	100/125	108882

Customised drawer divisions

on request

RED
ESD model on request

Drawer dividers
for WS cabinets 36-27/54-27



Plastic channels – for WS cabinets

Channel block base dimensions L 150 x W 150 mm (equals 9 x 9 divisions).
Material: ABS plastic, colour: red.

Item	Number of channels per block (mm)	For tools Ø max. (mm)	Order no.
KM 2	2 à 75	70	106100
KM 3	3 à 50	45	106101
KM 4	4 à 37	33	106102

Divider

Dividers for plastic channels

Fascia height 50 mm.

Item	For channels	Order no.
KMT 2	KM 2	106110
KMT 3	KM 3	106111
KMT 4	KM 4	106112

Label holder

Including card and transparent cover.

Item	Order no.
BR 3014	106970

Insert boxes for WS cabinets

ABS plastic, colour: red (* with fixed partition).
Conducting insert boxes available on request.

Item	For fascia H (mm)	L x W x H (mm)	Order no.
EK 50/1	50	75 x 75 x 26*	106201
EK 50/2	50	75 x 75 x 26	106211
EK 50/3	50	150 x 75 x 26	106221
EK 50/4	50	150 x 150 x 26	106231
EK 75/1	75	50 x 100 x 46	106241
EK 75/2	75	75 x 75 x 46	106251
EK 75/3	75	150 x 75 x 46	106261
EK 75/4	75	150 x 150 x 46	106271
EK 100/3	100	150 x 75 x 71	106281
EK 100/4	100	150 x 150 x 71	106291

Prisma brush support

For protected storage of delicate rounded items.
Installed into drawers over 100 mm height of side panel.

Item	Brush Ø (mm)	Unit (pieces)	Order no.
PS-60-1	0,1	30	167370
PS-60-2	0,2	30	167371
PS-60-3	0,3	30	167372
PS-60-4	0,4	30	167373

Customised drawer divisions

on request

Insert boxes and channel sets for WS cabinets 36-27/54-27

36 x 27 partitions suitable for cabinet range: **WS 36, WSR 36**



Plastic partitioning channel set

Complete set, consisting of:
6 channel blocks, 4 parts, 20 dividers,
6 channel blocks, 3 parts, 15 dividers.

Item	For fascia H (mm)	Order no.
KMS 1-27	50 and higher	25340



Plastic partitioning channel set

Complete set, consisting of:
3 channel blocks, 4 parts, 20 dividers,
6 channel blocks, 3 parts, 15 dividers,
3 channel blocks, 2 parts, 8 dividers.

Item	For fascia H (mm)	Order no.
KMS 2-27	50 and higher	25350



Insert boxes

Complete set, consisting of:
16 insert boxes = L 150 x W 150 mm,
4 insert boxes = L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
EKS 52-27	50	25220
EKS 72-27	75	25230
EKS 102-27	100/125	25240



Insert boxes

Complete set, consisting of:
16 insert boxes = L 75 x W 75 mm,
8 insert boxes = L 150 x W 75 mm,
4 insert boxes = L 150 x W 150 mm.

Item	For fascia H (mm)	Order no.
EKS 51-27	50	25250
EKS 71-27	75	25260

54 x 27 partitions suitable for cabinet range: **WS 54, WSR 54**



Plastic partitioning channel set

Complete set, consisting of:
12 channel blocks, 4 parts, 30 dividers,
6 channel blocks, 3 parts, 10 dividers.

Item	For fascia H (mm)	Order no.
KMS 3-27	50 and higher	25360



Plastic partitioning channel set

Complete set, consisting of:
3 channel blocks, 4 parts, 20 dividers,
6 channel blocks, 6 parts, 15 dividers,
3 channel blocks, 2 parts, 6 dividers.

Item	For fascia H (mm)	Order no.
KMS 4-27	50 and higher	25370



Insert boxes

Complete set, consisting of:
12 insert boxes L 150 x W 150 mm,
12 insert boxes L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
EKS 53-27	50	25270
EKS 73-27	75	25280
EKS 103-27	100/125	25290



Insert boxes

Complete set, consisting of:
20 insert boxes = L 75 x W 75 mm,
14 insert boxes = L 150 x W 75 mm,
6 insert boxes = L 150 x W 150 mm.

Item	For fascia H (mm)	Order no.
EKS 54-27	50	25300
EKS 74-27	75	25310

RAL 7035 LIGHT GREY | SILVER | RAL 7035 LIGHT GREY — Housing

GENTIAN BLUE RAL 5010 | SILVER | RESEDA GREEN RAL 6011 — Fronts

WS 36-36 range – heights 800/1020 mm

Ordering examples

- **Individually configurable**
  using a variety of fittings
- **Central locking**
  incl. double drawer lock and cylinder lock
- **High-grade sheet steel**
  powder-coated
- **Drawers**
  Useable depth 612 mm,
  with recessed aluminium grip strips



Drawer cabinets – width 717 mm, height 800 mm

Item	Order no.	Fully extend.	Drawer height (mm)	Semi-extend.
With 4 drawers				
WSK3608-4V	100403 100400 100405	V	100	E
		V	100	E
		V	200	E
		V	300	V
WSK3608-4E	100413 100410 100415			
With 5 drawers				
WSK3608-5V	100423 100420 100425	V	75	E
		V	75	E
		V	150	E
		V	150	E
		V	250	V
WSK3608-5E	100433 100430 100435			
With 6 drawers				
WSK3608-6V	100443 100440 100445	V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	150	E
		V	200	E
WSK3608-6E	100453 100450 100455			

Accessories/drawer dividers

on pages **H65-H69**

Item	Order no.	Fully extend.	Drawer height (mm)	Semi-extend.
With 7 drawers				
WSK3608-7V	100463 100460 100465	E	50	E
		V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	150	E
		V	150	E
WSK3608-7E	100473 100470 100475			
With 8 drawers				
WSK3608-8V	100483 100480 100485	E	50	E
		E	50	E
		V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	100	E
		V	150	E
WSK3608-8E	100493 100490 100495			

Drawer cabinets with castors – width 717 mm, height 1020 mm

Item	Order no.	Fully extend.	Drawer height (mm)	Semi-extend.
With 4 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR3608-4V	101003 101000 101005	V	100	E
		V	100	E
		V	200	E
		V	300	V
WSR3608-4E	101013 101010 101015			
With 5 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR3608-5V	101023 101020 101025	V	75	E
		V	75	E
		V	150	E
		V	150	E
		V	250	V
WSR3608-5E	101033 101030 101035			
With 6 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR3608-6V	101043 101040 101045	V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	150	E
		V	200	E
WSR3608-6E	101053 101050 101055			

Additional colour combinations on request

WS 36-36 range – heights 1000/1220 mm
Ordering examples

▶ **Cabinets with castors**
with guide handle, top plate with ribbed mat, 2 fixed and 2 swivel castors and individual drawer interlocks

▶ **Technical information**
V = 100% Fully extendable drawer with load capacity **up to 200 kg**
E = 85% Semi-extendable drawer with load capacity **up to 100 kg**



Drawer cabinets – width 717 mm, height 1000 mm

Item	Order no.	Fully extend.	Drawer height (mm)	Semi-extend.
With 6 drawers				
WSK3610-6V	100503 100500 100505	V	100	E
WSK3610-6E	100513 100510 100515	V	100	E
		V	100	E
		V	100	E
		V	200	E
		V	300	V
With 7 drawers				
WSK3610-7V	100523 100520 100525	V	75	E
WSK3610-7E	100533 100530 100535	V	75	E
		V	100	E
		V	100	E
		V	150	E
		V	150	E
		V	250	V
With 8 drawers				
WSK3610-8V	100543 100540 100545	E	50	E
WSK3610-8E	100553 100550 100556	E	50	E
		V	75	E
		V	75	E
		V	100	E
		V	150	E
		V	150	E
		V	250	V
With 9 drawers				
WSK3610-9V	100563 100560 100565	E	50	E
WSK3610-9E	100573 100570 100575	E	50	E
		V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	100	E
		V	150	E
		V	200	E
With 9 drawers				
WSK3610-9V1	102343 102340 102345	V	100	E
WSK3610-9E1	102353 102350 102355	V	100	E
		V	100	E
		V	100	E
		V	100	E
		V	100	E
		V	100	E
		V	100	E
		V	100	E
With 10 drawers				
WSK3610-10V	100583 100580 100585	E	50	E
WSK3610-10E	100593 100590 100595	E	50	E
		V	75	E
		V	75	E
		V	75	E
		V	75	E
		V	100	E
		V	100	E
		V	100	E
		V	200	E

Drawer cabinets with castors – width 717 mm, height 1220 mm

Item	Order no.	Fully extend.	Drawer height (mm)	Semi-extend.
With 6 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR3610-6V	101103 101100 101105	V	100	E
WSR3610-6E	101113 101110 101115	V	100	E
		V	100	E
		V	100	E
		V	200	E
		V	300	V
With 7 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR3610-7V	101123 101120 101125	V	75	E
WSR3610-7E	101133 101130 101135	V	75	E
		V	100	E
		V	100	E
		V	150	E
		V	150	E
		V	250	V
With 8 drawers and castors Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.				
WSR3610-8V	101143 101140 101145	E	50	E
WSR3610-8E	101153 101150 101155	E	50	E
		V	75	E
		V	75	E
		V	100	E
		V	150	E
		V	150	E
		V	250	V

RAL 7035 LIGHT GREY | SILVER | RAL 7035 LIGHT GREY — Housing

GENTIAN BLUE RAL 5010 | SILVER | RESEDA GREEN RAL 6011 — Fronts

- **Individually configurable**
  using a variety of fittings
- **Central locking**
  incl. double drawer lock and cylinder lock
- **High-grade sheet steel**
  powder-coated
- **Drawers**
  Useable depth 612 mm,
  with recessed aluminium grip strips



WS 36-36 range – heights 1150/1325 mm

Ordering examples

Drawer cabinets – width 717 mm, height 1150 mm

Item	Order no.			Fully extend.	Drawer height (mm)	Semi-extend.
With 8 drawers						
WSK3611-8V	100603	100600	100604	V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	150	E
				V	150	E
				V	150	E
				V	250	V
WSK3611-8E	100613	100610	100614			
With 10 drawers						
WSK3611-10V	100623	100620	100624	E	50	E
				E	50	E
				V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	100	E
				V	150	E
				V	150	E
				V	200	E
WSK3611-10E	100633	100630	100634			
With 12 drawers						
WSK3611-12V	100643	100640	100644	E	50	E
				E	50	E
				V	75	E
				V	75	E
				V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	150	E
WSK3611-12E	100653	100650	100654			

Drawer cabinets – width 717 mm, height 1325 mm

Item	Order no.			Fully extend.	Drawer height (mm)	Semi-extend.
With 8 drawers						
WSK3613-8V	100703	100700	100704	V	75	E
				V	100	E
				V	100	E
				V	100	E
				V	150	E
				V	200	E
				V	250	V
				V	250	V
WSK3613-8E	100713	100710	100714			
With 11 drawers						
WSK3613-11V	100723	100720	100724	E	50	E
				V	75	E
				V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	100	E
				V	150	E
				V	150	E
				V	150	E
				V	200	E
WSK3613-11E	100733	100730	100734			
With 13 drawers						
WSK3613-13V	100743	100740	100744	E	50	E
				V	75	E
				V	75	E
				V	75	E
				V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	150	E
				V	150	E
WSK3613-13E	100753	100750	100754			

Additional colour combinations on request

▶ Cabinets with castors

with guide handle, top plate with ribbed mat, 2 fixed and 2 swivel castors and individual drawer interlocks

▶ Technical information

V = Fully extendable drawer with load capacity **up to 200 kg**

E = Semi-extendable drawer with load capacity **up to 100 kg**



WS 36-36 range – heights 1450/1625 mm
Ordering examples

Accessories and drawer dividers
on pages **H65-H69**

Drawer cabinets – width 717 mm, height 1450 mm

Item	Order no.			Fully extend.	Drawer height (mm)	Semi-extend.
With 8 drawers						
WSK3614-8V	*100803*	*100800*	*100804*	V	75	E
WSK3614-8E	*100813*	*100810*	*100814*	V	75	E
				V	100	E
				V	150	E
				V	150	E
				V	200	E
				V	300	V
				V	300	V

Item	Order no.			Fully extend.	Drawer height (mm)	Semi-extend.
With 10 drawers						
WSK3614-10V	*100823*	*100820*	*100824*	E	50	E
WSK3614-10E	*100833*	*100830*	*100834*	V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	150	E
				V	150	E
				V	200	E
				V	200	E
				V	250	V

Item	Order no.			Fully extend.	Drawer height (mm)	Semi-extend.
With 14 drawers						
WSK3614-14V	*100843*	*100840*	*100844*	E	50	E
WSK3614-14E	*100853*	*100850*	*100854*	E	50	E
				E	50	E
				V	75	E
				V	75	E
				V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	150	E
				V	150	E
				V	200	E

Drawer cabinets – width 717 mm, height 1625 mm

				Fully extend.	Drawer height (mm)	Semi-extend.
With 10 drawers						
WSK3616-10V	*100903*	*100900*	*100904*	V	100	E
WSK3616-10E	*100913*	*100910*	*100914*	V	100	E
				V	100	E
				V	100	E
				V	75	E
				V	150	E
				V	150	E
				V	200	E
				V	250	V
				V	300	V

				Fully extend.	Drawer height (mm)	Semi-extend.
With 12 drawers						
WSK3616-12V	*100923*	*100920*	*100924*	V	100	E
WSK3616-12E	*100933*	*100930*	*100934*	V	100	E
				V	100	E
				V	100	E
				V	75	E
				V	75	E
				V	75	E
				V	100	E
				V	100	E
				V	150	E
				V	150	E
				V	200	E
				V	300	V

				Fully extend.	Drawer height (mm)	Semi-extend.
With 16 drawers						
WSK3616-16V	*100943*	*100940*	*100944*	V	100	E
WSK3616-16E	*100953*	*100950*	*100954*	V	100	E
				V	100	E
				V	75	E
				V	75	E
				V	75	E
				E	50	E
				E	50	E
				E	50	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	100	E
				V	150	E
				V	150	E
				V	150	E

RAL 7035 LIGHT GREY | SILVER | RAL 7035 LIGHT GREY — Housing

GENTIAN BLUE RAL 5010 | SILVER | RESEDA GREEN RAL 6011 — Fronts

WS 54-36 range – heights 800/1020 mm

Ordering examples

- **Individually configurable**
  using a variety of fittings
- **Central locking**
  incl. double drawer lock and cylinder lock
- **High-grade sheet steel**
  powder-coated
- **Cabinets with castors**
  with guide handle, top plate with ribbed mat, 2 fixed and 2 swivel castors and individual drawer
- **Drawers**
  Useable depth 612 mm, with recessed aluminium grip strips



Accessories and drawer partitioning
on pages **H65-H69**

Drawer cabinets – width 1023 mm, height 800 mm

Item	Order no.		

Fully extend.	Drawer height (mm)	Semi-extend.
V	100	E
V	100	E
V	200	V
V	300	V

With 4 drawers

WSK5408-4V	*102403*	*102400*	*102404*
WSK5408-4E	*102413*	*102410*	*102414*

Fully extend.	Drawer height (mm)	Semi-extend.
V	75	E
V	75	E
V	100	E
V	100	E
V	150	V
V	200	V

With 6 drawers

WSK5408-6V	*102423*	*102420*	*102424*
WSK5408-6E	*102433*	*102430*	*102434*



Fully extend.	Drawer height (mm)	Semi-extend.
E	50	E
E	50	E
V	75	E
V	75	E
V	100	E
V	100	E
V	100	E
V	150	V

With 8 drawers

WSK5408-8V	*102443*	*102440*	*102444*
WSK5408-8E	*102453*	*102450*	*102454*

Drawer cabinets with castors – width 1023 mm, height 1020 mm

Fully extend.	Drawer height (mm)	Semi-extend.
V	100	E
V	100	E
V	200	V
V	300	V

With 4 drawers and castors
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

WSR5408-4V	*102703*	*102700*	*102704*
WSR5408-4E	*102713*	*102710*	*102714*

Fully extend.	Drawer height (mm)	Semi-extend.
V	100	E
V	100	E
V	150	V
V	150	V
V	200	V

With 5 drawers and castors
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

WSR5408-5V	*102723*	*102720*	*102724*
WSR5408-5E	*102733*	*102730*	*102734*

Fully extend.	Drawer height (mm)	Semi-extend.
V	75	E
V	75	E
V	100	E
V	100	E
V	150	V
V	200	V

With 6 drawers and castors
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

WSR5408-6V	*102743*	*102740*	*102744*
WSR5408-6E	*102753*	*102750*	*102754*

Additional colour combinations on request

▶ Technical information

V = Fully extendable drawer with load capacity **up to 200 kg**

E = Semi-extendable drawer with load capacity **up to 100 kg**

WS 54-36 range – heights 1000/1220/1450 mm
Ordering examples

Drawer cabinets – width 1023 mm, height 1000 mm

Item	Order no.		

Fully extend.	Drawer height (mm)	Semi-extend.
V	100	E
V	100	E
V	100	E
V	100	E
V	200	V
V	300	V

With 6 drawers

WSK5410-6V	*102503*	*102500*	*102504*
WSK5410-6E	*102513*	*102510*	*102514*

Fully extend.	Drawer height (mm)	Semi-extend.
E	50	E
E	50	E
V	75	E
V	75	E
V	100	E
V	150	V
V	150	V
V	250	V

With 8 drawers

WSK5410-8V	*102523*	*102520*	*102524*
WSK5410-8E	*102533*	*102530*	*102534*

Fully extend.	Drawer height (mm)	Semi-extend.
E	50	E
E	50	E
V	75	E
V	75	E
V	75	E
V	75	E
V	100	E
V	100	E
V	100	E
V	200	V

With 10 drawers

WSK5410-10V	*102543*	*102540*	*102544*
WSK5410-10E	*102553*	*102550*	*102554*

Drawer cabinets with castors – width 1023 mm, height 1220 mm



Fully extend.	Drawer height (mm)	Semi-extend.
V	100	E
V	100	E
V	100	E
V	100	E
V	200	V
V	300	V

With 6 drawers and castors
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

WSR5410-6V	*102803*	*102800*	*102804*
WSR5410-6E	*102813*	*102810*	*102814*

Fully extend.	Drawer height (mm)	Semi-extend.
E	50	E
E	50	E
V	75	E
V	75	E
V	100	E
V	150	V
V	150	V
V	250	V

With 8 drawers and castors
Top plate, guide handles, 2 swivel and 2 fixed castors. With individual drawer interlock.

WSR5410-8V	*102823*	*102820*	*102824*
WSR5410-8E	*102833*	*102830*	*102834*

Drawer cabinets – width 1023 mm, height 1450 mm



Fully extend.	Drawer height (mm)	Semi-extend.
V	75	E
V	75	E
V	100	E
V	150	V
V	150	V
V	200	V
V	300	V
V	300	V

With 8 drawers

WSK5414-8V	*102603*	*102600*	*102604*
WSK5414-8E	*102613*	*102610*	*102614*



Fully extend.	Drawer height (mm)	Semi-extend.
E	50	E
V	75	E
V	75	E
V	100	E
V	100	E
V	150	V
V	150	V
V	200	V
V	200	V
V	250	V

With 10 drawers

WSK5414-10V	*102623*	*102620*	*102624*
WSK5414-10E	*102633*	*102630*	*102634*

WS 78-36 range – heights 1000/1450 mm
Ordering examples

RAL 7035 LIGHT GREY | SILVER | RAL 7035 LIGHT GREY — Housing

GENTIAN BLUE RAL 5010 | SILVER | RESEDA GREEN RAL 6011 — Fronts

- **Individually configurable**
  using a variety of fittings
- **Central locking**
  incl. double drawer lock and cylinder lock
- **High-grade sheet steel**
  powder-coated
- **Drawers**
  Useable depth 612 mm,
  with recessed aluminium grip strips





Drawer cabinets – width 1431 mm, height 1000 mm

Item	Order no.	Fully extend. Drawer height (mm)	
With 6 drawers			
WSK7810-6V	103403	V 100	
	103400	V 100	
	103404	V 100	
		V 100	
		V 200	
		V 300	
With 7 drawers			
WSK7810-7V	103413	V 75	
	103410	V 75	
	103414	V 100	
		V 100	
		V 100	
		V 150	
		V 300	
With 8 drawers			
WSK7810-8V	103423	V 75	
	103420	V 75	
	103424	V 75	
		V 75	
		V 100	
		V 150	
		V 150	
		V 200	

Drawer cabinets – width 1431 mm, height 1450 mm

Item	Order no.	Fully extend. Drawer height (mm)	
With 8 drawers			
WSK7814-8V	103503	V 75	
	103500	V 75	
	103504	V 100	
		V 150	
		V 150	
		V 200	
		V 300	
		V 300	
With 9 drawers			
WSK7814-9V	103513	V 75	
	103510	V 75	
	103514	V 100	
		V 100	
		V 150	
		V 150	
		V 200	
		V 200	
		V 300	
With 10 drawers			
WSK7814-10V	103523	V 75	
	103520	V 75	
	103524	V 75	
		V 75	
		V 100	
		V 150	
		V 150	
		V 200	
		V 200	
		V 250	

Additional colour combinations on request



- **Wing doors**
  with rotary catch
- **Central locking**
  Security lock with 2 keys
  incl. double pull out stop
- **High-grade sheet steel**
  powder-coated
- **Equipment**
  Cabinets, 1000 mm high with top plate and ribbed rubber mat, black
- **Technical information**
  V = Fully extendable drawer with load capacity up to 200 kg
  E = Semi-extendable drawer with load capacity up to 100 kg
  VT = Adjustable shelves
  ATV = Fully extendable shelf
  ATE = Semi-extendable pull-out shelf

MS 36-36/54-36 range – heights 1000/1450 mm Ordering examples

Drawer cabinets – width 717 mm, height 1000 mm

Item	Order no.			Fully extend.	Drawer height (mm)	Semi-extend.
				V	75	E
				V	75	E
				ATV		ATE
				ATV		ATE
With 2 drawers, 2 pull-out shelves						
MSK3610/1V	104402	104400	104404			
MSK3610/1E	104412	104410	104414			

Item	Order no.			Fully extend.	Drawer height (mm)	Semi-extend.
				V	75	E
				V	150	E
				V	150	E
With 3 drawers						
MSK3610/2V	104422	104420	104424			
MSK3610/2E	104432	104430	104434			

Item	Order no.			Fully extend.	Drawer height (mm)	Semi-extend.
				V	50	E
				V	100	E
				V	150	V
				V	150	V
With 4 drawers						
MSK3610/5V	104482	104480	104484			
MSK3610/5E	104492	104490	104494			

Drawer cabinets – width 1023 mm, height 1000 mm

				Fully extend.	Drawer height (mm)	Semi-extend.
				V	75	E
				V	75	E
				ATV		ATE
				ATV		ATE
With 2 drawers, 2 pull-out shelves						
MSK5410/1V	104523	104520	104525			
MSK5410/1E	104533	104530	104535			

				Fully extend.	Drawer height (mm)	Semi-extend.
				V	75	E
				V	150	V
				V	150	V
With 3 drawers						
MSK5410/2V	104543	104540	104545			
MSK5410/2E	104553	104550	104555			

				Fully extend.	Drawer height (mm)	Semi-extend.
				V	75	E
				V	75	E
				VT		VT
				VT		VT
With 2 drawers, 2 adjustable shelves						
MSK5410/3V	104563	104560	104565			
MSK5410/3E	104573	104570	104575			

Drawer cabinets – width 717 mm, height 1450 mm

				Fully extend.	Drawer height (mm)	Semi-extend.
				V	75	E
				V	75	E
				V	100	E
				V	100	E
				ATV		ATE
				ATV		ATE
With 4 drawers, 2 pull-out shelves						
MSK3614/1V	104602	104600	104604			
MSK3614/1E	104612	104610	104614			

				Fully extend.	Drawer height (mm)	Semi-extend.
				V	150	E
				V	150	E
				V	150	E
With 3 drawers						
MSK3614/2V	104622	104620	104624			
MSK3614/2E	104632	104630	104634			

				Fully extend.	Drawer height (mm)	Semi-extend.
				V	75	E
				V	75	E
				V	75	E
				V	75	E
				V	75	E
				VT		VT
				VT		VT
With 5 drawers, 2 adjustable shelves						
MSK3614/3V	104642	104640	104644			
MSK3614/3E	104652	104650	104654			

WS 36-36/54-36/78-36 range – Empty housing and drawers

- **Empty housing with central locking**
  incl. double drawer lock and cylinder lock
- **Drawers**
  the **useable dimensions** are given by the cabinet model number, e.g. WS 78-36: width = (78 x 17 mm) = 1326 mm
  depth = (36 x 17 mm) = 612 mm
  Standard **dividing spacing** of **17 mm (= 1 T)**
  V = 100% Fully extendable drawer with load capacity **up to 200 kg**
  E = 85% Semi-extendable drawer with load capacity **up to 100 kg**
  (with fascia height 50 mm up to 60 kg,
  with fascia height 75 mm up to 75 kg load capacity)



Empty housing, WS 36-36 range

Item	Height/ Clear height (mm)	Order no.
WSG 3608	800 / 700	10001*
WSG 3610	1000 / 900	10002*
WSG 3611	1150 / 1050	10003*
WSG 3613	1325 / 1225	10004*
WSG 3614	1450 / 1350	10005*
WSG 3616	1625 / 1525	10006*

Drawers for housing WS 36-36

Item	Fascia/useable height (mm)	Order no.
WS 3605E	50E / 36	10010**
WS 3607E	75E / 61	10011**
WS 3607V	75V / 54	10012**
WS 3610E	100E / 86	10013**
WS 3610V	100V / 79	10014**
WS 3612E	125E / 111	10015**
WS 3612V	125V / 104	10016**
WS 3615E	150E / 136	10017**
WS 3615V	150V / 129	10018**
WS 3617V	175V / 154	10019**
WS 3620E	200E / 186	10020**
WS 3620V	200V / 179	10021**
WS 3622V	225V / 204	10022**
WS 3625V	250V / 229	10023**
WS 3630V	300V / 279	10024**
WS 3640V	400V / 379	10026**
WS 3645V	450V / 429	10027**



Empty housing, WS 54-36 range

Item	Height/ Clear height (mm)	Order no.
WSG 5408	800 / 700	10200*
WSG 5410	1000 / 900	10201*
–	–	–
–	–	–
WSG 5414	1450 / 1350	10202*
WSG 5416	1625 / 1525	10203*



Drawers for housing WS 54-36

Item	Fascia/useable height (mm)	Order no.
WS 5405E	50E / 36	10210**
WS 5407E	75E / 61	10211**
WS 5407V	75V / 54	10212**
WS 5410E	100E / 86	10213**
WS 5410V	100V / 79	10214**
–	–	–
WS 5412V	125V / 104	10215**
–	–	–
WS 5415V	150V / 129	10216**
WS 5417V	175V / 154	10217**
–	–	–
WS 5420V	200V / 179	10218**
–	–	–
WS 5425V	250V / 229	10219**
WS 5430V	300V / 279	10220**
–	–	–
–	–	–



Empty housing, WS 78-36 range

Item	Height/ Clear height (mm)	Order no.
WSG 7808	800 / 700	10302*
WSG 7810	1000 / 900	10300*
–	–	–
–	–	–
WSG 7814	1450 / 1350	10301*
–	–	–



Drawers for housing WS 78-36

Item	Fascia/useable height (mm)	Order no.
–	–	–
–	–	–
WS 7807V	75V / 54	10310**
–	–	–
WS 7810V	100V / 79	10311**
–	–	–
WS 7812V	125V / 104	10312**
–	–	–
WS 7815V	150V / 129	10313**
WS 7817V	175V / 154	10314**
–	–	–
WS 7820V	200V / 179	10315**
–	–	–
WS 7825V	250V / 229	10316**
WS 7830V	300V / 279	10317**
–	–	–
–	–	–

*** When ordering, please include the relevant order number with the relevant housing colour code:**

0 = SILVER

1 = RESEDA GREEN, RAL 6011

2 = LIGHT GREY, RAL 7035

**** When ordering, please include the relevant order number with the relevant drawer/door colour code:**

0 = SILVER

1 = RESEDA GREEN, RAL 6011

2 = LIGHT GREY, RAL 7035

3 = GENTIAN BLUE, RAL 5010

5 = RUBY RED, RAL 3003

The total of the drawer fascia height must equal the clear height of the housing

Accessories for WS cabinets 36-36/54-36/78-36

Wing doors for cabinets 36-36

Sheet steel with rod lock.

Item	W x D x H (mm)	Order no.
MSFT08	717 x 23 x 800	10430**
MSFT10	717 x 23 x 1000	10431**
MSFT14	717 x 23 x 1450	10432**

** Please quote the order no. with the relevant door colour code. The colours can be found at the bottom of page H64.

Wing doors for cabinets 54-36

Item	W x D x H (mm)	Order no.
MSFT5408	1023 x 23 x 800	10427**
MSFT5410	1023 x 23 x 1000	10428**
MSFT5414	1023 x 23 x 1450	10429**

i **Workbench back panels**

from pages **H26-H27**

Top plates

With upturned edges on three sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
K3T36	WS 36	100300
K3T54	WS 54	102300
K3T78	WS 78	103200

Top plates for roller cabinets

With upturned edges on four sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
K4T36	WSR 36	100370
K4T54	WSR 54	100380

Ribbed mats

Colour: black or grey.

Item	For	Colour	Order no.
RM3636	WS 36	Black	100310
RM3636G	WS 36	Grey	100311
RM5436	WS 54	Black	102310
RM5436G	WS 54	Grey	102311
RM7836	WS 78	Black	103210
RM7836G	WS 78	Grey	103211



Adjustable shelves

Installation height 25 mm. Height adjustable in spacing of 25 mm. Load capacity up to max. 200 kg.

Item	Useable dim. W x D (mm)	For	Order no.
WS36VT	651 x 619	WS 36	104220
WSR-VT54	920 x 619	WS 54	77110

Individual drawer interlocks

For individual assembly of the roller cabinets, the individual drawer interlocks must be ordered separately.

Item	Order no.
EVR	100340



Pair guide handles for roller cabinets

For bolting to the cabinet housing.

Item	Order no.
STG	100360



Lifting base

Enables a lifting trolley to be pushed underneath the cabinet. Height 100 mm.

Item	For	Order no.
HS36	WS 36	100320
HSA36	Fascia for HS 36	100330
HS54	WS 54	102320
HSA54	Fascia for HS 54	102330
HS78	WS 78	103220
HSA78	Fascia for HS 78	103230

Castor set for roller cabinets

Ø 160 mm. 2 fixed castors, 2 swivel castors with locking brake. Max. load capacity 400 kg.

Item	Order no.
RS160	100350

Drawer dividers
for WS cabinets 36-36/54-36/78-36



▶ **Division**
the dividers can be individually configured at a standard **spacing** of **17 mm (= 1 T)** for all drawers

▶ **Tip**
for **drawers with 78 divisions**, fitted primarily with plastic channels, insert boxes and ribbed inserts, it is advisable to combine them with cross bars and dividers to make optimum use of the space



Dividers



Fascia height 50 mm

Item	Division/ Width (mm)	Order no.
TRW205	2/230	106900
TRW305	3/247	106901
TRW405	4/264	106902
TRW605	6/298	106903
TRW905	9/149	106904
TRW1205	12/200	106905
TRW1805	18/302	106906

Fascia height 75 mm

Item	Division/ Width (mm)	Order no.
TRW307	3/247	106910
TRW407	4/264	106911
TRW607	6/298	106912
TRW907	9/149	106913
TRW1207	12/200	106914
TRW1807	18/302	106915

Fascia height 100/125 mm

Item	Division/ Width (mm)	Order no.
TRW310	3/247	106920
TRW410	4/264	106921
TRW610	6/298	106922
TRW910	9/149	106923
TRW1210	12/200	106924
TRW1810	18/302	106925

Fascia height 150 mm

Item	Division/ Width (mm)	Order no.
TRW615	6/298	106930
TRW915	9/149	106931
TRW1215	12/200	106932
TRW1815	18/302	106933

Fascia height 200/225 mm

Item	Division/ Width (mm)	Order no.
TRW920	9/149	106940
TRW1220	12/200	106941
TRW1820	18/302	106942

Fascia height 250 mm

Item	Division/ Width (mm)	Order no.
TRW925	9/149	106950
TRW1225	12/200	106951
TRW1825	18/302	106952

Fascia height 300 - 400 mm

Item	Division/ Width (mm)	Order no.
TRW930	9/149	106960
TRW1230	12/200	106961
TRW1830	18/302	106962



Label holder

Including card and transparent cover.

Item	Width (mm)	Order no.
BR 3014	30	106970
BR 5014	50	106971



Cross bars

Item	Cross bars for fascia H (mm)	Drawer type with divisions	Order no.
ZWS3605	50	WS 36/54/78 T	106800
ZWS3607	75	WS 36/54/78 T	106802
ZWS3610	100/125	WS 36/54/78 T	106803
ZWS3615	150	WS 36/54/78 T	106804
ZWS3620	200/225	WS 36/54/78 T	106805
ZWS3625	250	WS 36/54/78 T	106806
ZWS3630	300 - 400	WS 36/54/78 T	106807

▶ Useable dimensions of the drawers:
36 x 36 divisions = W 612 x D 612 mm
54 x 36 divisions = W 918 x D 612 mm
78 x 36 divisions = W 1326 x D 612 mm

Drawer dividers
for WS cabinets 36-36/54-36/78-36

36 x 36 partitions suitable for cabinet range: **WS 36, WSR 36, MS 36**



Cross bars and dividers
Complete set, consisting of:
2 cross bars = 36 T,
8 dividers = 12 T.

Item	For fascia H (mm)	Order no.
ZWK3651	50	107000
ZWK3671	75	107010
ZWK36101	100	107020



Cross bars and dividers
Complete set, consisting of:
4 cross bars = 36 T,
12 dividers = 6 T, 9 dividers = 9 T.

Item	For fascia H (mm)	Order no.
ZWK3652	50	107030
ZWK3672	75	107040
ZWK36102	100	107050



54 x 36 partitions suitable for cabinet range: **WS 54, WSR 54**



Cross bars and dividers
Complete set, consisting of:
4 cross bars = 36 T,
2 dividers = 9 T, 3 dividers = 12 T.

Item	For fascia H (mm)	Order no.
ZWK5451	50	107100
ZWK5471	75	107110
ZWK54101	100/125	107120
ZWK54151	150	107130



Cross bars and dividers
Complete set, consisting of:
6 cross bars = 36 T,
6 dividers = 6 T,
3 dividers = 9 T, 1 divider = 12 T.

Item	For fascia H (mm)	Order no.
ZWK5452	50	107140
ZWK5472	75	107150
ZWK54102	100/125	107160

78 x 36 partitions suitable for cabinet range: **WS 78**



Cross bars and dividers
Complete set, consisting of:
5 cross bars = 36 T,
13 dividers = 12 T,
2 dividers = 18 T.

Item	For fascia H (mm)	Order no.
ZWK7871	75	107200
ZWK78101	100/125	107210
ZWK78151	150	107220



Cross bars and dividers
Complete set, consisting of:
7 cross bars = 36 T,
12 dividers = 6 T, 6 dividers = 9 T,
4 dividers = 12 T, 2 dividers = 18 T.

Item	For fascia H (mm)	Order no.
ZWK7872	75	107230
ZWK78102	100/125	107240



RED
ESD model on request

Drawer dividers for WS cabinets 36-36/54-36/78-36



Plastic channels – for WS cabinets

Channel block base dimensions L 150 x W 150 mm (equals 9 x 9 divisions).
Material: ABS plastic, colour: red.

Item	Number of channels per block (mm)	For tools Ø max. (mm)	Order no.
KM 2	2 à 75	70	106100
KM 3	3 à 50	45	106101
KM 4	4 à 37	33	106102

Divider

Dividers for plastic channels

Fascia height 50 mm.

Item	For channels	Order no.
KMT 2	KM 2	106110
KMT 3	KM 3	106111
KMT 4	KM 4	106112

Label holder

Including card and transparent cover.

Item	Order no.
BR 3014	106970

Insert boxes for WS cabinets

ABS plastic, colour: red (* with fixed partition).
Conducting insert boxes available on request.

Item	For fascia H (mm)	L x W x H (mm)	Order no.
EK 50/1	50	75 x 75 x 26*	106201
EK 50/2	50	75 x 75 x 26	106211
EK 50/3	50	150 x 75 x 26	106221
EK 50/4	50	150 x 150 x 26	106231
EK 75/1	75	50 x 100 x 46	106241
EK 75/2	75	75 x 75 x 46	106251
EK 75/3	75	150 x 75 x 46	106261
EK 75/4	75	150 x 150 x 46	106271
EK 100/3	100	150 x 75 x 71	106281
EK 100/4	100	150 x 150 x 71	106291

Prisma brush support

For protected storage of delicate rounded items.
Installed into drawers over 100 mm height of side panel.

Item	Brush Ø (mm)	Unit (pieces)	Order no.
PS-60-1	0,1	30	167370
PS-60-2	0,2	30	167371
PS-60-3	0,3	30	167372
PS-60-4	0,4	30	167373

Customised drawer divisions

on request

Insert boxes and channel sets for WS cabinets 36-36/54-36/78-36

36 x 36 partitions suitable for cabinet range: **WS 36, WSR 36, MS 36, MS 78**



Plastic partitioning channel set

Complete set, consisting of:
8 channel blocks, 4 parts, 24 dividers,
8 channel blocks, 3 parts, 18 dividers.

Item	For fascia H (mm)	Order no.
KMS 1	50 and higher	106130



Plastic partitioning channel set

Complete set, consisting of:
4 channel blocks, 4 parts, 28 dividers,
8 channel blocks, 3 parts, 20 dividers,
4 channel blocks, 2 parts, 10 dividers.

Item	For fascia H (mm)	Order no.
KMS 2	50 and higher	106140



Insert boxes

Complete set, consisting of:
16 insert boxes L 150 x W 150 mm,
8 insert boxes L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
EKS 52	50	106501
EKS 72	75	106511
EKS 102	100/125	106521



Insert boxes

Complete set, consisting of:
16 insert boxes = L 75 x W 75 mm,
16 insert boxes = L 150 x W 75 mm,
4 insert boxes = L 150 x W 150 mm.

Item	For fascia H (mm)	Order no.
EKS 51	50	106401
EKS 71	75	106411

54 x 36 partitions suitable for cabinet range: **WS 54, WSR 54**



Plastic partitioning channel set

Complete set, consisting of:
16 channel blocks, 4 parts, 30 dividers,
8 channel blocks, 3 parts, 10 dividers.

Item	For fascia H (mm)	Order no.
KMS 3	50 and higher	106150



Plastic partitioning channel set

Complete set, consisting of:
8 channel blocks, 4 parts, 15 dividers,
8 channel blocks, 3 parts, 10 dividers,
8 channel blocks, 2 parts, 10 dividers.

Item	For fascia H (mm)	Order no.
KMS 4	50 and higher	106160



Insert boxes

Complete set, consisting of:
12 insert boxes = L 150 x W 150 mm,
18 insert boxes = L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
EKS 53	50	106601
EKS 73	75	106611
EKS 103	100/125	106621



Insert boxes

Complete set, consisting of:
20 insert boxes = L 75 x W 75 mm,
14 insert boxes = L 150 x W 75 mm,
12 insert boxes = L 150 x W 150 mm.

Item	For fascia H (mm)	Order no.
EKS 54	50	106701
EKS 74	75	106711

LIGHT GREY | SILVER | GENTIAN BLUE

RAL 7035 | RAL 5010

Other colour combinations available on request

WSR drawer shelving

The WSR drawer shelving combines the advantages of the drawer cabinets with those of modular shelving and therefore also offers a high load capacity unit for perfect organisation.

Drawers, shelving and extendable shelves can be freely combined. It is also easy to add or convert the drawer shelving later on.

- **Modular units for heavy tools**
- **3 bay widths/2 shelf depths**
- **2-tier installation possible**
- **Drawers**
  with recessed aluminium grip strips
- **9 drawer heights**
- **Simple assembly of the shelving system**
  a bay also consists of two bolted shelf bases along with end or upright frames. For shelving bays without a back panel, cross bracing needs to be used for stability



Starter bay

Extension bay

Load Capacities

Shelf height (mm)	Quantity shelf bases	Clear height (mm)	Min. - max. installation height of middle shelf from shelf (mm)	Load capacity per shelf bay (kg)
2000	2	1900	—	4500
2000	3	1850	800 - 1200	5500
2200	3	2050	900 - 1300	5500
2500	3	2350	1050 - 1450	5250
3000	3	2850	1300 - 1700	5000

Technical information

on request

Clear dimensions for WSR drawer shelving



Shelf depth 705 mm (36 T)



Shelf depth 553 mm (27 T)

Frames

Upright frame open

Sheet steel, with 25 mm hole spacing, two-sided, to attach the shelf supports and to house drawer rails. Front and back C profile uprights with horizontal struts welded to a solid frame.

Item	Height (mm)	Depth (mm)	Order no.		
WSR2-100	1000	553	170381	170380	170382
WSR2-200	2000	553	76921	76920	76922
WSR2-220	2200	553	76911	76910	76912
WSR2-250	2500	553	76901	76900	76902
WSR2-300	3000	553	76891	76890	76892
WSR 100	1000	705	170391	170390	170392
WSR 200	2000	705	77001	77000	77002
WSR 220	2200	705	77011	77010	77012
WSR 250	2500	705	77021	77020	77022
WSR 300	3000	705	77031	77030	77032

Enclosed subframe

As a shelf cap. Sheet steel, with 25 mm hole spacing, two-sided, to attach the shelf supports and to accept drawer rails. Full width sheet steel side panel, edged on both sides into a C shape.

Item	Height (mm)	Depth (mm)	Order no.		
WSZR2-100	1000	553	170401	170400	170402
WSZR2-200	2000	553	170341	170340	170342
WSZR2-220	2200	553	170351	170350	170352
WSZR2-250	2500	553	170361	170360	170362
WSZR2-300	3000	553	170371	170370	170372
WSZR 100	1000	705	170411	170410	170412
WSZR 200	2000	705	170301	170300	170302
WSZR 220	2200	705	170311	170310	170312
WSZR 250	2500	705	170321	170320	170322
WSZR 300	3000	705	170331	170330	170332

End frame closed

As a shelf cap. Sheet steel, with 25 mm hole spacing, one-sided, to attach the shelf supports and to house drawer rails. Front and back C profile uprights with horizontal struts welded to a solid frame.

Item	Height (mm)	Depth (mm)	Order no.		
WSER2-100	1000	553	170421	170420	170422
WSER2-200	2000	553	76881	76880	76882
WSER2-220	2200	553	76871	76870	76872
WSER2-250	2500	553	76861	76860	76862
WSER2-300	3000	553	76851	76850	76852
WSER 100	1000	705	170431	170430	170432
WSER 200	2000	705	77041	77040	77042
WSER-220	2200	705	77051	77050	77052
WSER-250	2500	705	77061	77060	77062
WSER-300	3000	705	77071	77070	77072

Installation strips for dividing frames / end frames

For use with a recessed shelf base, e.g. for folder storage. For base depth 300 mm. The strips are mounted into the system holes.

Item	Type	Base depth (mm)	Bay width (mm)	Order no.
WSR-ZL 300 L	Left	300	1428 (78T)	170450
WSR-ZL 300 R	Right	300	1428 (78T)	170451

Individual advice

on request

Back panels, cross bracings and accessories

Solid steel back panels

For covering the back of the shelving. Are bolted to the upright frame.
Replaces possible cross bracing.

Item	Height (mm)	Bay width (mm)	Order no.		
WSRW36-100	1000	712	76641	76640	76642
WSRW36-200	2000	712	77131	77130	77132
WSRW36-220	2200	712	77141	77140	77142
WSRW36-250	2500	712	77151	77150	77152
WSRW36-300	3000	712	77161	77160	77162
WSRW54-100	1000	1018	76651	76650	76652
WSRW54-200	2000	1018	77171	77170	77172
WSRW54-220	2200	1018	77181	77180	77182
WSRW54-250	2500	1018	77191	77190	77192
WSRW54-300	3000	1018	77201	77200	77202
WSRW78-100	1000	1428	76661	76660	76662
WSRW78-200	2000	1428	76971	76970	76972
WSRW78-220	2200	1428	76961	76960	76962
WSRW78-250	2500	1428	76951	76950	76952
WSRW78-300	3000	1428	76941	76940	76942

Single shelf

Shelving bay

Cross braces

For shelving without back panels, a cross brace must be secured to the back of the first and every third bay thereafter to stabilise the shelving.

Item	For installation heights (mm)	For bay width (mm)	Order no.
KVWSR36	2000 - 3000	712	77210
KVWSR54	2000 - 3000	1018	77220
KVWSR78	2000 - 3000	1428	76930

Work surfaces for seated workstations

In the WSR shelf
for bay width 78T.

Item	Dimensions L x W x H (mm)	Finish	Order no.
HPL1372	1326 x 730 x 19	Hard laminate	77480
HP1373	1326 x 730 x 30	Multiplex	77490

Levelling material for WSR upright frame

Stable flat steel design with M16 adjustment feet for levelling out floor unevenness up to 75 mm per frame.



Item	Levelling height (mm)	Order no.
WSR-NV 50	50	170460
WSR-NV 75	75	170470

Expansion anchor



Threaded anchor

Floor anchors

WSR shelving must be anchored to the floor to guarantee stability.

M10 expansion anchors are used for normal C20/25 concrete floors and M10 threaded anchors for floors containing magnesium.

Item		Order no.
BA 10 SL	M 10 expansion anchors	67030
BA 10 VA	M 10 threaded anchors	67390

Shelf bases and accessories

▶ **Shelf bases**
sheet steel. Installation height 50 mm. Load bearing capacity 200 kg. Bolted to the shelf. A shelf bay always consists of at least two shelf bases. If drawers are used in the shelving, the top drawer also has a shelf base above it

▶ **Adjustable shelves**
sheet steel. Installation height 25 mm. Load bearing capacity 200 kg. Height adjustable in increments of 25 mm

Adjustable shelves

Hooked on using shelf supports. Four shelf supports are required per base.

Item	For bay width (mm)	Shelf depth (mm)	Useable width (mm)	Order no.		
WSR2-VT36	712	553	661	***76821***	***76820***	***76822***
WSR2-VT54	1018	553	967	***76811***	***76810***	***76812***
WSR-VT36	712	705	661	***77101***	***77100***	***77102***
WSR-VT54	1018	705	967	***77111***	***77110***	***77112***
WSR-VT78	1418	705	1375	***76981***	***76980***	***76982***
Shelf supports						
TT-WSR	galvanised					***77120***



Shelf bases

Are bolted to the upright frame.

Item	For bay width (mm)	Shelf depth (mm)	Useable width (mm)	Order no.		
WSR2-FT36	712	553	661	***76841***	***76840***	***76842***
WSR2-FT54	1018	553	967	***76831***	***76830***	***76832***
WSR-FT36	712	705	661	***77081***	***77080***	***77082***
WSR-FT54	1018	705	967	***77091***	***77090***	***77092***
WSR-FT78	1418	705	1375	***76991***	***76990***	***76992***



Hook-on side panels

Prevent the stored goods shifting into neighbouring bays.

Item	Shelf depth (mm)	Height (mm)	Order no.		
ESW 2710	553	95	***76761***	***76760***	***76762***
ESW 2715	553	145	***76751***	***76750***	***76752***
ESW 2720	553	195	***76741***	***76740***	***76742***
ESW 2725	553	245	***76731***	***76730***	***76732***
ESW 3610	705	95	***77361***	***77360***	***77362***
ESW 3615	705	145	***77371***	***77370***	***77372***
ESW 3620	705	195	***77381***	***77380***	***77382***
ESW 3625	705	245	***77391***	***77390***	***77392***





Free-standing dividers

For insertion into adjustable bases.

Item	Height (mm)	Shelf depth (mm)	Order no.
TRF2710	95	553	***77230***
TRF2715	145	553	***77240***
TRF2720	195	553	***77250***
TRF2725	245	553	***77260***
TRF3610	95	705	***76800***
TRF3615	145	705	***76790***
TRF3620	195	705	***76780***
TRF3625	245	705	***76770***

Bin fronts

For storing small, loose parts. Galvanised. Height 100 mm.

Item	For bay width (mm)	Order no.
WSRVL36	712	***77340***
WSRVL54	1018	***77350***
WSRVL78	1428	***76710***

Load sign (no illustr.)

Made from self-adhesive PVC.

Item	W x H (mm)	Order no.
TS 0615	60 x 150	***157300***

Base bridges

To bridge the gap between uprights and bases, galvanised.

Item	Shelf depth (mm)	Order no.
WSRTB27	553	***76720***
WSRTB36	705	***77330***

Individual advice

on request

LIGHT GREY | SILVER | GENTIAN BLUE
RAL 7035 | RAL 5010

Wing and sliding doors



Individual advice

on request

Wing doors – 1/1 height

2 wings with rod lock and shell hand grip.
For installing drawers and bases. Can also be retrofitted.

Item	Bay width (mm)	Shelf height (mm)	Order no.		
WSR-FT3620	712	2000	168701	168700	168702
WSR-FT3622	712	2200	168711	168710	168712
WSR-FT3625	712	2500	168721	168720	168722
WSR-FT5420	1018	2000	168731	168730	168732
WSR-FT5422	1018	2200	168741	168740	168742
WSR-FT5425	1018	2500	168751	168750	168752



Wing doors – 1/2 height

2 wings with rod lock and shell hand grip.
Only suitable for installing shelves. Can also be retrofitted.

Item	Bay width (mm)	Door height (mm)	Order no.		
MSFT08	712	800	104302	104300	104303
MSFT10	712	1000	104312	104310	104313
MSFT14	712	1450	104322	104320	104323
MSFT5408	1018	800	104272	104270	104273
MSFT5410	1018	1000	104282	104280	104283
MSFT5414	1018	1450	104292	104290	104293



Sliding doors

2 shelving bays of the same width are closed using a sliding door attachment.
For installing drawers and bases. Can also be retrofitted.

Item	Bay width (mm)	Shelf height (mm)	Order no.		
WSR-ST3620	2 x 712	2000	168761	168760	168762
WSR-ST3622	2 x 712	2200	168771	168770	168772
WSR-ST3625	2 x 712	2500	168781	168780	168782
WSR-ST5420	2 x 1018	2000	168791	168790	168792
WSR-ST5422	2 x 1018	2200	168801	168800	168802
WSR-ST5425	2 x 1018	2500	168811	168810	168812
WSR-ST7820	2 x 1428	2000	168821	168820	168822
WSR-ST7822	2 x 1428	2200	168831	168830	168832
WSR-ST7825	2 x 1428	2500	168841	168840	168842

Roller shutters

Roller shutters – half-height, front

Electric drive unit, 230 V, for customer connection. Pre-assembled roller shutter housing for fixing to a fixed base. Guide profiles for fixing to the frame. Colour: light grey, RAL 7035.

Item	Bay width (mm)	Roller shutter height (mm)	For	Order no.
WSR-RV5411	1018	1100	Starter bay	***170800***
WSR-RV5413	1018	1300	Starter bay	***170810***
WSR-RV7811	1428	1100	Starter bay	***170820***
WSR-RV7813	1428	1300	Starter bay	***170830***

Roller shutters – half-height, rear

Electric drive unit, 230 V, for customer connection. Pre-assembled roller shutter housing for fixing to a fixed base. Guide profiles for fixing to the frame. Colour: light grey, RAL 7035.

Item	Bay width (mm)	Roller shutter height (mm)	For	Order no.
WSR-RH5411	1018	1100	Starter bay	***170840***
WSR-RH5413	1018	1300	Starter bay	***170850***
WSR-RH7811	1428	1100	Starter bay	***170860***
WSR-RH7813	1428	1300	Starter bay	***170870***

Roller shutters

Electric drive unit, 230 V, for customer connection. Pre-assembled roller shutter housing for fixing to a fixed base. Guide profiles for fixing to the frame. Colour: light grey, RAL 7035.

Item	Bay width (mm)	Shelf heigth (mm)	For	Order no.
WSR-RL3620	712	2000	Starter bay	***168850***
WSR-RLA3620	712	2000	Extension bay	***170700***
WSR-RL3622	712	2200	Starter bay	***168860***
WSR-RLA3622	712	2200	Extension bay	***170710***
WSR-RL3625	712	2500	Starter bay	***168870***
WSR-RLA3625	712	2500	Extension bay	***170720***
WSR-RL5420	1018	2000	Starter bay	***168880***
WSR-RLA5420	1018	2000	Extension bay	***170730***
WSR-RL5422	1018	2200	Starter bay	***168890***
WSR-RLA5422	1018	2200	Extension bay	***170740***
WSR-RL5425	1018	2500	Starter bay	***168900***
WSR-RLA5425	1018	2500	Extension bay	***170750***
WSR-RL7820	1428	2000	Starter bay	***168910***
WSR-RLA7820	1428	2000	Extension bay	***170760***
WSR-RL7822	1428	2200	Starter bay	***168920***
WSR-RLA7822	1428	2200	Extension bay	***170770***
WSR-RL7825	1428	2500	Starter bay	***168930***
WSR-RLA7825	1428	2500	Extension bay	***170780***

Drawer closing system

Locking system
according to BGR 234 (formerly ZH 1/428), shelves must be secured against tipping over.

Increased security with heavy loads in the drawers and on the extendable shelves is provided by the double drawer lock on the locking systems.

Your stored goods are also protected against unauthorised access by the integrated safety lock.

The closure consists of two special locking bases and a locking rod.

The bottom shelf is not required when using a closure system.

Three locking heights
700, 900 and 1350 mm

Matching floor anchors

Page **H72**

Closures

Complete with locking base and locking rods.

Item	Clear locking height (mm)	Bay width (mm)	Shelf depth (mm)	Order no.		
SV 36207	700	712	553	77921	77920	77922
SV 36209	900	712	553	77931	77930	77932
SV 36213	1350	712	553	77941	77940	77942
SV 54207	700	1018	553	77951	77950	77952
SV 54209	900	1018	553	77961	77960	77962
SV 54213	1350	1018	553	77971	77970	77972
SV 3607	700	712	705	77271	77270	77272
SV 3609	900	712	705	77281	77280	77282
SV 3613	1350	712	705	77291	77290	77292
SV 5407	700	1018	705	77301	77300	77302
SV 5409	900	1018	705	77311	77310	77312
SV 5413	1350	1018	705	77321	77320	77322
SV 7807	700	1428	705	76701	76700	76702
SV 7809	900	1428	705	76691	76690	76692
SV 7813	1350	1428	705	76681	76680	76682



Extendable shelves

Installation height 75 mm. Height can be adjusted in spacing of 25 to 25 mm. Steel plate coating, galvanised. Load capacity 100 kg, semi-extendable, 200 kg for fully extendable. Fascia colour: light grey, RAL 7035.

Item	Bay width (mm)	Shelf depth (mm)	Order no.
Semi-extendable			
WS362ATE	712	553	168382
WS542ATE	1018	553	168352
WS36ATE	712	705	104202
WS54ATE	1018	705	168332
Fully extendable			
WS362ATV	712	553	168392
WS542ATV	1018	553	168362
WS36ATV	712	705	104212
WS54ATV	1018	705	168342
WS78ATV	1428	705	168372

Drawers

Drawers

the **useable dimensions** are given by the cabinet code,
e.g. WS 54-36: width = (54 x 17 mm) = 918 mm
depth = (36 x 17 mm) = 612 mm
Standard **dividing spacing** of **17 mm (= 1 T)**
V = 100% Fully extendable drawer with load capacity **up to 200 kg**
E = 85% Semi-extendable drawer with load capacity **up to 100 kg**
(with fascia height 50 mm up to 60 kg,
with fascia height 75 mm up to 75 kg load capacity)





Drawers for shelf bay 712 x 553 mm

Item	Fascia/useable height (mm)	Order no.
WS 36205E	50E / 36	7435*
WS 36207E	75E / 61	7436*
WS 36207V	75V / 54	7437*
WS 36210E	100E / 86	7438*
WS 36210V	100V / 79	7439*
—	—	—
WS 36215E	150E / 136	7440*
WS 36215V	150V / 129	7441*
—	—	—
WS 36220E	200E / 186	7442*
WS 36220V	200V / 179	7443*
WS 36225V	250V / 229	7444*
—	—	—
WS 36230V	300V / 279	7445*
WS 36235V	350V / 336	7446*
WS 36240V	400V / 379	7447*

Drawers for shelf bay 1018 x 553 mm

Item	Fascia/useable height (mm)	Order no.
WS 54205E	50E / 36	7449*
WS 54207E	75E / 61	7450*
WS 54207V	75V / 54	7451*
WS 54210E	100E / 86	7452*
WS 54210V	100V / 79	7453*
WS 54212V	125V / 104	7454*
—	—	—
WS 54215V	150V / 129	7455*
WS 54217V	175V / 154	7456*
—	—	—
WS 54220V	200V / 179	7457*
WS 54225V	250V / 229	7458*
—	—	—
WS 54230V	300V / 279	7459*
—	—	—
—	—	—

***When ordering, please include the relevant order number with the relevant drawer colour code:**

- 0 = SILVER
- 1 = RESEDA GREEN, RAL 6011
- 2 = LIGHT GREY, RAL 7035
- 3 = GENTIAN BLUE, RAL 5010
- 5 = RUBY RED, RAL 3003







Drawers for shelf bay 712 x 705 mm

Item	Fascia/useable height (mm)	Order no.
WS 3605E	50E / 36	10010*
WS 3607E	75E / 61	10011*
WS 3607V	75V / 54	10012*
WS 3610E	100E / 86	10013*
WS 3610V	100V / 79	10014*
WS 3612E	125E / 111	10015*
WS 3612V	125V / 104	10016*
WS 3615E	150E / 136	10017*
WS 3615V	150V / 129	10018*
WS 3617V	175V / 154	10019*
WS 3620E	200E / 186	10020*
WS 3620V	200V / 179	10021*
WS 3622V	225V / 204	10022*
WS 3625V	250V / 229	10023*
WS 3630V	300V / 279	10024*
WS 3640V	400V / 379	10026*
WS 3645V	450V / 429	10027*

Drawers for shelf bay 1018 x 705 mm

Item	Fascia/useable height (mm)	Order no.
WS 5405E	50E / 36	10210*
WS 5407E	75E / 61	10211*
WS 5407V	75V / 54	10212*
WS 5410E	100E / 86	10213*
WS 5410V	100V / 79	10214*
—	—	—
WS 5412V	125V / 104	10215*
—	—	—
WS 5415V	150V / 129	10216*
WS 5417V	175V / 154	10217*
—	—	—
WS 5420V	200V / 179	10218*
—	—	—
WS 5425V	250V / 229	10219*
WS 5430V	300V / 279	10220*
—	—	—
—	—	—

Drawers for shelf bay 1428 x 705 mm

Item	Fascia/useable height (mm)	Order no.
—	—	—
—	—	—
WS 7807V	75V / 54	10310*
—	—	—
WS 7810V	100V / 79	10311*
—	—	—
WS 7812V	125V / 104	10312*
—	—	—
WS 7815V	150V / 129	10313*
WS 7817V	175V / 154	10314*
—	—	—
WS 7820V	200V / 179	10315*
—	—	—
WS 7825V	250V / 229	10316*
WS 7830V	300V / 279	10317*
—	—	—
—	—	—

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY — Frame

LIGHT GREY RAL 7035 | SILVER | GENTIAN BLUE RAL 5010 | RED RAL 3020 — Fronts

Drawer shelving with vertical drawers

- High load capacity up to 500 kg / drawer
- Vertical drawers in full height
- 3 bay widths for 705 mm shelf depth



Basic frame for vertical drawers

Starter bay consisting of 1 closed side panel, 1 closed dividing panel, 1 solid back panel and 1 top shelf.

Extension bay consisting of 1 closed side panel, 1 solid back panel and 1 top shelf.

Item	Dimensions W x D x H (mm)	Finish	Order no.	
WSR-GF3620	712 x 705 x 2200	Starter bay	124901	124900
WSR-AF3622	712 x 705 x 2200	Extension bay	124911	124910
WSR-GT3625	1018 x 705 x 2200	Starter bay	124921	124920
WSR-AF5420	1018 x 705 x 2200	Extension bay	124931	124930
WSR-GF5422	1428 x 705 x 2200	Starter bay	124941	124940
WSR-AF5425	1428 x 705 x 2200	Extension bay	124951	124950

Installation sets for vertical drawers

For clear bay width 662 mm

Item	Order no.	
2 drawers, width 330 mm each		
VA2-3622	145140	145141 145142



Item	Order no.	
3 drawers, width 220 mm each		
VA3-3622	145150	145151 145152

Installation sets for vertical drawers and accessories

For clear bay width 968 mm

Item	Order no.		
			
2 drawers, width 480 mm each			
VA2-5422	145160	145161	145162

Item	Order no.		
			
1 drawer, width 480 mm and 2 drawers, width 240 mm each			
VA3-54221	145170	145171	145172

Item	Order no.		
			
3 drawers, width 318 mm each			
VA3-54222	145180	145181	145182

For clear bay width 968 mm

			
4 drawers, width 240 mm each			
VA4-5422	145190	145191	145192

For clear bay width 1378 mm

			
4 drawers, width 340 mm each			
VA4-7822	145200	145201	145202

			
6 drawers, width 225 mm each			
VA6-7822	145210	145211	145212

Semi-open front storage containers made from plastic – LF series

Polypropylene, suitable for vertical shelves in widths of 330, 340 and 480 mm.



Item	Finish with	For drawer width (mm)	Unit	Order no.			
LF 211 ZW PP	Slot for divider	330	40	92191	92192	92193	92194
LF 221 PP		480	40	92151	92152	92153	92154
LF 221 ZW PP	Slot for divider	480	50	91951	91952	91953	91954



Tool holder range for perforated panel

Item		Order no.
WHS 28	28 parts	194512

Lock for vertical drawers

Item		Order no.
VAV22		145220

Container bases, galvanised

Item	Width (mm)	Order no.
KBV1	330	124982

Perforated panels, galvanised

Item		Order no.
LWVA22		124980

NC storage

Vertical cabinets

Frame made from T-profile with system perforation, central lock and double drawer lock. Fully extendable with 250 kg load capacity. Tool carrying frame, can be adjusted in 3 ways (can be fitted on the left, centre, or right). Easy to convert at a later date (pre-assembled in the centre by default). Even-closing designs on request.

Item	Dim. W x D x H (mm)	Quantity drawers	Width (mm)	Order no.		
WSK3608-2NC	717 x 800 x 725	2	320	125000	125001	125002
WSK3608-3NC	717 x 800 x 725	3	220	125010	125011	125012

Shackle for spacer pins

For insertion into the perforated insert strips. Galvanised round steel with neoprene coating.

Item	Ø (mm)	Order no.
HB15	15	125180
HB27	27	125190
HB35	35	125200
HB48	48	125210
HB60	60	125220
HB73	73	125230
HB85	85	125240
HB98	98	125250
HB110	110	125260
HB123	123	125270
HB135	135	125280

Central dividers

Sheet steel, grey.
H 615 x W 550 mm

Item	Finish	Order no.
NCMTG	Smooth	125020
NCMTL	Round holes	125030
NCMQL	Square perforations	124990

Hook-on trays without back panel

Sheet steel, grey. (Only in combination with the central divider, please order separately.)



Item	Dim. W x D x H (mm)	Order no.
VT 90	620 x 90 x 100	125120
VT 165	620 x 165 x 100	125140

Perforated insert strips for shackle

Press profile to house the shackle. Hole spacing 12.5 mm, L 650 mm. To protect tools, neoprene profiles can be inserted into the perforated insert strips.



Item		Order no.
LES	Perforated insert strip	125160
NP	Neoprene profile	125170

Adjustable bases with ribbed mat

Sheet steel, light grey RAL 7035, ribbed mat, black. For storing measurement devices and tools. * for NCTW 8 only.

Item	Dim. L x W (mm)	Order no.
NCTM 3	600 x 305	125360
NCTM 4	600 x 465	125370
NCTM 6*	600 x 665	125380

Perforated panel hooks

Round steel, high-shine galvanised.

Item	Length (mm)	Order no.
MF-H1	90	125040
MF-H2	110	125050
MF-H3	135	125060
MF-H4	150 (no illustr.)	125070

NC vertical cabinets

- **Technical information**
  the WSK/NC types with 2 or 3 vertical drawers, which are ideal for housing cylindrical tools, are based on the tool and machine cabinet range in WS36 and MS36 series
- **Extensive accessories**
  for storing NC tools
- **Fully extendable drawers**
  up to **150 kg** load capacity
- **No assembly required**
- **Tip**
  all cabinets in the WSK36 and MSK36 series can be used as base units. This means that the installations can be customised to the individual room heights
- **Bay heights in mm:**



NC transport trolley

- **Transport trolley for NC tools**
  available in two sizes with different load capacities
- **Accessories fully compatible**
  with NC cabinets

NC storage

Transport trolley

To house 3 or 4 tool changing frames on one level. With stop rod, two fixed and two swivel castors. Swivel castors with locking devices. Side panels with vertical slotted track. Division, 25 mm.

Colour coding for transport trolley and accessories

*** Please include the colour code with the order no.:**

Item	Dim. W x D x H (mm)	Load capacity (kg)	Wheel Ø (mm)	Order no.
NCTW 5	765 x 508 x 930	540	160	12534*
NCTW 8	1080 x 692 x 970	800	200	12535*

Plan pockets

Sheet steel, grey. To house plans, technical documents, etc. Fitted to the front of the transport trolley.

Item	Dim. W x D x H (mm)	Order no.
NCPT	370 x 45 x 180	12540*

Pair of safety hooks

Sheet steel, yellow/black signal colours. Foldable safety devices for transport trolley incl. bolts.

Item	Dim. W x D x H (mm)	Order no.
NCSB	600 x 270	125410



Console tray for NCTW 5

Sheet steel, light grey RAL 7035, with black ribbed mat and bolting material. For storing measurement devices and tools.

Item	Dim. W x D x H (mm)	Order no.
NCKT	496 x 312	12539*

NC storage



Basic storage tool holder

Made from plastic, for screwing into changing frame and for fitting with shelf support hooks.
Can be individually fitted with 3-part shelf support hooks for different holder systems. Quick to assemble and change.

Item	Ø basic storage element (mm)	Order no.
KBA 56	56	107543
KBA 70	70	107544

Changing frame for tool holder

Galvanised sheet steel. For storing the tool holder and for the rapid replacement of set tools.
Storage capacity: 7 x KBA 56 or 4 x KBA 70. Can also be used in drawers in the WSK cabinet range. Holders are required for use on a transport trolley. The holder can be positioned on a system perforation of 0°, 15° and 30°.

Item	Storage capacity	Dimensions W x D x H (mm)	Order no.
WWR 58	8 x KBA 56 or 4 x KBA 70	595 x 120 x 100	107590
WWR 58/2	8 x KBA 56 or 4 x KBA 70	595 x 120 x 50	107591
WRH	Holders (pairs) for use in transport trolley		125421

Pre-assembly

Changing frame, tool holder and support hook fully pre-assembled.

Item	Order no.
NC-VM	107592



Shelf support hook

Made from plastic. For insertion into basic storage elements. 3 hooks = 1 set.

Item	For tool frame	For tool holder	Colour	Order no.
For ISO-SK tools				
T-SK 30	SK 30	KBA 56	Light brown	107720
T-SK 40	SK 40	KBA 56	Blue	107580
T-SK 50	SK 50	KBA 70	White	107581
Hollow shank taper (HSK) DIN 69 893				
T-HSK 40	HSK 40	KBA 56	Green	107582
T-HSK 63	HSK 63	KBA 56	Red	107583
T-HSK 80	HSK 80	KBA 70	Orange	107721
T-HSK 100	HSK 100	KBA 70	Green	107584
VDI 3425				
T-VDI 20	VDI 20	KBA 56	Brown	107585
T-VDI 25	VDI 25	KBA 56	Dark brown	107722
T-VDI 30	VDI 30	KBA 56	Purple	107586
T-VDI 40	VDI 40	KBA 56	Yellow	107587
T-VDI 60	VDI 60	KBA 70	Orange	107588
For Coromant Capto tools				
T-CAP 5	Capto C5	KBA 56	Purple-Orange	107723
T-CAP 6	Capto C6	KBA 56	Purple-Grey	107724
T-CAP 8	Capto C8	KBA 70	Purple-Brown	107725
For UTS tools				
T-UTS 63	UTS 63	KBA 56	Dark green	107726
T-UTS 80	UTS 80	KBA 70	Purple milled	107727
For ABS tools				
T-ABS 63	ABS 63	KBA 56	Purple-Yellow	107728
T-ABS 80	ABS 80	KBA 70	Grey-Yellow	107729

NC storage

Tool holder
can be custom fitted

Fits all
NC transport trolleys, drawer shelving and drawer shelving with vertical drawers

Tool holder for Morse taper tools MK1 – MK4

Consisting of a changing frame with additional support.
Perforated support panel and perforated brace plate made from plastic, black.

Item	For tools	Order no.
WW-MK1	MK1	145230
WW-MK2	MK2	145240
WW-MK3	MK3	145250
WW-MK4	MK4	124960

Individual advice
on request



NC table pedestals

For setting up on a table or cabinet. To house 3 changing frames.
Also suitable for NC tool trolleys.

Item	Order no.
NCTA6	124981

Wing door cabinets – with a versatile, systemised "inner life"

Regardless of whether you want to store large or small objects, keep files or just hang up your coat there is a materials cabinet to suit every purpose.

In workshops, in industry and in offices, SSI SCHAEFER cabinet systems have proved themselves a thousand times over. With their modular design and flexible configurations, in many businesses life without SSI SCHAEFER-cabinet systems would be unimaginable!

The SSI SCHAEFER-cabinet range is rational, versatile and variable. A state of the art design to meet everyday needs. A range with solutions that fit.



Top cabinet height 800 mm

Item	External dim. W x H (mm)	Depth (mm)	Quantity of shelves	Order no.
MSI 8408	800 x 800	400	1	***10573****
MSI 8409	950 x 800	400	1	***10574****
MSI 8412	1200 x 800	400	1	***10575****

Materials cabinet height 1600 mm

Item	External dim. W x H (mm)	Depth (mm)	Quantity of shelves	Order no.
MSI 16408	800 x 1600	400	3	***10570****
MSI 16409	950 x 1600	400	3	***10571****
MSI 16412	1200 x 1600	400	3	***10572****

Materials cabinet height 1950 mm

Item	External dim. W x H (mm)	Depth (mm)	Quantity of shelves	Order no.
MSI 2408	800 x 1950	400	4	***10537****
MSI 2409	950 x 1950	400	4	***10538****
MSI 2412	1200 x 1950	400	4	***10539****
MSI 2509	950 x 1950	500	4	***10533****
MSI 2512	1200 x 1950	500	4	***10563****



Extra shelves

50 kg capacity when evenly loaded. Incl. 4 shelf supports.

Item	Finish	Cabinet dim. W x D (mm)	Unit	Order no.
MSI-B 800	Painted finish	800 x 400	2	***105760***
MSI-B 950	Painted finish	950 x 400	2	***105770***
MSI-B 1200	Painted finish	1200 x 400	2	***105780***
MS-B 409	Galvanised	950 x 400	1	***10350***
MS-B 509	Galvanised	950 x 500	1	***10370***
MS-B 412	Galvanised	1200 x 400	1	***23690***
MS-B 512	Galvanised	1200 x 500	1	***23790***

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY — Housing

LIGHT GREY RAL 7035 | SILVER | RESEDA GREEN RAL 6011 | GENTIAN BLUE RAL 5010 — Doors

Wing door cabinets – MSI series

- **All-steel construction**
  high grade sheet steel, high quality, powder-coated, with internal hinges
- **Equipment**
  shelves are designed for a load capacity of up to 50 kg and are height adjustable in increments of 25 mm, colour: light grey, RAL 7035 or galvanised
- **Reinforced wing doors**
  with sound-muffling rubber pads, slide-action lock with rotary handle
- **Security cylinder lock**
  with 2 keys
- **Polystyrene drawers**
  with grip strip and labels, load capacity of each drawer 10 kg
  External dimensions: W 372 x H 102 x D 465 mm
  Interior dimensions: W 347 x H 95 x D 435 mm

Internal hinges

Rotary handle with cylinder lock

Multi-purpose cabinets

With horizontal central partition. Cabinet 800: on the left 4 adjustable shelves, on the right 1 adjustable shelf and clothes rail with 3 hooks. Cabinet: 950/1200: on the left 3 adjustable shelves, 1 full-width top shelf.

Item	External dim. W x H (mm)	Depth (mm)	Order no.
MSI-M 2408	800 x 1950	400	10534*
MSI-G 2409	950 x 1950	400	10566*
MSI-M 2412	1200 x 1950	400	10536*
MSI-G 2509	950 x 1950	500	10567*

Colour codes for cabinet colour

*Please include the colour code with the order no.:

LIGHT GREY | LIGHT GREY | LIGHT GREY | LIGHT GREY — Housing

1 LIGHT GREY | 4 SILVER | 5 RESEDA GREEN | 3 GENTIAN BLUE — Doors

Materials cabinets with lockable compartments

3 height adjustable shelves, internal compartment with lock und 2 keys.

Item	Depth (mm)	Order no.
MSIT 2409	400	10564*
MSIT 2509	500	10565*

Materials cabinets with drawers and shelves

1 galvanised full-width top shelf.
1 central partition. 3 narrow shelves on the right. 13 polystyrene drawers on the left. No semi-open front storage containers and no accessories.

Item	Depth (mm)	Order no.
MSI 2509/13	500	10593*

Materials cabinets with drawers

1 galvanised full-width top shelf.
1 central partition. 26 polystyrene drawers. Without semi-open front storage containers on the top shelf.

Item	Depth (mm)	Order no.
MSI 2509/26	500	10594*

Functional cabinets with wing doors

- **Cabinet system**
  high quality, for custom setups
- **Varied assembly options**
  for the optimum adjustment for your operating conditions
- **Levelling feet for evening the base**
  up to 20 mm as standard

Cabinet housing

Welded sheet steel construction with high manufacturing quality.
Height division for installation accessories 26,5 : 26,5 mm.
Load capacity with min. 3 shelves 600 kg, high quality powder coating.

Item	External dimensions W x H (mm)	Depth (mm)	Order no.
Cabinet housing, 1/2 height			
FSG 1310	1055 x 1105	318	***33070****
FSG 1410	1055 x 1105	418	***33071****
FSG 1510	1055 x 1105	518	***33072****
FSG 1610	1055 x 1105	618	***33073****
FSG 1413	1345 x 1105	418	***33074****
FSG 1513	1345 x 1105	518	***33075****
FSG 1613	1345 x 1105	618	***33076****
Cabinet housing, 1/1 height			
FSG 2310	1055 x 1950	318	***32800****
FSG 2410	1055 x 1950	418	***32801****
FSG 2510	1055 x 1950	518	***32802****
FSG 2610	1055 x 1950	618	***32803****
FSG 2413	1345 x 1950	418	***32804****
FSG 2513	1345 x 1950	518	***32805****
FSG 2613	1345 x 1950	618	***32806****

Colour codes for cabinet/door colour

***Please include the colour code with the order no.:**



Standard

Box rails

Perforated panel

Inspection window

4-wing door

Door sets for functional cabinets

Reinforced wing doors in different designs. With 2-bar slide-action lock and lockable, recessed rotary handle with 2 keys.
4-wing door and doors with glass insert only for 1055 mm cabinet width.

Item	Cabinet height (mm)	Cabinet width (mm)	Finish	Order no.
FH-ST10H-S	1105	1055	Standard	***33077****
FKT10H-K		1055	Box rails	***33078****
FKT10H-L		1055	Perforated panel	***33079****
FKT10H-G		1055	Inspection window	***33080****
FST10-4		1055	4-wing door	***32814****
FH-ST13H-S	1105	1345	Standard	***33081****
FKT13H-K		1345	Box rails	***33082****
FKT13H-L		1345	Perforated panel	***33083****
FKT13H-G		1345	Inspection window	***33084****

Item	Cabinet height (mm)	Cabinet width (mm)	Finish	Order no.
FST10-S	1950	1055	Standard	***32807****
FST10-K		1055	Box rails	***32809****
FST10-L		1055	Perforated panel	***32811****
FST10-G		1055	Inspection window	***32813****
FST10-4		1055	4-wing door	***32814****
FST13-S	1950	1345	Standard	***32808****
FST13-K		1345	Box rails	***32810****
FST13-L		1345	Perforated panel	***32812****

Accessories

Shelves

Sheet steel, painted silver or galvanised. Height adjustable in increments of 26,5 mm.

Item	For cabinet W x D (mm)	Base dimensions W x D (mm)	Shelf load (kg)	Finish	Order no.
ZB 4313 V	1055 x 318	994 x 300	100	galvanised	27002
ZB 4313 L	1055 x 318	994 x 300	100	painted	27000
ZB 4413 V	1055 x 418	994 x 400	100	galvanised	27012
ZB 4413 L	1055 x 418	994 x 400	100	painted	27010
ZB 4513 V	1055 x 518	994 x 500	100	galvanised	27032
ZB 4513 L	1055 x 518	994 x 500	100	painted	27030
ZB 4613 V	1055 x 618	994 x 600	100	galvanised	27072
ZB 4613 L	1055 x 618	994 x 600	100	painted	27070
ZB 9415 V	1345 x 418	1283 x 400	150	galvanised	38102
ZB 9415 L	1345 x 418	1283 x 400	150	painted	38100
ZB 9515 V	1345 x 518	1283 x 500	150	galvanised	38112
ZB 9515 L	1345 x 518	1283 x 500	150	painted	38110
ZB 9615 V	1345 x 618	1283 x 600	150	galvanised	38132
ZB 9615 L	1345 x 618	1283 x 600	150	painted	38130



Shelf supports

Item	Unit	Order no.
SFB-FS	4 pieces	328150



Label holder

Self-adhesive, to identify storage areas.

Item	Length (mm)	Unit	Order no.
EH 4085	85	50	27800
EH 4135	135	50	27810
EH 4490	490	50	27820
EH 4980	980	25	26360
EH 9125	1250	25	26370

Labels

Item	Length (mm)	Unit	Order no.
EHE 4085	85	100	28050
EHE 4135	135	100	28060
EHE 4490	490	100	28070



Free-standing dividers for shelves

Galvanised sheet steel. For dividing shelves.

Item	For base depth (mm)	Divider height (mm)	Finish with	Order no.
TRF-K 4310	300	100	Plastic connectors	27300
TRF-K 4317		175	Plastic connectors	27340
TRF-K 4410	400	100	Plastic connectors	27310
TRF-K 4417		175	Plastic connectors	27350
TRF-D 4427		275	Wire connectors	27380
TRF-K 4510	500	100	Plastic connectors	27320
TRF-K 4517		175	Plastic connectors	27360
TRF-D 4527		275	Wire connectors	27390
TRF-K 4610	600	100	Plastic connectors	27330
TRF-K 4617		175	Plastic connectors	27370
TRF-D 4627		275	Wire connectors	27400

Full height dividers

Galvanised sheet steel, for clear opening heights of 341 mm and 500 mm.

TR 4340	300	341	27200
TR 4440	400	341	27210
TR 4450		500	27240
TR 4540	500	341	27220
TR 4550		500	27250
TR 4640	600	341	27230
TR 4650		500	27260

Drawer load bearing capacities
Load values given are based on uniformly distributed loads

Drawers



Drawers for cabinet width 1055 mm

Sheet steel, painted silver.

Item	Fascia height (mm)	Cabinet depth (mm)	Useable depth (mm)	Max. load (kg)	Order no.
ESCH 4410	100	418	337	70	26680
ESCH 4510	100	518	437	70	27951
ESCH 4610	100	618	567	70	27971
ESCH 4420	206	418	337	70	26690
ESCH 4520	206	518	437	70	27961
ESCH 4620	206	618	567	70	27981



Drawers for cabinet width 1345 mm

Sheet steel, painted silver.

Item	Fascia height (mm)	Cabinet depth (mm)	Useable depth (mm)	Max. load (kg)	Order no.
ESCH 9510	100	518	437	50	170940
ESCH 9610	100	618	567	50	170950
ESCH 9520	206	518	437	50	170960
ESCH 9620	206	618	567	50	170970

Shelf supports

For assembly onto the drawers.

Item	Unit	Order no.
SFB-FS	4 pieces	328150

Drawer dividers for cabinet dimensions W 1055 x D 518 mm



Combination A

12 longitudinal dividers W 46,5 mm and 30 cross dividers;
4 longitudinal dividers W 93 mm and 10 cross dividers.

Item	For cabinet depth (mm)	Division height (mm)	Order no.
SUW 5003 A	518	36	35220
SUW 5006 A	518	66	35221

Combination B

6 longitudinal dividers W 46,5 mm and 24 cross dividers; 3 longitudinal dividers W 93 mm and 12 cross dividers;
2 longitudinal dividers W 186 mm and 4 cross dividers.

Item	For cabinet depth (mm)	Division height (mm)	Order no.
SUW 5003 B	518	36	35230
SUW 5006 B	518	66	35231



Combination C

10 longitudinal dividers W 93 mm and 20 cross dividers.

Item	For cabinet depth (mm)	Division height (mm)	Order no.
SUW 5003 C	518	36	35240
SUW 5006 C	518	66	35241

Drawer dividers for cabinet width 1055 mm

Drawer dividers and cross dividers

Drawer dividers allow the user to fully customise the drawer compartment. They are fitted with plastic mountings, which are inserted in the rows of perforations in the fronts and sides of the drawers. For compartment widths 451, 225 and 112 mm; variations in compartment depth can be achieved using adjustable cross dividers. Without cross dividers, the full depth of the drawer can be used which means that custom compartment lengths can be created.



Four divisions, 1 x STE and 2 x QTE

Item	For drawers	Order no.
SE 4121	ESCH 4410	***29742***
SE 4122	ESCH 4420	***29752***
SE 5121	ESCH 4510	***29740***
SE 5122	ESCH 4520	***29750***
SE 6121	ESCH 4610	***29741***
SE 6122	ESCH 4620	***29751***



Eight divisions, 3 x STE and 4 x QTE

Item	For drawers	Order no.
SE 4141	ESCH 4410	***29762***
SE 4142	ESCH 4420	***29772***
SE 5141	ESCH 4510	***29760***
SE 5142	ESCH 4520	***29770***
SE 6141	ESCH 4610	***29761***
SE 6142	ESCH 4620	***29771***



Sixteen divisions, 7 x STE and 8 x QTE

Item	For drawers	Order no.
SE 4181	ESCH 4410	***29782***
SE 4182	ESCH 4420	***29792***
SE 5181	ESCH 4510	***29780***
SE 5182	ESCH 4520	***29790***
SE 6181	ESCH 4610	***29781***
SE 6182	ESCH 4620	***29791***



Longitudinal dividers

Item	Fascia height (mm)	Order no.
STE 5010	100	***29880***
STE 5020	206	***29881***
STE 6010	100	***29882***
STE 6020	206	***29883***
QTE/STE	Divider holder	***6000349***



Cross dividers

Item	Division	Fascia height (mm)	Order no.
QTE 1210	1/2	100	***29860***
QTE 1220	1/2	206	***29861***
QTE 1410	1/4	100	***29862***
QTE 1420	1/4	206	***29863***
QTE 1810	1/8	100	***29864***
QTE 1820	1/8	206	***29865***

Complete sets of insert containers

Only for drawer ESCH 4510.
10 x EK 1, 20 x EK 2, 10 x EK 3.

Item	Order no.
SET 2501	***12914***



Insert containers

Polystyrene, blue, with label facility on the grip. Pieces per unit:
EK 1: 58 ea.; EK 2: 80 ea.; EK 3: 120 ea.; EK 111-N: 48 pieces

Item	L x W x H (mm)	Order no.
EK 1	180 x 96 x 60	***1134***
EK 2	90 x 96 x 60	***1144***
EK 3	90 x 48 x 60	***1154***
EK 111-N	137 x 87 x 96	***4364***



Drawer pegs

Plastic drawer pegs with integral moulded screw, length 36 mm. To hold various tools including those with holes (e.g. grinding disks). Prevents parts being damaged.
The pins are secured by nuts.
Unit: 100 pieces.

Item	Finish	Order no.
UTO 2036	Wedge-shaped	***13030***
UTV 2036	Square	***13790***

Divider rails

Aluminum sections to divide drawers.
65 mm drawers can be divided by several dividers bolted to the drawer base.
Unit: 10 pieces, incl. 30 bolts.

Item	Height (mm)	Order no.
TS 2030	30	***13010***
TS 2040	40	***13020***

Individual advice

on request

Functional cabinets, width 1055 mm
Ordering examples

Functional cabinets
high grade sheet steel, high quality, powder-coated, with internal hinges, cabinet loading 600 kg

Functional cabinets
4 shelves, standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2410-4	1950 x 418	32820*
FS2510-4	1950 x 518	32821*
FS2610-4	1950 x 618	32822*

Functional cabinets
3 shelves, 1 x 100 mm high drawer and 1 x 200 mm high drawer. Standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2410/2S	1950 x 418	32823*
FS2510/2S	1950 x 518	32824*

Functional cabinets
2 shelves, 1 x 100 mm high drawer and 3 x 200 mm high drawers. Standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2410/4S	1950 x 418	32825*
FS2510/4S	1950 x 518	32826*

Functional cabinets
9 shelves, 40 x LF 321 containers, red colour, standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2410/40	1950 x 418	32827*

Functional cabinets
10 shelves, 66 x RK 421 containers, blue colour, standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2510-66	1950 x 518	32829*

Functional cabinets
9 shelves, 30 x LF 531 containers, green colour, standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2610/30	1950 x 618	32818*

Colour codes for cabinet colour

*Please include the colour code with the order no.:

Hook ranges Page **H28-H29**

- **Shelves**
  each base can be loaded up to 100 kg with evenly distributed load, height adjustable in a pattern of 26,5 to 26,5 mm, galvanised
- **Tool drawers**
  on telescopic guides, fully extendable. Maximum load capacity for an even weight distribution 70 kg per drawer. Useful width 907 mm.

Functional cabinets, width 1055 mm
Ordering examples

Functional cabinets

6 shelves, 4-wing door in upper area, 1055 mm high.

Item	External dimensions H x D (mm)	Order no.
FS2410-4FT	1950 x 418	32830*
FS2510-4FT	1950 x 518	32831*

Functional cabinets

4 shelves, doors with perforated insert.

Item	External dimensions H x D (mm)	Order no.
FS2410-LT	1950 x 418	32836*
FS2510-LT	1950 x 518	32837*

Functional cabinets

4 painted shelves, acrylic glass doors.

Item	External dimensions H x D (mm)	Order no.
FS2410-GT	1950 x 418	32834*
FS2510-GT	1950 x 518	32835*

Functional cabinets

4 recessed shelves with 24 x LF 321 containers, red colour. Doors with box rails and 48 x LF 211 containers, blue colour.

Item	External dimensions H x D (mm)	Order no.
FS2610-K1	1950 x 618	32832*

Functional cabinets

2 recessed shelves with 8 x LF 321 containers, red colour. 2 shelves. 1 drawer 100 mm and 2 drawers 200 mm high. Doors with perforated insert and 2 transportable small parts magazines PF 6.

Item	External dimensions H x D (mm)	Order no.
FS2610-KS	1950 x 618	32838*

Functional cabinets

3 recessed shelves with 24 x LF 321 containers, red colour. 2 shelves with 12 x LF 531 containers, green colour, standard doors. Doors with box rails and 32 x LF 211 containers, blue colour.

Item	External dimensions H x D (mm)	Order no.
FS2610-K2	1950 x 618	32833*

Semi-open front storage containers, LF series Page **A3**

Shelf containers RK 421/RK 621 and accessories from page **A21**

Functional cabinets, width 1055 mm
Ordering examples

▶ **Functional cabinets**
high grade sheet steel, high quality, powder-coated, with internal hinges, cabinet loading 600 kg

Functional cabinets

3 removable perforated walls. Standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2510/V3	1950 x 518	***32984****
FS2610/V3	1950 x 618	***32985****

Functional cabinets

2 removable perforated walls. 1 fixed central divider. Right, 4 height adjustable, painted shelves. Standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2510/M-V2	1950 x 518	***32986****
FS2610/M-V2	1950 x 618	***32987****

Functional cabinets

2 galvanised shelves and 1 recessed shelf, 300 mm deep. 4 drawers, 100 mm high, 1 Multiplex work surface, 19 mm thick, 1 perforated wall, 380 mm high, standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2510/QS1	1950 x 518	***32990****
FS2610/QS1	1950 x 618	***32991****

Functional cabinets

3 galvanised shelves and 1 painted functional shelf. Half-height wing doors in the lower section.

Item	External dimensions H x D (mm)	Order no.
FS2510/FLU	1950 x 518	***32992****
FS2610/FLU	1950 x 618	***32993****

Hook ranges Page **H28-H29**

▶ Vertical pull-out drawers

High quality double telescopic guide, fully extendable on ball castors. Load up to 50 kg per extension. Perforated panel can be accessed on both sides with 9 x 9 mm perforations in a 30 : 30 mm grid pattern

Functional cabinets, width 1055 mm
Ordering examples

Functional cabinets

1 fixed central divider. Height-adjustable, painted shelves, 4 right and 1 left, chrome-plated oval tube with 3 plastic hooks, standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2410/M-G	1950 x 418	***32988****
FS2510/M-G	1950 x 518	***32989****

Functional cabinets

1 fixed central divider. On the right, 4 height-adjustable, painted shelves, chrome-plated oval tube with 3 plastic hooks, standard doors.

Item	External dimensions H x D (mm)	Order no.
FS2410/M-PU	1950 x 418	***32994****
FS2510/M-PU	1950 x 518	***32995****

Ergonomic recessed handles for optimised handling

High quality telescopic guide for load up to 50 kg per extension



Recessed shelf, ideal for storing folders

Stable oval tube hook rod with 3 plastic hooks

Colour codes for cabinet colour

*** Please include the colour code with the order no.:**



Functional cabinets, width 1345 mm
Ordering examples

Functional cabinets
high grade sheet steel, high quality, powder-coated, with internal door hinges, cabinet loading 600 kg

Functional cabinets

4 shelves, standard doors.

Item	External dimensions W x H (mm)	Depth (mm)	Order no.
FS2413-4	1345 x 1950	418	32839*
FS2513-4	1345 x 1950	518	32840*

Functional cabinets

4 shelves, 1 drawer 100 mm high, standard doors.

Item	External dimensions W x H (mm)	Depth (mm)	Order no.
FS2413/1S	1345 x 1950	418	32841*
FS2513/1S	1345 x 1950	518	32842*

Functional cabinets

10 shelves, 77 x RK 421 containers, blue colour, standard doors.

Item	External dimensions W x H (mm)	Depth (mm)	Order no.
FS2513/66	1345 x 1950	518	32844*

Functional cabinets

9 shelves, 40 x LF 531 containers, green colour, standard doors.

Item	External dimensions W x H (mm)	Depth (mm)	Order no.
FS2613/40	1345 x 1950	618	32819*

Colour codes for cabinet colour

* Please include the colour code with the order no.:

Semi-open front storage containers, LF series Page A3

Shelf containers RK 421/RK 621 and accessories from page A21

Hook ranges Page **H28-H29**

- **Shelves**
  each base can be loaded up to 150 kg with evenly distributed load, height adjustable in a pattern of 26,5 to 26,5 mm, galvanised
- **Tool drawers**
  on telescopic guides, fully extendable. Maximum load capacity for an even weight distribution 50 kg per drawer. Useful width 1196 mm

Functional cabinets, width 1345 mm
Ordering examples

Functional cabinets

4 recessed shelves with 16 x LF 221 containers and 12 x LF 321 containers, red colour. 5 shelves with 12 x LF 531 containers, green colour and 21 x RK 621 containers, blue colour.
Doors with box rails and 24 x LF 211 containers, blue colour.

Item	External dimensions W x H (mm)	Depth (mm)	Order no.
FS2613-K1	1345 x 1950	618	***32845****

Functional cabinets

4 recessed shelves with 16 x LF 221 containers and 12 x LF 321 containers, red colour. 5 shelves with 12 x LF 531 containers, green colour and 21 x RK 621 containers, blue colour.
Doors with perforated panel insert and 18-part range of hooks.

Item	External dimensions W x H (mm)	Depth (mm)	Order no.
FS2613-K2	1345 x 1950	618	***32846****

Functional cabinets

4 recessed shelves with 16 x LF 221 containers and 12 x LF 321 containers, red colour. 3 shelves with 12 x LF 531 containers, green colour, standard doors. 2 drawers 100 mm high and 1 drawer 200 mm high. Doors with box rails and 24 x LF 211 containers, blue colour.

Item	External dimensions W x H (mm)	Depth (mm)	Order no.
FS2613-KSK	1345 x 1950	618	***32847****

Functional cabinets

4 recessed shelves with 16 x LF 221 containers and 12 x LF 321 containers, red colour. 3 shelves with 12 x LF 531 containers, green colour, standard doors. 2 drawers 100 mm high and 1 drawer 200 mm high. Doors with perforated insert and 2 transportable small parts magazines PF 5.

Item	External dimensions W x H (mm)	Depth (mm)	Order no.
FS2613-KSL	1345 x 1950	618	***32848****

Special cabinets

RAL 5010 GENTIAN BLUE | RAL 7035 LIGHT GREY — Housing

LIGHT GREY RAL 7035 | RED RAL 3020 — Doors

- **All-steel construction**
  high grade sheet steel, high quality, powder-coated, with internal hinges
- **Reinforced wing doors**
  with sound-muffling rubber pads, slide-action lock with rotary handle
- **Security cylinder lock**
  with 2 keys
- **Drip trays**
  for the correct storage of small containers with substances hazardous to water according to WHG. Load capacity 30 kg evenly distributed load, volume 20 l. Height adjustable in increments of 25 mm. Galvanised
- **Shelves**
  height adjustable in increments of 25 mm, load capacity 60 kg evenly distributed load. Galvanised
- **Coding according to hazardous substances laws**

Environmental cabinets

For the correct storage of small containers with substances hazardous to water according to WHG. Not permissible for storing flammable liquids.

Item	External dimensions W x D x H (mm)	Quantity drip trays	Order no.
UWS 1409	950 x 500 x 1400	3	198230
UWS 2509	950 x 500 x 1950	4	199210

Request our “Safety engineering” catalogue

Additional drip trays

Item	External dimensions W x D x H (mm)	Order no.
UWS-AW	900 x 430 x 70	194080

Materials cabinets with type 30 safety drawer

With 3 shelves and 1 drip tray. Fire-resistant safety drawer for the correct storage of up to 50 litres of inflammable and highly flammable liquids according to the German law BetrSichV. Type 30 conforming to new DIN EN 14470-1.
Interior dimensions of safety drawer: W 805 x D 405 x H 405 mm.

Item	External dimensions W x D x H (mm)	Order no.
MS 2509T30	950 x 500 x 1950	10346

Tool cabinets

- **Wing doors**
  with slide-action lock
- **High-grade sheet steel**
  stove enamel finish
- **Shelves**
  height adjustable in increments of 25 mm adjustable, galvanised, load capacity per shelf 50 kg
- **Door lock**
  rotary handle with security cylinder lock and 2 keys



Whether it's materials, tools or writing equipment, the workshop cabinet with desk top means everything is always at hand. Ideal for shipping, freight forwarding, workshop supervisors and store managers.

Workshop cabinets

1 wing door with security lock and 2 keys. W 500 x H 1000 x D 500 mm.

Item	Order no.		
WSCH 1	10022	10020	10023

Base unit on castors

Painted black. With 4 castors.

Item	Dimensions W x D (mm)	Order no.
WRU	500 x 500	10220

Writing desk top

High-grade sheet steel.
Lid with security lock and 2 keys.
W 500 x H 80/260 x D 500 mm.

Item	Order no.	
SCHP 1	10062	10060

Drawer dividers

Height 80 mm. Suitable for all drawers in the WSCH 1 range.

Item		Order no.
SU-Q1	Transverse dividers	10030
SU-L1	Longitudinal dividers	10040
SU-K1	Crosswise dividers	10050

Tool cabinets

Item	Dimensions W x D x H (mm)	Order no.	
with 2 galvanised shelves			
WZS 1409	950 x 400 x 1060	105801	105800
WZS 1509	950 x 500 x 1060	105811	105810
WZS 1412	1200 x 400 x 1060	105821	105820
WZS 1512	1200 x 500 x 1060	105831	105830

Accessories for tool cabinets

Item	Name	Colour	Order no.
MSV 409	Extendable drawer for WZS 1409	Light grey	105840
MSV 509	Extendable drawer for WZS 1509	Light grey	105850
MSV 412	Extendable drawer for WZS 1412	Light grey	105860
MSV 512	Extendable drawer for WZS 1512	Light grey	105870
EKS 409	Insert box height 40 mm, 45 part set	Blue	105880
EKS 412	Insert box height 40 mm, 54 part set	Blue	105890

RAL 7035 LIGHT GREY | SILVER | RAL 6011 RESEDA GREEN

Housing

LIGHT GREY RAL 7035 | SILVER | RESEDA GREEN RAL 6011

Doors

Fix-shelf cabinets

- **This system can be individually tailored**
  using a wide range of fittings
- **Systematic versatility**
  different heights are available and the system can be used without doors as open shelving
- **High-grade sheet steel**
  stove enamel finish
- **Shelves**
  height adjustable in increments of 25 mm adjustable, galvanised
- **Door lock**
  with recessed rotary handle and security lock



Shelves

Item	Order no.
FSCH-B	9390

Empty housing, with or without doors

Item	W x D (mm)	Height (mm)	Finish	Order no.		
LSCH-G	670 x 260	780	no doors	9382	9380	9381
FSCH1-G	670 x 260	1575	no doors	9372	9370	9371
FSCH2-G	670 x 260	2000	no doors	9362	9360	9361
LSCH	670 x 260	780	with doors	590491	590376	590373
FSCH-1	670 x 260	1575	with doors	590370	590377	590371
FSCH-2	670 x 260	2000	with doors	590374	590378	590372

LSCH/6

With 6 shelves.
Dimensions W 670 x H 780 x D 260 mm.

Item	Order no.		
LSCH/6 no doors	9912	9910	9911
LSCH/6 with doors	9952	9950	9951
Semi-open front storage containers			
14/7-5 PP	9991		

FSCH/9

With 9 shelves.
Dimensions W 670 x H 1575 x D 260 mm.

Item	Order no.		
FSCH/9 no doors	9672	9670	9671
FSCH/9 with doors	9712	9710	9711
Semi-open front storage containers			
14/7-4 PP	9992		

FSCH/11

With 11 shelves.
Dimensions W 670 x H 1575 x D 260 mm.

Item	Order no.		
FSCH/11 no doors	9752	9750	9751
FSCH/11 with doors	9792	9790	9791
Semi-open front storage containers			
14/7-5 PP, 14/7-4 PP	9993		

FSCH/14

With 14 shelves.
Dimensions W 670 x H 1575 x D 260 mm.

Item	Order no.		
FSCH/14 no doors	9832	9830	9831
FSCH/14 with doors	9872	9870	9871
Semi-open front storage containers			
14/7-5 PP	9994		

Fix-shelf cabinets, semi-open front storage containers

FSCH/12

With 12 shelves.
Dimensions W 670 x H 2000 x D 260 mm.

Item	Order no.		
FSCH/12 no doors	9432	9430	9431
FSCH/12 with doors	9472	9470	9471
Semi-open front storage containers			
14/7-4 PP	9995		

FSCH/15

With 15 shelves.
Dimensions W 670 x H 2000 x D 260 mm.

Item	Order no.		
FSCH/15 no doors	9512	9510	9511
FSCH/15 with doors	9552	9550	9551
Semi-open front storage containers			
14/7-5 PP, 14/7-4 PP	9996		

FSCH/18

With 18 shelves.
Dimensions W 670 x H 2000 x D 260 mm.

Item	Order no.		
FSCH/18 no doors	9592	9590	9591
FSCH/18 with doors	9632	9630	9631
Semi-open front storage containers			
14/7-5 PP	9997		

Fix-shelf cabinets can be supplied in the following configurations

Item	Height (mm)	Quantity of shelves	Number of semi-open front storage containers, PP 14/7-5	14/7-4
Semi-open front containers for **LSCH/ 6**, complete set	780	6	42, blue	—
Semi-open front containers for **FSCH/ 9**, complete set	1575	9	—	40, red
Semi-open front containers for **FSCH/11**, complete set	1575	11	36, blue	24, red
Semi-open front containers for **FSCH/14**, complete set	1575	14	90, blue	—
Semi-open front containers for **FSCH/12**, complete set	2000	12	—	52, red
Semi-open front containers for **FSCH/15**, complete set	2000	15	54, blue	28, red
Semi-open front containers for **FSCH/18**, complete set	2000	18	114, blue	—

14/7 series plastic semi-open front storage containers

Polypropylene, suitable for storage and workshop cabinets.

Item	Interior dim. when stacked L x W x useable H (mm)	Capacity (litre)	Unit	Order no.			
14/7-6 PP	63 x 91 x 43	0,26	50	6981	6982	6983	6984
14/7-5 PP	133 x 88 x 66	0,8	50	6961	6962	6963	6964
14/7-4 PP	191 x 125 x 109	2,6	40	6921	6922	6923	6924
14/7-3 Z PP	291 x 181 x 132	7,2	28	6881	6882	6883	6884



LIGHT GREY Housing

LIGHT GREY Doors

B and TSS sliding door cabinets

- **Sliding doors**
  move freely on roller bearings, with recessed handle and cylinder lock
- **High-grade sheet steel**
  stove enamel finish
- **Shelves**
  load bearing capacity up to max. 60 kg (for B cabinets) or max. 200 kg (for TSS cabinets), height adjustable in increments of 25 mm
- **Compatible**
  with R 2000 counter cabinet range (only TSS range)



Sliding door cabinets TSS

Fitted with 2 galvanised shelves, height adjustable in increments of 25 mm. Design without base.

Item	W x H x D (mm)	Order no.
TSS 5011	1055 x 1105 x 500	1511
TSS 6311	1055 x 1105 x 630	1531

Half-height sliding door cabinets

With 2 galvanised shelves. Internal depth 425 mm. The half height is ideal for forming a counter system.

Item	W x H x D (mm)	Order no.
B 124	1200 x 1085 x 400	23971
B 135	1300 x 1085 x 500	23811

Sliding door cabinets

With 4 galvanised shelves. Internal depth 425 mm.

Item	W x H x D (mm)	Order no.
B 120	1200 x 1950 x 400	23981
B 130	1300 x 1950 x 500	23801

Shelves for TSS

Item	For	Order no.
SB 5013	TSS 5011	1520
SB 6313	TSS 6311	1540

Flaps

Grey melamine-coated with plastic trim.

Item	For	Order no.
TA 135	B 135	23820

Additional shelves

Galvanised, incl brackets. Unit: 2 pieces.

Item	For	Order no.
ZB 130/135	B 130 and B 135	23830

RAL 7035 LIGHT GREY | SILVER | RAL 7035 LIGHT GREY — Housing

GENTIAN BLUE RAL 5010 | SILVER | RESEDA GREEN RAL 6011 — Doors

Other colour combinations available on request

- **Sliding doors**
  move freely on roller bearings, with recessed handle, with cylinder lock
- **High-grade sheet steel**
  powder-coated
- **Technical information**
  V = Fully extendable drawer with load capacity **up to 200 kg**
  E = Semi-extendable drawer with load capacity **up to 100 kg**
  VT = Adjustable shelves, load capacity **up to 200 kg**
  ATV = Fully extendable shelf
  ATE = Semi-extendable pull-out shelf



MSK sliding door cabinets
Ordering examples and accessories

Sliding door cabinets

Fully extend. | Drawer height (mm) | Semi-extend.
V 75 E
ATV ATE
ATV ATE
ATV ATE

With 2 drawers, 6 pull-out shelves
Height with top plate 1020 mm.

Item	Order no.		
MSK7810/1V	104702	104700	104704
MSK7810/1E	104712	104710	104714

Fully extend. | Drawer height (mm) | Semi-extend.
V 75 E
V 150 E
V 150 E

With 6 drawers
Height with top plate 1020 mm.

Item	Order no.		
MSK7810/2V	104722	104720	104724
MSK7810/2E	104732	104730	104734

Fully extend. | Drawer height (mm) | Semi-extend.
V 75 E
V 75 E
VT VT
VT VT

With 4 drawers, 4 adjustable shelves
Height with top plate 1020 mm.

Item	Order no.		
MSK7810/3V	104742	104740	104744
MSK7810/3E	104752	104750	104754

Empty housing with sliding doors

Height 1000 mm, clear height 900 mm.

Item	Order no.		
MSG7810	104062	104060	104061



Adjustable shelves

Installation height 25 mm. Height adjustable in increments of 25 mm. Load capacity up to max. 200 kg.

Item	Useable dim. W x D (mm)	Order no.
WS36VT	651 x 619	104220



Top plates

With upturned edges on three sides, including ribbed mat. Secured to the cabinet.

Item	For	Order no.
K3T78S	MS 78	104330

Drawers for housing

Item	Fascia/useable height (mm)	Order no.
WS 3605E	50E / 36	10010**
WS 3607E	75E / 61	10011**
WS 3607V	75V / 54	10012**
WS 3610E	100E / 86	10013**
WS 3610V	100V / 79	10014**
WS 3615E	150E / 111	10017**
WS 3615V	150V / 104	10018**

** **Please quote the order no. with the required door colour code. The colours can be found at the bottom of page H64.**



Extendable shelves

Installation height 75 mm. Height can be adjusted in spacing of 25 to 25 mm. Load capacity up to max. 200 kg.

Item	Useable dim. W x D (mm)	Max. load (kg)	Order no.
WS36ATE	612 x 612	100	10420**
WS36ATV	612 x 612	200	10421**



Lifting base

Enables a lifting trolley to be pushed underneath the cabinet. Height 100 mm.

Item	For	Order no.
HS78	WS 78, MS 78	103220
HSA78	Fascia for HS 78	103230

Counter and cabinet combination systems enough margin for all your requirements

The SSI SCHAEFER counter and cabinet combinations in conjunction with the proven bolt-free shelving system R 2000 open up new dimensions with regard to storage optimization. The proven, versatile counter cabinet systems leave nothing to be desired when it comes to equipment. The standardised height, depth and width dimensions enable maximum flexibility and a wealth of configurations can be achieved. The drawers are an important factor in utilizing storage space for small parts or tools and thus substantially reduce the issue times.

The unlimited combination options of all counter cabinets give you the freedom you need for your requirements.






Wing doors
Page H107
Solid steel back panel
Page H104
Solid steel side panels
Page H104
Drawer cabinets 1100 series
Page H110 - H111
Swing door
Page H107
Counter cabinets
5000 series
Page H108

SILVER Housing

SILVER Fronts

The bolt-free shelving system

- **High-grade sheet steel**
  stove enamel finish
- **Extendable bolt-free system**
  the starter unit can be configured and extended according to individual requirements for small and medium sized goods
- **Bolt-free assembly**
  in a matter of minutes
- **Basic bay modular design**
  without cross beams, with fixed base, intermediate and top shelves, 1 bay length, 3 shelf depths, different heights
- **Up to 5000 kg bay load**
- **Solid steel side and back panels**
  made from sheet steel with a painted finish in silver

Bolt-free shelving system R 2000

The R 2000 is flexible, extendable, and a variable shelving system which offers high flexibility and extensive equipment and accessories e.g.: lockable wing door elements, drawers, slotted shelves for vertical partitioning by dividers, dividable storage trays and an extensive range of plastic and sheet steel containers.

The principle and design of the R 2000 shelving system is easy: base shelf, intermediate shelf and top shelf are simply connected to the uprights. This way, a complete shelving system develops from just 3 base elements, variable in height, lengths, widths and depths.



Solid steel side panels

Sheet steel, painted silver. Are engaged in the uprights using punched locking tongues. To cover the full height of the R 2000 2 side panels each are necessary. For the base (GR) and intermediate shelving (AR) only one side panel each is necessary.

Item	Solid steel side wall for	For shelf depth (mm)	Order no.
SW 2350	R 2000 GR + AR	350	12720
SW 2500		500	12730
SW 2630		630	12740
SWS 2350	Plinth cabinets	350	13270
SWS 2500		500	13280
SWS 2630		630	13290

Solid steel back panels

Sheet steel, painted silver. The back panel is inserted into the vertical slots in the uprights and held in place by 4 locking springs. To cover the full height of the R 2000 2 back panels each are necessary, for base (GR) and intermediate shelving (AR) only 1 back panel each.

Item	Solid steel rear panel for	L x W (mm)	Order no.
RW 2000	R 2000 GR + AR	1025 x 995	12750
RWS 2000	Plinth cabinets	492 x 995	13260

R 2000 Module components

Full Height unit R 2000

(AR 2000 + GR 2000), H 2170 x L 1055 mm, 1 starter unit, 1 extension unit, 4 base uprights and 4 extension uprights.

Item	Shelf depth (mm)	Loading of base/ top shelf max. (kg)	Order no.
R 2352	350	200	12500
R 2502	500	200	12510
R 2504	500	400	12520
R 2632	630	200	12530
R 2634	630	400	12540





Starter unit GR 2000

H 1105 x L 1055 mm, "Half height" frame unit of 1105 mm (counter top height), 1 base shelf, 1 top shelf, 4 base uprights.

Item	Shelf depth (mm)	Loading of base/ top shelf max. (kg)	Order no.
GR 2352	350	200	13060
GR 2502	500	200	13070
GR 2504	500	400	13080
GR 2632	630	200	13090
GR 2634	630	400	13100





Extension unit AR 2000

H 1065 x L 1055 mm, from the starter unit GR 2000 (H 1105 mm) to the unit R 2000 (H 2170 mm), 1 top shelf, 4 extension uprights.

Item	Shelf depth (mm)	Loading of base/ top shelf max. (kg)	Order no.
AR 2352	350	200	13110
AR 2502	500	200	13120
AR 2504	500	400	13130
AR 2632	630	200	13140
AR 2634	630	400	13150



Base shelves GSR 2000

H 572 x L 1055 mm, 1 base shelf, 1 top shelf, 4 base uprights.

Item	Shelf depth (mm)	Loading of base/ top shelf max. (kg)	Order no.
GSR 2352	350	200	13160
GSR 2502	500	200	13170
GSR 2504	500	400	13180
GSR 2632	630	200	13190
GSR 2634	630	400	13200





Extension unit ASR 2000

H 532 x L 1055 mm, 1 top shelf, 4 extension uprights.

Item	Shelf depth (mm)	Loading of base/ top shelf max. (kg)	Order no.
ASR 2352	350	200	13210
ASR 2502	500	200	13220
ASR 2504	500	400	13230
ASR 2632	630	200	13240
ASR 2634	630	400	13250





Accessories for R 2000

Dividers
made from galvanised sheet steel

Shelves
sheet steel, stove-enameled silver, height 40 mm. In order to divide the shelving bays into varying heights, the shelves are easily inserted into the lugs of the uprights. The shelves are slotted front and back to accommodate dividers (slot distance 50 mm)

▼ **Shelf 40 mm high**

Load bearing capacity 200 kg*

Load bearing capacity 400 kg*

***The load values given are based on uniformly distributed loads**



Shelves, height 40 mm

Sheet steel, stove-enameled silver, to divide the shelving unit into different compartment heights.

Item	Shelf depth (mm)	Max. load (kg)	Order no.
ZB 2324	350	200	12550
ZB 2524	500	200	12560
ZB 2544	500	400	12570
ZB 2624	630	200	12580
ZB 2644	630	400	12590



Dimensions in mm

Free-standing dividers

Are inserted into the slots of the shelves, independent from the compartment heights.

Item	For shelf depth (mm)	Divider height (mm)	Finish	Order no.
TRF 2310	350	100	Plastic connectors	22940
TRF 2317		175	Plastic connectors	22950
TRF 2327		275	Wire connectors	23060
TRF 2510	500	100	Plastic connectors	22960
TRF 2517		175	Plastic connectors	22970
TRF 2527		275	Wire connectors	23070
TRF 2610	630	100	Plastic connectors	22980
TRF 2617		175	Plastic connectors	22990
TRF 2627		275	Wire connectors	23080



Full height dividers

Full height dividers can be inserted into the slots of the shelves. Bin fronts can be assembled to full height dividers also.

Item	For shelf depth (mm)	For bay height (mm)	Order no.
TR 2315	350	173	12600
TR 2314		226	12610
TR 2313		315	12620
TR 2312		492	12630
TR 2515	500	173	12640
TR 2514		226	12650
TR 2513		315	12660
TR 2512		492	12670
TR 2615	630	173	12680
TR 2614		226	12690
TR 2613		315	12700
TR 2612		492	12710

Door range and covers

Counter covers

Plastic cover with textured structure. Secured with self adhesive tape.

Item	W x D x H (mm)	Order no.
KA 050	1055 x 495 x 3	620
KA 063	1055 x 625 x 3	630

Counter worktops

19 mm thick wood panel. Plastic-coated on both sides. Top with slate-type decoration. All sides finished with aluminum frame. Secured with Velcro fasteners.

Item	W x D x H (mm)	Order no.
TA 050	1055 x 527 x 19	11970
TA 060	1055 x 657 x 19	13690



Sliding door cabinets TSS

Fitted with 2 galvanised shelves, height adjustable in increments of 25 mm. Design without base.

Item	W x H x D (mm)	Order no.
TSS 5011	1055 x 1105 x 500	1510
TSS 6311	1055 x 1105 x 630	1530

Shelves

Item	For	Order no.
SB 5013	TSS 5011	1520
SB 6313	TSS 6311	1540

Swing doors

1055 mm wide. Two-section swing doors as counter passage. The profile strips included with the door hinges are bolted to the sides panels of the cabinets or corner uprights of the frame.

Item	Order no.
PT	13680

Flaps for swing doors

Hinged flap with continuous trim. Complete with 2 stop profiles, 2 hinges and fixing materials.

Item	W x D x H (mm)	Order no.
TAK 050	1055 x 527 x 19	11900
TAK 060	1055 x 657 x 19	11910

Wing doors

Open shelf cabinets can be retrospectively converted to closed cabinets by fitting four-section doors (for height 1105 mm). The hinges are bolted to the uprights at the top and bottom. The hinge pins are adjustable for a precise fit. Sheet steel, painted silver.

Four-section door range

H 1105 mm, incl. 1 back panel, 2 side panels, 1 four-section door with lock.

Item	For depth (mm)	Order no.
FTR 2350	350	12800
FTR 2500	500	12810
FTR 2630	630	12820

Two-section door range

H 2170 mm, incl. 2 back and 4 side panels, 1 two-section door with lock.

Item	For depth (mm)	Order no.
FTR 2351	350	16380
FTR 2501	500	16390
FTR 2631	630	16400

Counter cabinets 5000 series

The 5000 series is a complete cabinet system with drawers, combinations of drawers and wing doors.

Two elements together are the same module width as our standard tool cabinets, to form a counter (1055 mm).



- **High-grade sheet steel**
  stove enamel finish
- **Cabinet housing**
  central lock with 2 keys, W 527 x H 1105 x D 500/630 mm
- **Drawers**
  Cabinet depths 500 mm with semi-extendable drawers.
  Cabinet depths 630 mm with fully extendable drawers.
  Aluminum grip with labeling facility.
  Useful width 442 mm.
  Max. load/drawer 60 kg



- **Double drawer lock**
  prevents several drawers being opened at once
- **Division**
  the dividers can be individually configured at a standard **spacing** of **17 mm (= 1 T)** for all drawers
- **Useable W x D dimensions of the drawers:**
  26 x 24 partitioning = 442 x 408 mm
  26 x 27 partitioning = 442 x 459 mm

SB 5156

SB 5166

Cabinets with 6 drawers

1 drawer, fascia height 75 mm,
1 drawer, fascia height 150 mm,
4 drawers, fascia height 200 mm.

Item	Depth (mm)	Order no.	
SB 5156	500	76001	76002
SB 5166	630	76011	76012

SB 5158

SB 5168

Cabinets with 8 drawers

1 drawer, fascia height 50 mm,
1 drawer, fascia height 75 mm,
2 drawers, fascia height 100 mm,
2 drawers, fascia height 150 mm,
2 drawers, fascia height 200 mm.

Item	Depth (mm)	Order no.	
SB 5158	500	76021	76022
SB 5168	630	76031	76032

SB 51510

SB 51610

Cabinets with 10 drawers

1 drawer, fascia height 50 mm,
3 drawers, fascia height 75 mm,
3 drawers, fascia height 100 mm,
3 drawers, fascia height 150 mm.

Item	Depth (mm)	Order no.	
SB 51510	500	76041	76042
SB 51610	630	76051	76052

SB 5153-T

SB 5163-T

Cabinets with door and 3 drawers

1 drawer, fascia 75 mm,
1 drawer, fascia 100 mm,
1 drawer, fascia 150 mm,
1 door, height 700 mm, with cylinder lock.

Item	Depth (mm)	Order no.	
SB 5153-T	500	76061	76062
SB 5163-T	630	76071	76072

Drawer divider accessories for 5000 series

For cabinet depth 500 mm



Complete set

1 cross bar 24 T,
2 dividers 7 T,
4 insert boxes L 150 x W 75 mm,
12 insert boxes L 75 x W 75 mm.

Item	For fascia H (mm)	Order no.
ZWK2453	50	108130
ZWK2473	75	108131



Complete set

1 cross bar 24 T,
2 dividers 7 T,
4 insert boxes L 150 x W 150 mm,
2 insert boxes L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
ZWK24103	100	108132



Complete set

2 cross bars 24 T,
4 dividers 9 T,
2 dividers 8 T.

Item	For fascia H (mm)	Order no.
ZWK2451	50	108120
ZWK2471	75	108121
ZWK24101	100	108122



Complete set

1 cross bar 24 T,
1 divider 18 T,
2 dividers 8 T.

Item	For fascia H (mm)	Order no.
ZWK2452	50	108123
ZWK2472	75	108124
ZWK24102	100	108125

For cabinet depth 630 mm



Complete set

1 cross bar 27 T, 2 dividers 7 T.
Insert boxes: 2 pieces L 150 x W 150 mm,
4 pieces L 150 x W 75 mm,
8 pieces L 75 x W 75 mm.

Item	For fascia H (mm)	Order no.
ZWK2753	50	108110
ZWK2773	75	108111



Complete set

1 cross bar 27 T, 2 dividers 7 T.
Insert boxes: 3 pieces L 150 x W 150 mm,
6 pieces L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
ZWK27103	100	108112



Complete set

2 cross bars 27 T,
4 dividers 9 T,
2 dividers 8 T.

Item	For fascia H (mm)	Order no.
ZWK2751	50	108100
ZWK2771	75	108101
ZWK27101	100	108102



Complete set

1 cross bar 27 T,
1 divider 18 T,
2 dividers 8 T.

Item	For fascia H (mm)	Order no.
ZWK2752	50	108103
ZWK2772	75	108104
ZWK27102	100	108105

Counter cabinets 1100 series – fully assembled



- **High-grade sheet steel**
  powder-coated
- **Cabinet housing**
  central lock with 2 keys,
  W 1055 x H 1105 x D 630 mm
- **Drawers**
  can be pulled out completely and run quietly on ball bearing telescopic guides. Aluminum grip with labeling facility. Max. load/drawer: 100 kg for semi-extendable, 150 kg for fully extendable
- **Double drawer lock**
  allows only one drawer to be opened at a time
- **Division**
  the dividers can be individually configured at a standard **spacing** of **17 mm (= 1 T)** for all drawers



- **Useable W x D dimensions of the drawers:**
  54 x 27 partitioning = 918 x 459 mm

Cabinets with 6 drawers

1 drawer, fascia height 75 mm,
1 drawer, fascia height 150 mm,
4 drawers, fascia height 200 mm.

Item	Order no.		
SB 1166	101900	101901	101902

Cabinets with 7 drawers

1 drawer, fascia height 100 mm,
3 drawers, fascia height 125 mm,
2 drawers, fascia height 150 mm,
1 drawer, fascia height 250 mm.

Item	Order no.		
SB11-166	101980	101981	101982

Cabinets with 8 drawers

3 drawers, fascia height 100 mm,
1 drawer, fascia height 125 mm,
4 drawers, fascia height 150 mm.

Item	Order no.		
SB11-156	101970	101971	101972

Counter cabinets 1100 series – fully assembled

Cabinets with 8 drawers

7 drawers, fascia height 125 mm,
1 drawer, fascia height 150 mm.

Item	Order no.		
SB11-116	101930	101931	101932

Cabinets with 8 drawers

1 drawer, fascia height 50 mm,
1 drawer, fascia height 75 mm,
2 drawers, fascia height 100 mm,
2 drawers, fascia height 150 mm,
2 drawers, fascia height 200 mm.

Item	Order no.		
SB 1168	101910	101911	101912

Cabinets with 10 drawers

1 drawer, fascia height 50 mm,
3 drawers, fascia height 75 mm,
3 drawers, fascia height 100 mm,
3 drawers, fascia height 150 mm.

Item	Order no.		
SB 11610	101920	101921	101922

Cabinets with 11 drawers

4 drawers, fascia height 50 mm,
4 drawers, fascia height 100 mm,
1 drawer, fascia height 125 mm,
2 drawers, fascia height 150 mm.

Item	Order no.		
SB11-126	101940	101941	101942

Cabinets with 13 drawers

7 drawers, fascia height 50 mm,
4 drawers, fascia height 100 mm,
1 drawer, fascia height 125 mm,
1 drawer, fascia height 150 mm.

Item	Order no.		
SB11-136	101950	101951	101952

Cabinets with 16 drawers

7 drawers, fascia height 50 mm,
9 drawers, fascia height 75 mm.

Item	Order no.		
SB11-146	101960	101961	101962

Drawer divider accessories for 1100 series



1100 series

54 x 27 partitioning



Cross bars and dividers

Complete set, consisting of:
4 cross bars = 27 T,
2 dividers = 9 T, 3 dividers = 12 T.

Item	For fascia H (mm)	Order no.
ZWK54251	50	108876
ZWK54271	75	108877
ZWK54201	100/125	108878
ZWK54251	150	108879



Cross bars and dividers

Complete set, consisting of:
6 cross bars = 27 T,
6 dividers = 6 T,
3 dividers = 9 T, 1 divider = 12 T.

Item	For fascia H (mm)	Order no.
ZWK54252	50	108880
ZWK54272	75	108881
ZWK54202	100/125	108882

1100 series

54 x 27 partitioning



Plastic partitioning channel set

Complete set, consisting of:
12 channel blocks, 4 parts, 30 dividers,
6 channel blocks, 3 parts, 10 dividers.

Item	For fascia H (mm)	Order no.
KMS 3-27	50 and higher	25360



Plastic partitioning channel set

Complete set, consisting of:
6 channel blocks, 4 parts, 15 dividers,
6 channel blocks, 3 parts, 10 dividers,
6 channel blocks, 2 parts, 6 dividers.

Item	For fascia H (mm)	Order no.
KMS 4-27	50 and higher	25370



Insert boxes

Complete set, consisting of:
12 insert boxes = L 150 x W 150 mm,
12 insert boxes = L 150 x W 75 mm.

Item	For fascia H (mm)	Order no.
EKS 53-27	50	25270
EKS 73-27	75	25280
EKS 103-27	100/125	25290



Insert boxes

Complete set, consisting of:
20 insert boxes = L 75 x W 75 mm,
14 insert boxes = L 150 x W 75 mm,
6 insert boxes = L 150 x W 150 mm.

Item	For fascia H (mm)	Order no.
EKS 54-27	50	25300
EKS 74-27	75	25310

- **High-grade sheet steel**
  powder-coated
- **Central locking**
  incl. double drawer lock and cylinder lock
- **Drawers**
  run quietly on ball bearing guides, aluminium fascias with labelling facility.
  Cabinet depths 500 mm with semi-extendable drawers.
  Cabinet depths 630 mm with semi- and fully extendable drawers.
  5000 series: max. load/drawer 60 kg.
  1100 series: max. load/drawer 100 kg or 200 kg
- **Division**
  the dividers can be individually configured at a standard **spacing** of **17 mm (= 1 T)** for all drawers
- **Useable W x D dimensions of the drawers:**
  5000 series: 26 x 24 partitioning = 442 x 408 mm
  26 x 27 partitioning = 442 x 459 mm
  1100 series: 54 x 27 partitioning = 918 x 459 mm

Counter cabinet 5000/1100 series – Empty housing and drawers

The total of the drawer fascia heights must equal the clear height of the housing



Empty housing, 5000 series

Item	Height/ Clear height (mm)	Order no.
SBLG 5011	1105/1025	10390*
—	—	—



Drawer for housing, 5000 series

Item	Fascia/useable height (mm)	Order no.
SBL 5050	50E / 36	10488**
—	—	—
SBL 5075	75E / 61	10489**
—	—	—
SBL 5010	100E / 86	10490**
SBL 5012	125E / 111	10491**
SBL 5015	150E / 136	10492**
SBL 5020	200E / 186	10493**
—	—	—
SBL 5025	250E / 229	10494**
SBL 5030	300E / 279	10495**



Empty housing, 5000 series

Item	Height/ Clear height (mm)	Order no.
SBG 5007	723 /625	10393*
SBG 5011	1105/1025	10395*



Drawer for housing, 5000 series

Item	Fascia/useable height (mm)	Order no.
SB 5050	50V / 36	10480**
—	—	—
SB 5075	75V / 54	10481**
—	—	—
SB 5010	100V / 79	10482**
SB 5012	125V / 104	10483**
SB 5015	150V / 129	10484**
SB 5020	200V / 179	10485**
—	—	—
SB 5025	250V / 229	10486**
SB 5030	300V / 279	10487**



Empty housing, 1100 series

Item	Height/ Clear height (mm)	Order no.
WSG 54107	723 /625	10370*
WSG 54111	1105/1025	10371*



Drawer for housing, 1100 series

Item	Fascia/useable height (mm)	Order no.
WS 54105E	50E / 36	10372**
WS 54107E	75E / 61	10373**
WS 54107V	75V / 54	10374**
WS 54110E	100E / 86	10375**
WS 54110V	100V / 79	10376**
WS 54112V	125V / 104	10378**
WS 54115V	150V / 129	10380**
WS 54120V	200V / 179	10382**
WS 54122V	225V / 204	10383**
WS 54125V	250V / 229	10384**
WS 54130V	300V / 279	10385**

***When ordering, please include the relevant order number with the relevant housing colour code:**

0 = SILVER

2 = LIGHT GREY, RAL 7035

****When ordering, please include the relevant order number with the relevant drawer colour code:**

0 = SILVER

2 = LIGHT GREY, RAL 7035

3 = GENTIAN BLUE, RAL 5010

SILVER Housing

SILVER Fronts

R 2000 Drawer inserts for starter units – height 1105 mm

- **High-grade sheet steel**
  stove enamel finish
- **Drawer load bearing capacity**
  max. 70 kg
- **Useful dimensions**
  width: 930 mm,
  depth: 437/567 mm
- **Pull-out stop**
  allows only one drawer to be opened at a time
- **Central locking**
  in the top drawer
- **Drawers**
  can be pulled out completely and run quietly on ball bearing telescopic guides
- **For installation**
  into R 2000 starter units

Drawer dividers
on page **H116** and **H117**



Combination 1

2 drawers, fascia 90 mm, tray height 65 mm, 14 drawers, fascia 60 mm, tray height 35 mm.

Item	For depth (mm)	Order no.
S 2501	500	12830
S 2631	630	12840
VM-S2	Pre-assembly	18140



Combination 2

10 drawers, fascia 90 mm, tray height 65 mm, 1 drawer, fascia 120 mm, tray height 95 mm.

Item	For depth (mm)	Order no.
S 2502	500	12850
S 2632	630	12860
VM-S2	Pre-assembly	18140



Combination 3

2 drawers, fascia 90 mm, tray height 65 mm, 7 drawers, fascia 120 mm, tray height 95 mm.

Item	For depth (mm)	Order no.
S 2503	500	12870
S 2633	630	12880
VM-S2	Pre-assembly	18140



Combination 4

4 drawers, fascia 90 mm, tray height 65 mm, 3 drawers, fascia 120 mm, tray height 95 mm, 2 drawers, fascia 150 mm, tray height 95 mm.

Item	For depth (mm)	Order no.
S 2504	500	12890
S 2634	630	12900
VM-S2	Pre-assembly	18140

With **all drawer combinations,** a **starter bay GR 2000** must be ordered at the same time if the drawers are not intended for retro-installation into existing shelving.

Rear and side panels are included as standard with all drawer combinations.

R 2000 Drawer combinations

Drawer dividers for R 2000



Longitudinal drawer dividers

For shelf depth 500 mm, drawer depth 437 mm. Galvanised sheet steel. Slot pitch 20 mm. Further division using cross dividers.

Item	H x W (mm)	Order no.
SUW 5043	36 x 146,5	35000
SUW 5046	66 x 146,5	35010
SUW 5093	36 x 193	35020
SUW 5096	66 x 193	35030
SUW 5099	96 x 193	35040
SUW 5133	36 x 139,5	35050
SUW 5136	66 x 139,5	35060
SUW 5139	96 x 139,5	35070
SUW 5183	36 x 186	35080
SUW 5186	66 x 186	35090
SUW 5189	96 x 186	35100

Longitudinal drawer dividers

For shelf depth 630 mm, drawer depth 567 mm. Galvanised sheet steel. Slot pitch 20 mm. Further division using cross dividers.

Item	H x W (mm)	Order no.
SUW 6043	36 x 146,5	35110
SUW 6046	66 x 146,5	35120
SUW 6093	36 x 193	35130
SUW 6096	66 x 193	35140
SUW 6099	96 x 193	35150
SUW 6133	36 x 139,5	35160
SUW 6136	66 x 139,5	35170
SUW 6139	96 x 139,5	35180
SUW 6183	36 x 186	35190
SUW 6186	66 x 186	35200
SUW 6189	96 x 186	35210

Cross dividers

Galvanised sheet steel. For cross division of longitudinal dividers for cabinet depths of 500 and 630 mm.

Item	H x W (mm)	Order no.
QTW 043	35 x 142	35250
QTW 046	65 x 142	35260
QTW 093	35 x 188	35270
QTW 096	65 x 188	35280
QTW 099	95 x 188	35290
QTW 133	35 x 135	35300
QTW 136	65 x 135	35310
QTW 139	95 x 135	35320
QTW 183	35 x 181	35330
QTW 186	65 x 181	35340
QTW 189	95 x 181	35350



Combination A

12 longitudinal dividers W 46.5 mm and 30 cross dividers;
4 longitudinal dividers W 93 mm and 10 cross dividers.

Item	Shelf D (mm)	Fascia H (mm)	Order no.
SUW 5003 A	500	60	35220
SUW 5006 A	500	From 90	35221
SUW 6303 A	630	60	35223
SUW 6306 A	630	From 90	35224

Combination B

6 longitudinal dividers W 46.5 mm and 24 cross dividers; 3 longitudinal dividers W 93 mm and 12 cross dividers; 2 longitudinal dividers W 186 mm and 4 cross dividers.

Item	Shelf D (mm)	Fascia H (mm)	Order no.
SUW 5003 B	500	60	35230
SUW 5006 B	500	From 90	35231
SUW 6303 B	630	60	35233
SUW 6306 B	630	From 90	35234



Combination C

10 longitudinal dividers W 93 mm and 20 cross dividers.

Item	Shelf D (mm)	Fascia H (mm)	Order no.
SUW 5003 C	500	60	35240
SUW 5006 C	500	From 90	35241
SUW 6303 C	630	60	35245
SUW 6306 C	630	From 90	35246



Drawer pegs

Plastic drawer pegs with integral moulded screw, length 36 mm. To hold various tools without damage including those with holes (e.g. grinding disks). Prevents parts being damaged. The pins are secured by nuts. Unit: 100 pieces.

Item	Finish	Order no.
UTO 2036	Wedge-shaped	13030
UTV 2036	Square	13790

Divider rails

Aluminum sections to divide drawers. 65 mm drawers can be divided by several dividers bolted to the drawer base. Unit: 10 pieces, incl. 30 bolts.

Item	Height (mm)	Order no.
TS 2030	30	13010
TS 2040	40	13020



Drawer dividers for R 2000



Insert boxes

Polystyrene, blue, with label facility on the grip. Pieces per unit:
EK 1: 58 pieces; EK 2: 80 pieces;
EK 3: 120 pieces; EK 111: 48 pieces;
EK 111-N: 48 pieces

Item	Dimensions L x W x H (mm)	Order no.
EK 1	180 x 96 x 60	1134
EK 2	90 x 96 x 60	1144
EK 3	90 x 48 x 60	1154
EK 111	137 x 87 x 110	22644
EK 111-N	137 x 87 x 96	4364

Complete set of insert boxes

For drawers with fascia height 90 mm.
Set 1: for shelf depth 500 mm,
10 x EK 1, 20 x EK 2, 10 x EK 3.
Set 2: for shelf depth 630 mm,
15 x EK 1, 20 x EK 2, 10 x EK 3.

Item		Order no.
SET 2501	Set 1	12914
SET 2631	Set 2	12924

Sorting case

Sorting case

In assembly work, customer service or maintenance services, for repair or servicing work onsite, in a plant or a workshop – sorting cases are the ideal archive for fittings, small parts and much more.
Made from quality sheet steel, blue stove enamel finish. With load grips and 2 tension bracket closures. The lid is fitted with foam to prevent the contents becoming mixed together during transport.

Information on insert boxes Page **A16**



Sorting case SO 6
Fitted with 4 x EK 2, 16 x EK 3.

Item	Dimensions W x D x H (mm)	Order no.
SO 6	375 x 300 x 65	23150



Sorting case SO 5
Fitted with 35 x EK 3.

Item	Dimensions W x D x H (mm)	Order no.
SO 5	465 x 347 x 65	23140

Sorting case SO 4
Fitted with 2 x EK 1, 6 x EK 2, 15 x EK 3.

Item	Dimensions W x D x H (mm)	Order no.
SO 4	465 x 347 x 65	23130



Sorting case SO 1
Fitted with 12 x EK 1, 5 x EK 2, 2 x EK 3.

Item	Dimensions W x D x H (mm)	Order no.
SO 1	590 x 460 x 65	23100



Sorting case SO 2
Fitted with 6 x EK 1, 12 x EK 2, 12 x EK 3.

Item	Dimensions W x D x H (mm)	Order no.
SO 2	590 x 460 x 65	23110



Sorting case SO 3
Fitted with 2 x EK 1, 14 x EK 2, 24 x EK 3.

Item	Dimensions W x D x H (mm)	Order no.
SO 3	590 x 460 x 65	23120

Wardrobes and clothes lockers – Equipment for changing rooms

No workshop is complete without well-equipped changing rooms and common rooms. This is where employees can change clothing and safely store their personal belongings.

All SSI SCHAEFER locker columns and wardrobes can be quickly installed without structural alterations and extended as required at any time. Their extraordinary versatility offers both individuality and enormous space saving effects. For instance, up to 20 lockers take up little more than 1 metre of room length.

Visual appearance is very important in lobby and wardrobe areas. In this respect SSI SCHAEFER offers a wide range of possible designs. The wardrobes and locker cabinets are versatile, extremely functional, easily configurable and carefully designed right down to the last detail. Lockers are thoughtfully equipped, manufactured from high-grade sheet steel and available in a variety of finishes. An impressive solution to the most demanding requirements in terms of visual appearance, fittings and security.

Equipment for changing rooms

Clothes locker, 300 mm wide compartment	H120
Clothes locker, 400 mm wide compartment	H121
Clothes locker 1/2-compartment, 300/400 mm	H122
Half-height clothes locker 300/400 mm and multi-purpose lockers	H123
Clothes locker with reinforced doors, compartment width 300/400 mm	H124
Accessories and substructures for clothes lockers	H125
Clothes locker compartment, width 2 x 300/600 mm	H126
Clothes locker with benches 300/400 mm	H127
Z Wardrobe and space-saving cabinets	H128
Laundry collection and mailbox/distributor cabinets	H129
Compartment cabinets, bay width 300/400 mm	H130
Fire cabinets, compartment width 400 mm	H131
Accessories for clothes lockers	H132
Benches	H133
Locker columns and wardrobes	H134
Multi-purpose wardrobe and locker cabinets	H136

Clothes locker with 300 mm wide compartment



RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY

LIGHT GREY RAL 7035 | GENTIAN BLUE RAL 5010

Two compartment widths

300 mm
2 compartments: W 630 x D 500 mm
3 compartments: W 930 x D 500 mm
4 compartments: W 1230 x D 500 mm

400 mm
2 compartments: W 830 x D 500 mm
3 compartments: W 1230 x D 500 mm

Total height:
1800 mm with plinth* (H 100 mm)
1850 mm with feet* (H 150 mm)

* Substructures are supplied disassembled, for easy self-assembly

High-grade sheet steel
high quality powder-coated, housing light grey RAL 7035, doors in 7 different RAL shades

Equipment per compartment
1 hat shelf, 1 clothes rail with 2 sliding clothes hooks, 1 hand towel holder on the inside of the door (not in the case of designs with perforated doors)

Doors
with ventilation grilles top and bottom or with central perforations, with rotary catch suitable for a padlock



Clothes locker

Doors with ventilation grilles.

Item	Compart-ments	Order no.						
With feet								
KL2F	2	115921	115924	115925	115926	115927	115928	115929
KL3F	3	115941	115944	115945	115946	115947	115948	115949
KL4F	4	115961	115964	115965	115966	115967	115968	115969
With plinth								
KL2S	2	115931	115934	115935	115936	115937	115938	115939
KL3S	3	115951	115954	115955	115956	115957	115958	115959
KL4S	4	115971	115974	115975	115976	115977	115978	115979



Clothes locker

Doors with central perforations.

Item	Compart-ments	Order no.						
With feet								
KLL2F	2	112601	112604	112605	112606	112607	112608	112609
KLL3F	3	112621	112624	112625	112626	112627	112628	112629
KLL4F	4	112641	112644	112645	112646	112647	112648	112649
With plinth								
KLL2S	2	112611	112614	112615	112616	112617	112618	112619
KLL3S	3	112631	112634	112635	112636	112637	112638	112639
KLL4S	4	112651	112654	112655	112656	112657	112658	112659

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY — Housing

SIGNAL YELLOW RAL 1003 | CRIMSON RAL 3004 | PLATINUM GREY RAL 7036 | AQUA BLUE RAL 5021 | TURQUOISE GREEN RAL 6016 — Fronts

Feet

Solid plinth

Clothes locker with 400 mm wide compartment

Accessories and benches

Page **H132**





Clothes locker

Doors with ventilation grilles.

Item	Compart-ments	Order no.						
With feet								
KL2F-4	2	*112561*	*112564*	*112565*	*112566*	*112567*	*112568*	*112569*
KL3F-4	3	*112581*	*112584*	*112585*	*112586*	*112587*	*112588*	*112589*
With plinth								
KL2S-4	2	*112571*	*112574*	*112575*	*112576*	*112577*	*112578*	*112579*
KL3S-4	3	*112591*	*112594*	*112595*	*112596*	*112597*	*112598*	*112599*



Clothes locker

Doors with central perforations.

Item	Compart-ments	Order no.						
With feet								
KLL2F-4	2	*112661*	*112664*	*112665*	*112666*	*112667*	*112668*	*112669*
KLL3F-4	3	*112681*	*112684*	*112685*	*112686*	*112687*	*112688*	*112689*
With plinth								
KLL2S-4	2	*112671*	*112674*	*112675*	*112676*	*112677*	*112678*	*112679*
KLL3S-4	3	*112691*	*112694*	*112695*	*112696*	*112697*	*112698*	*112699*





Clothes locker with 300/400 mm wide compartment and half height doors

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY

Two compartment widths

300 mm
2 compartments: W 630 x D 500 mm
3 compartments: W 930 x D 500 mm
4 compartments: W 1230 x D 500 mm

400 mm
2 compartments: W 830 x D 500 mm
3 compartments: W 1230 x D 500 mm

Total height:
1800 mm with plinth* (H 100 mm)
1850 mm with feet* (H 150 mm),
or 865 mm with half-height clothes lockers

* Substructures are supplied disassembled, for easy self-assembly

Feet **Solid plinth**



Clothes locker, 300 mm wide compartment

With 2 half-height solid doors with ventilation grilles.

Item	Compart-ments	Order no.						
With feet								
KLG2F	2	112701	112704	112705	112706	112707	112708	112709
KLG3F	3	112721	112724	112725	112726	112727	112728	112729
KLG4F	4	112741	112744	112745	112746	112747	112748	112749
With plinth								
KLG2S	2	112711	112714	112715	112716	112717	112718	112719
KLG3S	3	112731	112734	112735	112736	112737	112738	112739
KLG4S	4	112751	112754	112755	112756	112757	112758	112759



Clothes locker, 400 mm wide compartment

With 2 half-height solid doors with ventilation grilles.

Item	Compart-ments	Order no.						
With feet								
KLG2F-4	2	112761	112764	112765	112766	112767	112768	112769
KLG3F-4	3	112781	112784	112785	112786	112787	112788	112789
With plinth								
KLG2S-4	2	112771	112774	112775	112776	112777	112778	112779
KLG3S-4	3	112791	112794	112795	112796	112797	112798	112799

- **High-grade sheet steel**
  high quality powder-coated,
  housing light grey RAL 7035,
  doors in 7 different RAL shades
- **Equipment per compartment**
  1 clothes rail with 2 sliding clothes hooks
- **Doors**
  with ventilation grilles top and bottom,
  rotary catch suitable for a padlock

Half-height clothes locker with compartment width 300/400 mm

Half-height clothes locker, 300 mm wide compartment

Doors with ventilation grilles. No plinth or feet.

Item	Compart-ments	Order no.						
KL2-1/2	2	168651	168654	168655	168656	168657	168658	168659
KL3-1/2	3	168661	168664	168665	168666	168667	168668	168669
KL4-1/2	4	168671	168674	168675	168676	168677	168678	168679

Half-height clothes locker, 400 mm wide compartment

Doors with ventilation grilles. No plinth or feet.

Item	Compart-ments	Order no.						
KL2-1/2-400	2	168681	168684	168685	168686	168687	168688	168689
KL3-1/2-400	3	168691	168694	168695	168696	168697	168698	168699

Multi-purpose locker

- **Two variations**
  Variation 1: with 8 solid, galvanised shelves. Right hung doors with rotary catch for padlock. Strengthened door interior with fitting for hand towel
  Variation 2: as above, but with only 4 shelves. The left-hand compartment is fitted with hat shelf and clothes rail with 3 sliding clothes hooks
- **One width**
  2 compartments: W 630 x D 500 mm
  Total height: 1800 mm with plinth* (H 100 mm)
  1850 mm with feet* (H 150 mm)
  * Substructures are supplied disassembled, for easy self-assembly

Multi-purpose lockers

Doors with ventilation grilles.

Item	Variation	Order no.						
With feet								
KLW2/8-F	1	114301	114304	114305	114306	114307	114308	114309
KLW2/4-F	2	114321	114324	114325	114326	114327	114328	114329
With plinth								
KLW2/8-S	1	114311	114314	114315	114316	114317	114318	114319
KLW2/4-S	2	114331	114334	114335	114336	114337	114338	114339

Clothes locker with reinforced doors – compartment width 300/400 mm

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY

- **Two compartment widths**
  300 mm
  2 compartments: W 630 x D 500 mm
  3 compartments: W 930 x D 500 mm
  4 compartments: W 1230 x D 500 mm
  400 mm
  2 compartments: W 830 x D 500 mm
  3 compartments: W 1230 x D 500 mm
- **High-grade sheet steel**
  high quality powder-coated, housing light grey RAL 7035, doors in 7 different RAL shades
- **Equipment per compartment**
  1 hat shelf, 1 clothes rail with 2 sliding clothes hooks, 1 hand towel holder on the inside of the door

Accessories and benches
Page **H132**



Clothes lockers

Doors with vents top and bottom. No substructure.

Item	Compartments	Order no.						
Compartment width 300 mm								
SKL2	2	113401	113404	113405	113406	113407	113408	113409
SKL3	3	113411	113414	113415	113416	113417	113418	113419
SKL4	4	113421	113424	113425	113426	113427	113428	113429
Compartment width 400 mm								
SKL2-4	2	113461	113464	113465	113466	113467	113468	113469
SKL3-4	3	113471	113474	113475	113476	113477	113478	113479



Clothes lockers

Doors with central perforations. No substructure.

Item	Compartments	Order no.						
Compartment width 300 mm								
SKLL2	2	113431	113434	113435	113436	113437	113438	113439
SKLL3	3	113441	113444	113445	113446	113447	113448	113449
SKLL4	4	113451	113454	113455	113456	113457	113458	113459
Compartment width 400 mm								
SKLL2-4	2	113481	113484	113485	113486	113487	113488	113489
SKLL3-4	3	113491	113494	113495	113496	113497	113498	113499

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY — Housing

SIGNAL YELLOW RAL 1003 | CRIMSON RAL 3004 | PLATINUM GREY RAL 7036 | AQUA BLUE RAL 5021 | TURQUOISE GREEN RAL 6016 — Fronts

▶ **Rotary catch**
for padlock

Accessories and substructures for clothes lockers

Feet

Height 150 mm, overall height with feet: 1850 mm. Colour: black.
Easy assembly.

Item	Unit	Order no.
44F-KL	4	114680

Substructure plinth

Height 100 mm, overall height with substructure plinth: 1800 mm.
Colour: black. Easy assembly.

Item	W x D (mm)	Order no.
S-KL2/300	630 x 500	114640
S-KL2/400	830 x 500	114670
S-KL3/300	930 x 500	114650
S-KL4/300	1230 x 500	114660

Bench substructure

With beech slat support (H 420 x D 320 mm), delivered flat-packed, easy to assemble.
Overall height with bench subframe: 2120 mm.
Colour: black.

Item	W x H (mm)	Order no.
SU-KL06	630 x 420	114780
SU-KL08	830 x 420	114790
SU-KL09	930 x 420	114800
SU-KL12	1230 x 420	114810

Feet, adjustable height

Overall height with feet: 1850 mm. Sheet steel. Height adjustable screw, adjustment range from 0 mm – 60 mm.
Colour: RAL 8022, brown/black powder-coated. Easy assembly.

Item	Unit	Order no.
4F-SKL	4	114606

Substructure plinth, height adjustable

Overall height with substructure plinth: 1800 mm. Sheet steel. Height adjustable screw, adjustment range from 0 mm – 60 mm.
Colour: RAL 8022, brown/black powder-coated. Easy assembly.

Item	W x D (mm)	Order no.
S-SKL2/300	630 x 500	114601
S-SKL2/400	830 x 500	114604
S-SKL3/300	930 x 500	114602
S-SKL4/300	1230 x 500	114603

Inclined roof sections

Prevents objects being placed on the roofs. Open at the back. Also suitable for retro-fitting. Colour: light grey, RAL 7035.

Item	W x H (mm)	Order no.
SDA63	630 x 150	114510
SDA83	830 x 150	114520
SDA93	930 x 150	114530
SDA123	1230 x 150	114540

Bottom plate

Can be swivelled out.
Galvanised sheet steel.

Item	Complete set for compartments	Order no.
BB-SKL300/2	2x à 300 mm	114605
BB-SKL300/3	3x à 300 mm	114607
BB-SKL300/4	4x à 300 mm	114609
BB-SKL400/2	2x à 400 mm	114611
BB-SKL400/3	3x à 400 mm	114612



Cylinder locks

With 2 keys. Optional for all lockers.
Master key available on request.

Item	Order no.
Cylinder locks	
MZYL1	114500
Three-bar bolt	
3R-SKL	114608

Three-bar bolt (not illustr.)

Additional slide-action locks up and down, ensures a greater level of safety.

Clothes locker compartment width 2 x 300/600 mm

RAL 7035 LIGHT GREY
RAL 7035 LIGHT GREY

LIGHT GREY RAL 7035 | GENTIAN BLUE RAL 5010

Two widths

1 compartment (2 bays): W 630 x D 500 mm
2 compartments (4 bays): W 1230 x D 500 mm
Total height:
1800 mm with plinth* (H 100 mm)
1850 mm with feet* (H 150 mm)
* Substructures are supplied disassembled, for easy self-assembly

Workshop regulations

these stipulate that each employee shall be provided with a clothes locker with 2 compartments 300 mm wide, where it is necessary for work clothing to be separated from normal street wear

High-grade sheet steel

high quality powder-coated, housing light grey RAL 7035, doors in 7 different RAL shades

Equipment

1 hat shelf, 1 clothes rail with 2 sliding clothes hooks, 1 hand towel holder on the inside of the door

Doors

with ventilation grilles top and bottom, rotary catch suitable for a padlock

Accessories
Page **H132**

Feet

Solid plinth

Clothes locker, 600 mm wide compartment throughout

With doors hung on either side and full-width hat shelf.
1 compartment, 600 mm. Height: 1800 mm with plinth, 1850 mm with feet.

Item	Compart-ments	Order no.						
With feet								
KL1-600F	1	168301	168304	168305	168306	168307	168308	168309
With plinth								
KL1-600S	1	168311	168314	168315	168316	168317	168318	168319

Clothes locker, double compartment, compartment width 2 x 300 mm

With doors hung on either side.
Height: 1800 mm with plinth, 1850 mm with feet.

Item	Compart-ments	Order no.						
With feet								
KL2/1-SW-F	1	114461	114464	114465	114466	114467	114468	114469
KL4/2-SW-F	2	114481	114484	114485	114486	114487	114488	114489
With plinth								
KL2/1-SW-S	1	114471	114474	114475	114476	114477	114478	114479
KL4/2-SW-S	2	114491	114494	114495	114496	114497	114498	114499

RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	Housing
SIGNAL YELLOW RAL 1003	CRIMSON RAL 3004	PLATINUM GREY RAL 7036	AQUA BLUE RAL 5021	TURQUOISE GREEN RAL 6016	Fronts

Clothes locker with bench, compartment width 300 mm

Clothes locker, 300 mm wide compartment

With **bench** underneath with beech slats (H 420 x D 320 mm), delivered flat-packed, easy to assemble. Height: 2120 mm.

Item	Compartments	Order no.						
KLS2-U	2	112921	112924	112925	112926	112927	112928	112929
KLS3-U	3	112931	112934	112935	112936	112937	112938	112939
KLS4-U	4	112941	112944	112945	112946	112947	112948	112949



With bench underneath

Shoe storage

Item	Frame dimensions W x D (mm)	Weight (kg)	Frame colour	Order no.
ESR06	630 x 200	2,8	Black	194470
ESR09	930 x 200	3,2	Black	194490
ESR12	1230 x 200	3,6	Black	194500

Other combinations available

on request

Clothes locker, 300 mm wide compartment

As above, but with **bench** in front, delivered flat-packed, easy to assemble. Height: 1800 mm with plinth, 1850 mm with feet.

Item	Compartments	Order no.						
With feet								
KLS2F-H	2	112801	112804	112805	112806	112807	112808	112809
KLS3F-H	3	112841	112844	112845	112846	112847	112848	112849
KLS4F-H	4	112881	112884	112885	112886	112887	112888	112889
With plinth								
KLS2S-H	2	112821	112824	112825	112826	112827	112828	112829
KLS3S-H	3	112861	112864	112865	112866	112867	112868	112869
KLS4S-H	4	112901	112904	112905	112906	112907	112908	112909

With bench in front



Clothes locker with bench, compartment width 400 mm

Clothes locker, 400 mm wide compartment

With **bench** underneath with beech slats (H 420 x D 320 mm), delivered flat-packed, easy to assemble. Height: 2120 mm.

Item	Compartments	Order no.						
KLS2-U-4	2	112911	112914	112915	112916	112917	112918	112919
KLS3-U-4	3	112991	112994	112995	112996	112997	112998	112999



With bench underneath



Shoe storage

Item	Frame dimensions W x D (mm)	Weight (kg)	Frame colour	Order no.
ESR08	830 x 200	3,0	Black	194480
ESR12	1230 x 200	3,6	Black	194500

RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	Housing
LIGHT GREY RAL 7035	GENTIAN BLUE RAL 5010	SIGNAL YELLOW RAL 1003	CRIMSON RAL 3004	PLATINUM GREY RAL 7036	AQUA BLUE RAL 5021	TURQUOISE GREEN RAL 6016	Fronts

Z Wardrobe cabinets



▶ **Two widths**
2 compartments: W 430 mm, 4 compartments: W 830 mm.
Depth 500 mm. Total height: 1800 mm with plinth* (H 100 mm),
1850 mm with feet* (H 150 mm)
* Substructures are supplied disassembled, for easy self-assembly

▶ **High-grade sheet steel**
high quality powder-coated

▶ **Equipment per compartment**
1 clothes rail with 2 sliding clothes hooks per compartment

▶ **Doors**
with security lock and two keys

Z Wardrobe cabinets

Required where there is only enough space for one cabinet with half-height compartments but in which long items of clothing need to be hung up.

Item	Compart-ments	Order no.						
With feet								
KL2Z-F	2	***167971***	***167974***	***167975***	***167976***	***167977***	***167978***	***167979***
KL4Z-F	4	***167981***	***167984***	***167985***	***167986***	***167987***	***167988***	***167989***
With plinth								
KL2Z-S	2	***169511***	***169514***	***169515***	***169516***	***169517***	***169518***	***169519***
KL4Z-S	4	***169521***	***169524***	***169525***	***169526***	***169527***	***169528***	***169529***

Space-saving cabinets with compartment width 200 mm





▶ **Four widths**
2 compartments: W 430 mm, 3 compartments: W 630 mm,
4 compartments: W 830 mm, 6 compartments: W 1230 mm.
Depth: 500 mm. Total height: 1800 mm with plinth* (H 100 mm)
* Substructures are supplied disassembled, for easy self-assembly

▶ **High-grade sheet steel**
high quality powder-coated

▶ **Equipment**
1 hat shelf, 1 clothes rail with 2 sliding clothes hooks

▶ **Doors**
rotary catch suitable for a padlock

Space-saving cabinets, compartment width 200 mm

On solid plinth. Height: 1800 mm.

Item	Compart-ments	Order no.						
KL2S-2	2	***194431***	***194434***	***194435***	***194436***	***194437***	***194438***	***194439***
KL3S-2	3	***194441***	***194444***	***194445***	***194446***	***194447***	***194448***	***194449***
KL4S-2	4	***194451***	***194454***	***194455***	***194456***	***194457***	***194458***	***194459***
KL6S-2	6	***194461***	***194464***	***194465***	***194466***	***194467***	***194468***	***194469***

RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	RAL 7035 LIGHT GREY	Housing
LIGHT GREY RAL 7035	GENTIAN BLUE RAL 5010	SIGNAL YELLOW RAL 1003	CRIMSON RAL 3004	PLATINUM GREY RAL 7036	AQUA BLUE RAL 5021	TURQUOISE GREEN RAL 6016	Fronts

Laundry collection cabinets

▶ One width
With 2 x 8 compartments: W 340 x H 195 mm
With 2 x 5 compartments: W 340 x H 312 mm. Total width 830 mm
Depth 500 mm. Total height: 1800 mm with plinth* (H 100 mm)
* Substructures are supplied disassembled, for easy self-assembly

▶ High-grade sheet steel
high quality powder-coated

▶ Equipment
2 x 8 compartments or 2 x 5 compartments,
each compartment can be locked individually

▶ Doors
with security lock and two keys

Laundry collection cabinets

With 2 x 8 or 2 x 5 compartments on top of one another.

Item	No. of compartments	Order no.						
With plinth								
KLW-2/5	10	***169541***	***169544***	***169545***	***169546***	***169547***	***169548***	***169549***
KLW-2/8	16	***169531***	***169534***	***169535***	***169536***	***169537***	***169538***	***169539***



Mailbox/distributor cabinets

▶ Two widths
With 2 x 11 compartments: W 365 x H 120 mm. Total width 830 mm
With 3 x 11 compartments: W 365 x H 120 mm. Total width 1230 mm
Depth 500 mm. Total height: 1800 mm with plinth* (H 100 mm)
* Substructures are supplied disassembled, for easy self-assembly

▶ High-grade sheet steel
high quality powder-coated

▶ Equipment
2 x 11 compartments or 3 x 11 compartments, letter slot DIN A4 in length,
each compartment can be locked individually, slot width W 240 x H 25 mm

▶ Doors
with security lock and two keys

Mailbox/distributor cabinets

With 2 x 11 or 3 x 11 compartments on top of one another.

Item	No. of compartments	Order no.						
With plinth								
KLP2-11S	22	***169551***	***169554***	***169555***	***169556***	***169557***	***169558***	***169559***
KLP3-11S	33	***169561***	***169564***	***169565***	***169566***	***169567***	***169568***	***169569***



Compartment cabinets with bay width 300/400 mm

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY — **Housing**

LIGHT GREY RAL 7035 | GENTIAN BLUE RAL 5010 | SIGNAL YELLOW RAL 1003 | CRIMSON RAL 3004 | PLATINUM GREY RAL 7036 | AQUA BLUE RAL 5021 | TURQUOISE GREEN RAL 6016 — **Fronts**

▶ Two bay widths

Bay width 300/400 mm:

1 compartment: W 330 / 430 mm
2 compartments: W 630 / 830 mm
3 compartments: W 930 /1230 mm
4 compartments: W 1230 / – mm
Depth: 500 mm. Total height: 1800 mm with plinth* (H 100 mm)
* Substructures are supplied disassembled, for easy self-assembly

▶ Three bay heights

bay height with 3 bays: 520 mm
bay height with 4 bays: 380 mm
bay height with 5 bays: 300 mm

▶ High-grade sheet steel

high quality powder-coated,
housing light grey RAL 7035,
doors in 7 different RAL shades

▶ Doors

with security lock and two keys



Compartment cabinets, bay width 300 mm

With plinth. Height: 1800 mm.

Item	Bays horizontal	Order no.						
3 vertical bays								
KLG1/3-300S	1	194201	194204	194205	194206	194207	194208	194209
KLG2/3-300S	2	194231	194234	194235	194236	194237	194238	194239
KLG3/3-300S	3	194261	194264	194265	194266	194267	194268	194269
KLG4/3-300S	4	194291	194294	194295	194296	194297	194298	194299
4 vertical bays								
KLG1/4-300S	1	194211	194214	194215	194216	194217	194218	194219
KLG2/4-300S	2	194241	194244	194245	194246	194247	194248	194249
KLG3/4-300S	3	194271	194274	194275	194276	194277	194278	194279
KLG4/4-300S	4	194301	194304	194305	194306	194307	194308	194309
5 vertical bays								
KLG1/5-300S	1	194221	194224	194225	194226	194227	194228	194229
KLG2/5-300S	2	194251	194254	194255	194256	194257	194258	194259
KLG3/5-300S	3	194281	194284	194285	194286	194287	194288	194289
KLG4/5-300S	4	194311	194314	194315	194316	194317	194318	194319



Compartment cabinets, bay width 400 mm

With plinth. Height: 1800 mm.

Item	Bays horizontal	Order no.						
3 vertical bays								
KLG1/3-400S	1	194321	194324	194325	194326	194327	194328	194329
KLG2/3-400S	2	194351	194354	194355	194356	194357	194358	194359
KLG3/3-400S	3	194381	194384	194385	194386	194387	194388	194389
4 vertical bays								
KLG1/4-400S	1	194331	194334	194335	194336	194337	194338	194339
KLG2/4-400S	2	194361	194364	194365	194366	194367	194368	194369
KLG3/4-400S	3	194391	194394	194395	194396	194397	194398	194399
5 vertical bays								
KLG1/5-400S	1	194341	194344	194345	194346	194347	194348	194349
KLG2/5-400S	2	194371	194374	194375	194376	194377	194378	194379
KLG3/5-400S	3	194401	194404	194405	194406	194407	194408	194409

RAL 7035 LIGHT GREY | RAL 3000 FIRE RED | SILVER

- **Two widths**
  2 compartments: W 830 x D 500 mm
  3 compartments: W 1230 x D 500 mm
  Height without substructure: 1700 mm
- **High-grade sheet steel**
  high quality powder-coated
- **Equipment**
  1 open bay, 1 clothes rail with 4 sliding hooks,
  1 belt hook on the right-hand side panel

Fire cabinets, compartment width 400 mm

Fire cabinets without substructure

Item	Compart-ments	Order no.		
KLF2-400G	2	74601	74602	74603
KLF3-400G	3	74611	74612	74613



Accessories

Helmet holder for cabinet roof

Item	Order no.
HH-KLF	74642

Safe doors for upper compartment

For locking up valuable personal objects.

Item	Order no.		
With security lock and two keys			
WTF-Z	74621	74622	74623
With number combination lock			
WTF-3K	74631	74632	74633

Additional coupled holder

Item	Order no.
KH-KLF	74643

Mesh supports

As shoe shelf underneath, for positioning on the cabinet base. Dip galvanised.

Item	Order no.
GR-KLF	74641

Feet

Overall height with feet: 1850 mm.
Colour: black. Easy assembly.

Item	H (mm)	Unit	Order no.
4F-KL	150	4	114680



Substructure plinth

Overall height with substructure plinth: 1800 mm. Colour: black. Easy assembly.

Item	W x H (mm)	Order no.
S-KL2/400	830 x 100	114670
S-KL3/400	1230 x 100	114660

Bench substructure

With beech slat support (H 420 x D 320 mm), delivered flat-packed, easy to assemble. Overall height with bench subframe: 2120 mm. Colour: black.

Item	W x H (mm)	Order no.
SU-KL08	830 x 420	114790
SU-KL12	1230 x 420	114810

Accessories for clothes lockers



Cylinder locks

With 2 keys. Optional for all lockers. Master key available on request.

Item	Order no.
MZYL1	114500



Safety sash fastener

Prevents the lock being turned too far with a padlock attached. Provides increased anti-theft protection.

Item	Order no.
SVR1	114391



Cylinder padlocks

Double locked, rust-free interior. Bolt chromium-plated hardened steel. Solid brass body. Interior height of clip, 25 mm. Various closures.

Item	Order no.
ZVS25-V	114380

Lock reinforcement

Provides increased security against theft. Galvanised sheet steel to insert under the lock.

Item	Order no.
KL-SV	113380

Number combination lock

Number combination can be set individually with automatic wiping and master key functions.

Item	Order no.
ZKS1	114392

Safety code lock

Can be programmed individually for master code function.

Item	Order no.
SCS1	114393



Deposit locks

For clothes lockers. Operated by coin.

Item	For	Order no.
PFS-KL	KL	10440
PFS-KLG	KLG	10441

Inclined roof sections

Prevents objects being placed on the roofs. Open at the back. Also suitable for retro-fitting. Colour: light grey, RAL 7035.

Item	W x H (mm)	Order no.
SDA63	630 x 150	114510
SDA83	830 x 150	114520
SDA63	930 x 150	114530
SDA123	1230 x 150	114540

Locker numbering

Silver adhesive film with black consecutive numbering.

Item	Numbers	Unit	Order no.
SN-KL1	1 - 50	50	113381
SN-KL2	1 - 100	100	113382

Accessories for clothes lockers

Name cards and film cover

Fit into the holder on the locker door.

Item	Unit	Order no.
PEF-KL	100	113387

Moveable dividers

For lockers with compartment width 400 and 600 mm (pages H121 and H126). For retrofitting a divider into sub-compartments to create two bays with widths of 200 and 300 mm.

Item	Order no.
PTRW	113390

Connector strip

For connecting two locks in the roof area. Galvanised version, with plastic clips.

Item	Order no.
VBL-KL	114394

Benches

Solid frame in 30 x 30 x 2 mm rectangular tubing, dark brown RAL 8022, powder-coated. Slats in varnished beech laminate, painted, 95 x 25 mm. Delivered flat-packed, easy to assemble. Bench height 415 mm, bench depth 310 mm.

Item	Bench length (mm)	Frame dimensions W x D (mm)	Weight (kg)	Order no.
ESB10	995	615 x 285	10	114400
ESB15	1495	1215 x 285	16	114410
ESB20	1995	1615 x 285	18	114420

Shoe storage

Item	Bench length (mm)	Frame dimensions W x D (mm)	Weight (kg)	Order no.
ESR10	995	615 x 200	3,0	114430
ESR15	1495	1215 x 200	3,6	114440
ESR20	1995	1615 x 200	5,2	114450

Benches with coat hook frame

Solid frame in 30 x 30 x 2 mm rectangular tubing, dark brown RAL 8022, powder-coated. Slats, backboard and hook panel in varnished beech laminate, 95 x 25 mm. Delivered flat-packed, easy to assemble. Bench height 415 mm, bench depth 310 mm.

Item	Bench length (mm)	Frame dimensions W x D (mm)	Weight (kg)	Order no.
SBH10	995	615 x 285	18	114401
SBH15	1495	1215 x 285	26	114411
SBH20	1995	1615 x 285	30	114421

Shoe storage

Item	Bench length (mm)	Frame dimensions W x D (mm)	Weight (kg)	Order no.
ESR10	995	615 x 200	3,0	114430
ESR15	1495	1215 x 200	3,6	114440
ESR20	1995	1615 x 200	5,2	114450

RAL 7035 LIGHT GREY | SILVER | RAL 7035 LIGHT GREY — Housing

LIGHT GREY RAL 7035 | ANTHRACITE GREY RAL 7016 | GENTIAN BLUE RAL 5010 — Fronts

Locker columns

- **High-grade sheet steel**
  stove enamel finish
- **Doors**
  with security lock and two keys



The dimensions in brackets refer to the interior width of the compartment.

Locker columns

Wardrobe cabinet with clothes rail, locker columns with 4, 5 or 6 compartments.

Item		W x H x D (mm)	Order no.		
G350	Wardrobe cabinet	350 x 1950 x 500	***24101***	***24100***	***24102***
G350-4	Wardrobe cabinet, 4 shelves	350 x 1950 x 500	***24111***	***24110***	***24112***
SFW 4/4	Locker columns, 4 bays	350 x 1950 x 500	***10431***	***10430***	***10432***
SFW 4/5	Locker columns, 5 bays	350 x 1950 x 500	***10901***	***10900***	***10902***
SFW 4/6	Locker columns, 6 bays	350 x 1950 x 500	***10911***	***10910***	***10912***
SFW 5/5	Locker columns, 5 bays	263 x 1950 x 500	***10421***	***10420***	***10422***

Locker units

Locker units

With hat shelf, clothes rail, spacer rods and 4, 5, 8 or 10 locker compartments and end panel.

Item		W x H x D (mm)	Order no.		
SFG 4	Base unit, 8 bays	1650 x 1950 x 500	***10401***	***10400***	***10402***
SFA 4	Add-on unit, 4 bays	1300 x 1950 x 500	***10411***	***10410***	***10412***
SFG 5	Base unit, 10 bays	1476 x 1950 x 500	***10191***	***10190***	***10192***
SFA 5	Add-on unit, 5 bays	1213 x 1950 x 500	***10201***	***10200***	***10202***
SE5	Add-on unit, 9 bays	1306 x 1950 x 500	***24136***	***24130***	***24133***
SFR	End frame, wall	975 x 1950 x 500	***10211***	***10210***	***10212***

Multi-purpose wardrobe and locker cabinets

▶ Two compartment widths

300 mm
2 compartments: W 600 x D 520 mm
3 compartments: W 900 x D 520 mm
400 mm
2 compartments: W 800 x D 520 mm
3 compartments: W 1200 x D 520 mm
Total height: 2000 mm with solid plinth or feet, all cabinets can be combined with one another

▶ High-grade sheet steel

cold-rolled, extra stress-free straightened, electro-plated/hot-dip galvanised frameless folded construction without sharp edges around the opening, housing light grey RAL 7035, doors in 4 different RAL shades, very high resistance powder-coated finish

▶ Equipment

continuous ventilation system through door and back panel, 1 hat shelf, 1 clothes rail with 2 sliding clothes hooks

▶ Doors

double-skinned with rounded edges to protect from injury, door opening angle 90°, high corrosion resistance, each door fitted with individual security lock and 2 keys

Double-skinned, fully reinforced doors, 90° opening, with sliding hinges

Rounded, smoothly finished door edges, no risk of injury

Please order feet or plinths separately

Frame with feet, rectangular tubing

For 2-door and 3-door widths, anthracite, RAL 7016, 150 mm high.

Item	For width (mm)	Order no.
GSV15-6	600	170080
GSV15-8	800	170081
GSV15-9	900	170090
GSV15-12	1200	170091

Solid plinth

For 2-door and 3-door widths, anthracite, RAL 7016, 150 mm high.

Item	For width (mm)	Order no.
GSB15-6	600	170100
GSB15-8	800	170101
GSB15-9	900	170110
GSB15-12	1200	170111



Multi-purpose wardrobe and locker cabinets

Each with 1 hat shelf, 1 clothes hook and 3 sliding hooks, compartment height 1850 mm.

Item	External dimensions W x D x H (mm)	Compartments dimensions W x D (mm)	Order no.			
HG1-23	600 x 520 x 1850	300 x 485	170200	170201	170202	170203
HG1-33	900 x 520 x 1850	300 x 485	170210	170211	170212	170213
HG1-24	800 x 520 x 1850	400 x 485	170880	170881	170882	170883
HG1-34	1200 x 520 x 1850	400 x 485	170890	170891	170892	170893

RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY | RAL 7035 LIGHT GREY — Housing

LIGHT GREY RAL 7035 | GENTIAN BLUE RAL 5010 | VIOLET RAL 4004 | SLATE GREY RAL 7015 — Fronts

Hygiene Plus

the Hygiene Plus technology is based on the material silver, which is permanently incorporated into the powder-coated. The protective antibacterial effect is activated with humidity and heat in particular. Bacteria absorb the silver ions released and are prevented from multiplying. Incorporated silver is completely safe for humans. This guarantees that the powder coatings used offer good durability, high resistance to washing and foodstuffs.

Multi-purpose wardrobe and locker cabinets





Multi-purpose wardrobe and locker cabinets

Each with 1 clothes rail and 3 sliding hooks, 2 compartments, compartment height 880 mm.

Item	External dimensions W x D x H (mm)	Compartment dimensions W x D (mm)	Order no.			
HG2-23	600 x 520 x 1850	300 x 485	170220	170221	170222	170223
HG2-33	900 x 520 x 1850	300 x 485	170230	170231	170232	170233
HG2-24	800 x 520 x 1850	400 x 485	170900	170901	170902	170903
HG2-34	1200 x 520 x 1850	400 x 485	170910	170911	170912	170913



Multi-purpose wardrobe and locker cabinets

4 compartments, one on top of the other, compartment height 422 mm.

Item	External dimensions W x D x H (mm)	Compartment dimensions W x D (mm)	Order no.			
HG4-23	600 x 520 x 1850	300 x 485	170240	170241	170242	170243
HG4-33	900 x 520 x 1850	300 x 485	170250	170251	170252	170253